



**DULLSTROOM AND KRUGER NATIONAL PARK  
CUSTOM TOUR - TRIP REPORT  
17 - 22 JANUARY 2016**

**By Justin Nicolau**



**Bateleur** - *Terathopius ecaudatus*

## Itinerary

Date	Location	Overnight
17 January 2016	Johannesburg, Dullstroom	Dullstroom
18 January 2016	Dullstroom, Kruger NP	Kruger NP
19 January 2016	Kruger NP	Kruger NP
20 January 2016	Kruger NP	Kruger NP
21 January 2016	Kruger NP	Rust De Winter
22 January 2016	Kgomo-Kgomo, Rust De Winter	(Departure)

## Overview

Although a seemingly short trip, the variety of habitats that are explored allows for a handsome list of bird species as well as other fauna and flora. Exploring the high-altitude grasslands on the eastern escarpment to the bushveld found within the Kruger National Park, we encountered 291 species of avian fauna as well as 32 species of mammals and 9 species of reptiles and amphibians, a respectable number considering this was a tour focused strictly on bird photography.

### Day 1, 17 January 2016

Today began with a mid-morning arrival at the Johannesburg airport, from where, once customs had been cleared, we headed immediately for the grasslands of Dullstroom. Along the way the usual roadside and fuel-station stopover suspects were encountered, such as **Black-winged Kite**, **Hadada Ibis**, **Glossy Ibis**, **Southern Masked Weaver**, **House Sparrow**, **Common Buzzard**, **Amur Falcon**, **African Sacred Ibis**, **Crowned Lapwing**, and the occasional flock of **Fan-tailed** and **Long-tailed Widowbirds**. The drive was over fairly quickly, and we arrived in town, checked into the lodge, and set off almost immediately.

A quiet sand road outside of town produced countless birds, with highlights being **Long-crested Eagle**, **Pin-tailed Whydah**, **Yellow-crowned Bishop**, **Cape Canary**, **Red-billed Quelea**, **Barn Swallow**, **African Olive Pigeon**, **Southern Fiscal**, **Swainson's Spurfowl**, and **Black-headed Heron**. We then entered a local nature reserve, where the grasslands were alive with birds. We enjoyed **Buff-streaked Chat**, **Drakensberg Prinia**, **Pied Starling**, **Cape Longclaw**, **Yellow Bishop**, **African Stonechat**, **Red-winged Francolin**, **Cape Grassbird**, **Cape Crow**, **Eastern Long-billed Lark**, **Levaillant's Cisticola**, and great views of **Yellow-breasted Pipit**, amongst many others. Mammals were also on display here, and we encountered black wildebeest, blesbok, southern reedbeek, and black-backed jackal, as well as the sought-after oribi. We then headed back for dinner, stopping briefly for **Red-eyed Dove**, **Black Sparrowhawk**, and **Amur Falcon** and **Olive Thrush** in the yard just before we lost the light.

### Day 2, 18 January 2016

Heading out after breakfast through the grasslands of Dullstroom, we saw much of what we had seen yesterday but did enjoy a few highlights, such as **Spur-winged Goose**, **Bokmakierie**, **Jackal Buzzard**, **White-throated Swallow**, and a large flock of **Cape Vultures**, which caught thermals overhead. Heading east toward our next destination, we added **Cinnamon-breasted Bunting**, **Streaky-headed Seedeater**, **African Palm Swift**,

**Rock Martin, African Firefinch**, the unique **Gurney's Sugarbird** feeding on a few protea flowers, and many more.

At around lunchtime we had made it to and through the gates of the renowned Kruger National Park, declared as such over a century ago. Excitement levels were at their peak, and rightly so. The initial loop road produced additions such as **Grey Go-away-bird, Red-billed Oxpecker, Yellow-fronted Canary, Greater Blue-eared Starling, Woodland Kingfisher, Natal Francolin**, and **Fork-tailed Drongo**. There were a few mammal highlights such as spotted hyena, impala, African buffalo, African elephant, waterbuck, common duiker, vervet, and the endangered African wild dog, a pack of roughly 15, which sat within meters of our car in the shade of a tree. Popping into a local bird hide, we added the likes of hippopotamus and bushbuck as well as a few new birds like **Pied** and **Malachite Kingfishers, Water Thick-knee, African Jacana, African Darter, White-faced Whistling Duck, Grey Heron, African Fish Eagle, Black Crake**, and **Squacco Heron** actively catching fish off the bank.



Lappet-faced Vulture - *Torgos tracheliotos*

We then headed along one of the large rivers toward our camp for the evening, where we saw countless birds with a few additions in the form of **Burchell's Starling, Southern Red-billed Hornbill, Southern Yellow-billed Hornbill, African Grey Hornbill, and Purple, European, and Lilac-breasted Rollers. Southern Carmine and European Bee-eaters** were common, and we also enjoyed a few raptors such as **Martial Eagle, Wahlberg's Eagle, Lappet-faced Vulture**, and **White-backed Vulture**, as well as a couple dozen other new species by the time we had reached our accommodation for dinner.

### Day 3, 19 January 2016

Today we headed out of camp prior to breakfast for a short drive. We encountered many of the mammal species we had come across prior to this, with highlights being white rhinoceros, a large family herd of African elephant, and a stunning nyala bull. The birds were somewhat numerous, and we enjoyed great repeat views of many of yesterday's birds but also picked up **Golden-breasted Bunting, African Cuckoo, Martial Eagle, Black-chested Snake Eagle, Yellow-billed Kite, Amur Falcon**, and the likes of **Emerald Spotted Wood Dove, Black-**

backed Puff-back, Black-headed Oriole, Sabota Lark, Arrow-marked Babbler, Red-crested Korhaan, Green-backed Camaroptera, White-crowned Lapwing, and great views of Brown-hooded Kingfisher as well as Cardinal, Bennett's, and Golden-tailed Woodpeckers. We then returned for lunch, where we added Green Wood Hoopoe, African Green Pigeon, and close-ups of Brown-headed Parrot.

In the afternoon we decided to try out a few new habitats and were rewarded for our efforts. Mocking Cliff Chat showed well in the rocky outcrops, and the grasslands of the south produced great views of Kori Bustard, the world's heaviest flying bird. We were even treated to four African lions, which came down to drink at a waterhole, their presence given away by an alert group of impala. Not far off we had close-up views of another pair of African lions, and then a few kilometers up the road had the most memorable sighting of a female cheetah within meters of the vehicle, searching for prey before sunset.



African lion - *Panthera leo leo*



Cheetah - *Acinonyx jubatus*

**Day 4, 20 January 2016**

With our bags packed we made our way along the Sabie River to our accommodation for the next evening. The crisp morning air had all the birds in full song, and we enjoyed many of the species we had already encountered over the last few days. We did, however, pick up highlights such as **Red-eyed Dove**, **Crowned Hornbill**, **Red-breasted Swallow**, **Long-billed Crombec**, **Retz's Helmetshrike**, **Yellow-fronted Tinkerbird**, **African Hoopoe**, **Black-headed Oriole**, **Little Bee-eater**, and **White-fronted Bee-eater**, and a few mammal highlights such as family herds of African elephant, countless white rhinoceros, banded mongoose, and a fantastic sighting of the largest leopard known in the Kruger National Park.



Leopard - *Panthera pardus*

Arriving at the campgrounds a little later, we took a brief walk while waiting to check in. Here fruiting trees housed countless **Greater Blue-eared** and **Violet-backed Starlings**, **Black-collared Barbet**, and the colorful **Purple-crested Turaco**. A small pond and wooded area yielded **African Pygmy Kingfisher** as well as **White-browed Robin Chat**. Later in the afternoon after a rest from the heat we went for a last-minute drive, picking up the usual suspects and some great views of a variety of mammals as well as a beautiful pair of **Brown Snake Eagles** soaring overhead.

**Day 5, 21 January 2016**

This was our final morning in the Kruger National Park, and we wasted little time heading out of camp in search of our last species for the area. The roads were quiet, although we had many sightings of white rhinoceros and other common mammals with the addition of common dwarf mongoose. The birds were rather few and far between until we got to the western end, where we had stunning views of **Saddle-billed Stork** while watching an adult male lion overlooking the nearby dam. Further on we had **Striped Kingfisher**, **Brubru**, **Green Wood Hoopoe**, **Crested Barbet**, and **Monotonous** and **Rufous-naped Larks**, as well as **Red-collared** and **White-winged Widowbirds**.

Leaving the park, we hurried the six hours to Rust De Winter Nature Reserve north of Pretoria to our next accommodation. We checked in and then headed into nearby farmlands to see what they had to offer. Here we found **Lesser Grey Shrike**, **Southern Pied Babbler**,

**Pearl-spotted Owlet, White-bellied Sunbird, Shaft-tailed Whydah, Lesser Kestrel, Pearl-breasted Swallow, Burnt-necked Eremomela, Crimson-breasted Shrike, and a number of others.** At our lodge the river in front of the restaurant produced **Village** and **Thick-billed Weavers**, while a drive after dinner yielded **Spotted Eagle-Owl** and the most obliging of **European Nightjars**.

#### **Day 6, 22 January 2016**

The following morning was our last, and we headed for the Kgomo-Kgomo wetlands just west of where we were situated. The floodplain was unfortunately dry, but we did pick up some interesting bushveld birds along the way, including **Namaqua Dove, Shaft-tailed Whydah, Village Indigobird, Barred Wren-Warbler, White-browed Sparrow-Weaver, Southern Red-billed Hornbill, Marico Flycatcher, Rufous-naped Lark, Black-chested Snake Eagle, Helmeted Guineafowl**, and many others. With a looming flight out of Johannesburg in the afternoon we headed in that direction, just to be on the safe side.

The decision was made to pop into a nearby wetland, where we picked up a great variety of waterbirds before returning to the airport to say our goodbyes. The various hides and bodies of water produced **Yellow-billed Duck, Cape Shoveler, Red-billed Teal, Hottentot Teal, African Reed Warbler, Lesser Swamp Warbler, Yellow Canary, Little Stint, Ruff, Common Moorhen, Red-knobbed Coot, Purple Heron, Black Heron, Squacco Heron, White-throated Swallow, African Darter, Brown-throated Martin, Whiskered Tern, White-winged Tern, Black Crake**, and a number of additional species.



**Black Crake - *Amauornis flavirostra***

<b>DULLSTROOM AND KRUGER NATIONAL PARK BIRD LIST 17 - 22 JANUARY 2016</b>		
Bold = country endemic Status: NT = Near-threatened, VU = Vulnerable, EN = Endangered		
<b>Common Name (IOC 5.04)</b>	<b>Scientific Name (IOC 5.04)</b>	<b>Trip</b>
	<b>ANSERIFORMES</b>	
<b><u>Ducks, Geese and Swans</u></b>	<b><u>Anatidae</u></b>	-
White-faced Whistling Duck	<i>Dendrocygna viduata</i>	1
Fulvous Whistling Duck	<i>Dendrocygna bicolor</i>	1
Spur-winged Goose	<i>Plectropterus gambensis</i>	1
Knob-billed Duck	<i>Sarkidiornis melanotos</i>	1
Egyptian Goose	<i>Alopochen aegyptiaca</i>	1
Yellow-billed Duck	<i>Anas undulata</i>	1
Cape Shoveler	<i>Anas smithii</i>	1
Red-billed Teal	<i>Anas erythrorhyncha</i>	1
Hottentot Teal	<i>Anas hottentota</i>	1
	<b>GALLIFORMES</b>	
<b><u>Guineafowl</u></b>	<b><u>Numididae</u></b>	-
Helmeted Guineafowl	<i>Numida meleagris</i>	1
<b><u>Pheasants and allies</u></b>	<b><u>Phasianidae</u></b>	-
Red-winged Francolin	<i>Scleroptila levaillantii</i>	1
Crested Francolin	<i>Dendroperdix sephaena</i>	1
Natal Spurfowl	<i>Pternistis natalensis</i>	1
Swainson's Spurfowl	<i>Pternistis swainsonii</i>	1
Common Quail	<i>Coturnix coturnix</i>	1
	<b>PODICIPEDIFORMES</b>	
<b><u>Grebes</u></b>	<b><u>Podicipedidae</u></b>	-
Little Grebe	<i>Tachybaptus ruficollis</i>	1
	<b>PHOENICOPTERIFORMES</b>	
<b><u>Flamingos</u></b>	<b><u>Phoenicopteridae</u></b>	-
Greater Flamingo	<i>Phoenicopterus roseus</i>	1
	<b>CICONIIFORMES</b>	
<b><u>Storks</u></b>	<b><u>Ciconiidae</u></b>	-
Yellow-billed Stork	<i>Mycteria ibis</i>	1
African Openbill	<i>Anastomus lamelligerus</i>	1
Abdim's Stork	<i>Ciconia abdimii</i>	1
White Stork	<i>Ciconia ciconia</i>	1
Saddle-billed Stork	<i>Ephippiorhynchus senegalensis</i>	1
Marabou Stork	<i>Leptoptilos crumenifer</i>	1
	<b>PELECANIFORMES</b>	
<b><u>Ibises, Spoonbills</u></b>	<b><u>Threskiornithidae</u></b>	-
African Sacred Ibis	<i>Threskiornis aethiopicus</i>	1

Hadada Ibis	<i>Bostrychia hagedash</i>	1
Glossy Ibis	<i>Plegadis falcinellus</i>	1
African Spoonbill	<i>Platalea alba</i>	1
<b><u>Hérons, Bitterns</u></b>	<b><u>Ardeidae</u></b>	-
Striated Heron	<i>Butorides striata</i>	1
Squacco Heron	<i>Ardeola ralloides</i>	1
Western Cattle Egret	<i>Bubulcus ibis</i>	1
Grey Heron	<i>Ardea cinerea</i>	1
Black-headed Heron	<i>Ardea melanocephala</i>	1
Goliath Heron	<i>Ardea goliath</i>	1
Purple Heron	<i>Ardea purpurea</i>	1
Great Egret	<i>Ardea alba</i>	1
Black Heron	<i>Egretta ardesiaca</i>	1
Little Egret	<i>Egretta garzetta</i>	1
<b><u>Hamerkop</u></b>	<b><u>Scopidae</u></b>	-
Hamerkop	<i>Scopus umbretta</i>	1
	<b>SULIFORMES</b>	
<b><u>Cormorants, Shags</u></b>	<b><u>Phalacrocoracidae</u></b>	-
Reed Cormorant	<i>Microcarbo africanus</i>	1
White-breasted Cormorant	<i>Phalacrocorax lucidus</i>	1
<b><u>Anhingas, Darters</u></b>	<b><u>Anhingidae</u></b>	-
African Darter	<i>Anhinga rufa</i>	1
	<b>ACCIPITRIFORMES</b>	
<b><u>Kites, Hawks and Eagles</u></b>	<b><u>Accipitridae</u></b>	-
Black-winged Kite	<i>Elanus caeruleus</i>	1
Hooded Vulture - EN	<i>Necrosyrtes monachus</i>	1
White-backed Vulture - EN	<i>Gyps africanus</i>	1
Cape Vulture - VU	<i>Gyps coprotheres</i>	1
White-headed Vulture - VU	<i>Trigonoceps occipitalis</i>	1
Lappet-faced Vulture - VU	<i>Torgos tracheliotos</i>	1
Black-chested Snake Eagle	<i>Circaetus pectoralis</i>	1
Brown Snake Eagle	<i>Circaetus cinereus</i>	1
Bateleur - NT	<i>Terathopius ecaudatus</i>	1
Bat Hawk	<i>Macheiramphus alcinus</i>	1
Martial Eagle - VU	<i>Polemaetus bellicosus</i>	1
Long-crested Eagle	<i>Lophaetus occipitalis</i>	1
Lesser Spotted Eagle	<i>Clanga pomarina</i>	1
Wahlberg's Eagle	<i>Hieraetus wahlbergi</i>	1
Tawny Eagle	<i>Aquila rapax</i>	1
Black Sparrowhawk	<i>Accipiter melanoleucus</i>	1
Yellow-billed Kite	<i>Milvus aegyptius</i>	1
African Fish Eagle	<i>Haliaeetus vocifer</i>	1



Common Buzzard	<i>Buteo buteo</i>	1
Jackal Buzzard	<i>Buteo rufofuscus</i>	1
	<b>OTIDIFORMES</b>	
<b><u>Bustards</u></b>	<b><u>Otididae</u></b>	-
Kori Bustard - NT	<i>Ardeotis kori</i>	1
Red-crested Korhaan	<i>Lophotis ruficrista</i>	1
Black-bellied Bustard	<i>Lissotis melanogaster</i>	1
	<b>GRUIFORMES</b>	
<b><u>Flufftails</u></b>	<b><u>Sarothruridae</u></b>	-
Red-chested Flufftail	<i>Sarothrura rufa</i>	1
<b><u>Rails, Crakes and Coots</u></b>	<b><u>Rallidae</u></b>	-
African Rail	<i>Rallus caerulescens</i>	1
Black Crake	<i>Amaurornis flavirostra</i>	1
African Swamphe	<i>Porphyrio madagascariensis</i>	1
Common Moorhen	<i>Gallinula chloropus</i>	1
Red-knobbed Coot	<i>Fulica cristata</i>	1
	<b>CHARADRIIFORMES</b>	
<b><u>Stone-curlews, Thick-knees</u></b>	<b><u>Burhinidae</u></b>	-
Water Thick-knee	<i>Burhinus vermiculatus</i>	1
<b><u>Stilts, Avocets</u></b>	<b><u>Recurvirostridae</u></b>	-
Black-winged Stilt	<i>Himantopus himantopus</i>	1
Pied Avocet	<i>Recurvirostra avosetta</i>	1
<b><u>Plovers</u></b>	<b><u>Charadriidae</u></b>	-
Blacksmith Lapwing	<i>Vanellus armatus</i>	1
White-crowned Lapwing	<i>Vanellus albiceps</i>	1
Crowned Lapwing	<i>Vanellus coronatus</i>	1
African Wattled Lapwing	<i>Vanellus senegallus</i>	1
Common Ringed Plover	<i>Charadrius hiaticula</i>	1
Kittlitz's Plover	<i>Charadrius pecuarius</i>	1
Three-banded Plover	<i>Charadrius tricollaris</i>	1
<b><u>Jacanas</u></b>	<b><u>Jacanidae</u></b>	-
African Jacana	<i>Actophilornis africanus</i>	1
<b><u>Sandpipers, Snipes</u></b>	<b><u>Scolopacidae</u></b>	-
African Snipe	<i>Gallinago nigripennis</i>	1
Common Greenshank	<i>Tringa nebularia</i>	1
Wood Sandpiper	<i>Tringa glareola</i>	1
Common Sandpiper	<i>Actitis hypoleucos</i>	1
Little Stint	<i>Calidris minuta</i>	1
Ruff	<i>Philomachus pugnax</i>	1
<b><u>Coursers, Pratincoles</u></b>	<b><u>Glareolidae</u></b>	-
Black-winged Pratincole	<i>Glareola nordmanni</i>	1
<b><u>Gulls, Terns and Skimmers</u></b>	<b><u>Laridae</u></b>	-

Grey-headed Gull	<i>Chroicocephalus cirrocephalus</i>	1
Whiskered Tern	<i>Chlidonias hybrida</i>	1
White-winged Tern	<i>Chlidonias leucopterus</i>	1
	<b>COLUMBIFORMES</b>	
<b><u>Pigeons, Doves</u></b>	<b><u>Columbidae</u></b>	-
Rock Dove	<i>Columba livia</i>	1
Speckled Pigeon	<i>Columba guinea</i>	1
African Olive Pigeon	<i>Columba arquatrix</i>	1
Red-eyed Dove	<i>Streptopelia semitorquata</i>	1
Ring-necked Dove	<i>Streptopelia capicola</i>	1
Laughing Dove	<i>Spilopelia senegalensis</i>	1
Emerald-spotted Wood Dove	<i>Turtur chalcospilos</i>	1
Namaqua Dove	<i>Oena capensis</i>	1
African Green Pigeon	<i>Treron calvus</i>	1
	<b>MUSOPHAGIFORMES</b>	
<b><u>Turacos</u></b>	<b><u>Musophagidae</u></b>	-
Purple-crested Turaco	<i>Tauraco porphyreolophus</i>	1
Grey Go-away-bird	<i>Corythaixoides concolor</i>	1
	<b>CUCULIFORMES</b>	
<b><u>Cuckoos</u></b>	<b><u>Cuculidae</u></b>	-
Burchell's Coucal	<i>Centropus burchellii</i>	1
Jacobin Cuckoo	<i>Clamator jacobinus</i>	1
Diederik Cuckoo	<i>Chrysococcyx caprius</i>	1
Klaas's Cuckoo	<i>Chrysococcyx klaas</i>	1
Red-chested Cuckoo	<i>Cuculus solitarius</i>	1
African Cuckoo	<i>Cuculus gularis</i>	1
	<b>STRIGIFORMES</b>	
<b><u>Owls</u></b>	<b><u>Strigidae</u></b>	-
Spotted Eagle-Owl	<i>Bubo africanus</i>	1
Pearl-spotted Owlet	<i>Glaucidium perlatum</i>	1
	<b>CAPRIMULGIFORMES</b>	
<b><u>Nightjars</u></b>	<b><u>Caprimulgidae</u></b>	-
European Nightjar	<i>Caprimulgus europaeus</i>	1
Fiery-necked Nightjar	<i>Caprimulgus pectoralis</i>	1
	<b>APODIFORMES</b>	
<b><u>Swifts</u></b>	<b><u>Apodidae</u></b>	-
African Palm Swift	<i>Cypsiurus parvus</i>	1
Alpine Swift	<i>Tachymarptis melba</i>	1
Common Swift	<i>Apus apus</i>	1
Little Swift	<i>Apus affinis</i>	1
White-rumped Swift	<i>Apus caffer</i>	1
	<b>COLIIFORMES</b>	

<b><u>Mousebirds</u></b>	<b><u>Coliidae</u></b>	-
Speckled Mousebird	<i>Colius striatus</i>	1
Red-faced Mousebird	<i>Urocolius indicus</i>	1
	<b>CORACIIFORMES</b>	
<b><u>Rollers</u></b>	<b><u>Coraciidae</u></b>	-
Purple Roller	<i>Coracias naevius</i>	1
Lilac-breasted Roller	<i>Coracias caudatus</i>	1
European Roller - NT	<i>Coracias garrulus</i>	1
Broad-billed Roller	<i>Eurystomus glaucurus</i>	1
<b><u>Kingfishers</u></b>	<b><u>Alcedinidae</u></b>	-
Brown-hooded Kingfisher	<i>Halcyon albiventris</i>	1
Striped Kingfisher	<i>Halcyon chelicuti</i>	1
Woodland Kingfisher	<i>Halcyon senegalensis</i>	1
African Pygmy Kingfisher	<i>Ispidina picta</i>	1
Malachite Kingfisher	<i>Corythornis cristatus</i>	1
Giant Kingfisher	<i>Megaceryle maxima</i>	1
Pied Kingfisher	<i>Ceryle rudis</i>	1
<b><u>Bee-eaters</u></b>	<b><u>Meropidae</u></b>	-
Little Bee-eater	<i>Merops pusillus</i>	1
White-fronted Bee-eater	<i>Merops bullockoides</i>	1
Blue-cheeked Bee-eater	<i>Merops persicus</i>	1
European Bee-eater	<i>Merops apiaster</i>	1
Southern Carmine Bee-eater	<i>Merops nubicoides</i>	1
	<b>BUCEROTIFORMES</b>	
<b><u>Hoopoes</u></b>	<b><u>Upupidae</u></b>	-
African Hoopoe	<i>Upupa africana</i>	1
<b><u>Wood Hoopoes</u></b>	<b><u>Phoeniculidae</u></b>	-
Green Wood Hoopoe	<i>Phoeniculus purpureus</i>	1
Common Scimitarbill	<i>Rhinopomastus cyanomelas</i>	1
<b><u>Hornbills</u></b>	<b><u>Bucerotidae</u></b>	-
Southern Red-billed Hornbill	<i>Tockus rufirostris</i>	1
Southern Yellow-billed Hornbill	<i>Tockus leucomelas</i>	1
Crowned Hornbill	<i>Lophoceros alboterminatus</i>	1
African Grey Hornbill	<i>Lophoceros nasutus</i>	1
	<b>PICIFORMES</b>	
<b><u>African Barbets</u></b>	<b><u>Lybiidae</u></b>	-
Yellow-fronted Tinkerbird	<i>Pogoniulus chrysoconus</i>	1
Acacia Pied Barbet	<i>Tricholaema leucomelas</i>	1
Black-collared Barbet	<i>Lybius torquatus</i>	1
Crested Barbet	<i>Trachyphonus vaillantii</i>	1
<b><u>Woodpeckers</u></b>	<b><u>Picidae</u></b>	-
Bennett's Woodpecker	<i>Campethera bennettii</i>	1

Golden-tailed Woodpecker	<i>Campethera abingoni</i>	1
Cardinal Woodpecker	<i>Dendropicos fuscescens</i>	1
	<b>FALCONIFORMES</b>	
<b><u>Caracaras, Falcons</u></b>	<b><u>Falconidae</u></b>	-
Lesser Kestrel	<i>Falco naumanni</i>	1
Amur Falcon	<i>Falco amurensis</i>	1
	<b>PSITTACIFORMES</b>	
<b><u>African &amp; New World Parrots</u></b>	<b><u>Psittacidae</u></b>	-
Brown-headed Parrot	<i>Poicephalus cryptoxanthus</i>	1
	<b>PASSERIFORMES</b>	
<b><u>Wattle-eyes, Batises</u></b>	<b><u>Platysteiridae</u></b>	-
Chinspot Batis	<i>Batis molitor</i>	1
<b><u>Helmetshrikes</u></b>	<b><u>Prionopidae</u></b>	-
Retz's Helmetshrike	<i>Prionops retzii</i>	1
<b><u>Bushshrikes</u></b>	<b><u>Malaconotidae</u></b>	-
Grey-headed Bushshrike	<i>Malaconotus blanchoti</i>	1
Orange-breasted Bushshrike	<i>Chlorophoneus sulfureopectus</i>	1
Gorgeous Bushshrike	<i>Telophorus viridis</i>	1
Bokmakierie	<i>Telophorus zeylonus</i>	1
Brown-crowned Tchagra	<i>Tchagra australis</i>	1
Black-crowned Tchagra	<i>Tchagra senegalus</i>	1
Black-backed Puffback	<i>Dryoscopus cubla</i>	1
Southern Boubou	<i>Laniarius ferrugineus</i>	1
Crimson-breasted Shrike	<i>Laniarius atrococcineus</i>	1
Brubru	<i>Nilaus afer</i>	1
<b><u>Cuckooshrikes</u></b>	<b><u>Campephagidae</u></b>	-
Black Cuckooshrike	<i>Campephaga flava</i>	1
<b><u>Shrikes</u></b>	<b><u>Laniidae</u></b>	-
Magpie Shrike	<i>Urolestes melanoleucus</i>	1
Southern White-crowned Shrike	<i>Eurocephalus anguitimens</i>	1
Red-backed Shrike	<i>Lanius collurio</i>	1
Lesser Grey Shrike	<i>Lanius minor</i>	1
Southern Fiscal	<i>Lanius collaris</i>	1
<b><u>Figbirds, Orioles</u></b>	<b><u>Oriolidae</u></b>	-
Black-headed Oriole	<i>Oriolus larvatus</i>	1
<b><u>Drongos</u></b>	<b><u>Dicruridae</u></b>	-
Fork-tailed Drongo	<i>Dicrurus adsimilis</i>	1
<b><u>Monarchs</u></b>	<b><u>Monarchidae</u></b>	-
African Paradise Flycatcher	<i>Terpsiphone viridis</i>	1
<b><u>Crows, Jays</u></b>	<b><u>Corvidae</u></b>	-
Cape Crow	<i>Corvus capensis</i>	1
Pied Crow	<i>Corvus albus</i>	1

<b><u>Tits, Chickadees</u></b>	<b><u>Paridae</u></b>	-
Southern Black Tit	<i>Melaniparus niger</i>	1
<b><u>Larks</u></b>	<b><u>Alaudidae</u></b>	-
<b><u>Eastern Long-billed Lark</u></b>	<b><u><i>Certhilauda semitorquata</i></u></b>	1
Sabota Lark	<i>Calendulauda sabota</i>	1
Rufous-naped Lark	<i>Miraфра africana</i>	1
Monotonous Lark	<i>Miraфра passerina</i>	1
<b><u>Bulbuls</u></b>	<b><u>Pycnonotidae</u></b>	-
Dark-capped Bulbul	<i>Pycnonotus tricolor</i>	1
Sombre Greenbul	<i>Andropadus importunus</i>	1
<b><u>Swallows, Martins</u></b>	<b><u>Hirundinidae</u></b>	-
Brown-throated Martin	<i>Riparia paludicola</i>	1
Banded Martin	<i>Riparia cincta</i>	1
Barn Swallow	<i>Hirundo rustica</i>	1
White-throated Swallow	<i>Hirundo albigularis</i>	1
Wire-tailed Swallow	<i>Hirundo smithii</i>	1
Pearl-breasted Swallow	<i>Hirundo dimidiata</i>	1
Rock Martin	<i>Ptyonoprogne fuligula</i>	1
Common House Martin	<i>Delichon urbicum</i>	1
Greater Striped Swallow	<i>Cecropis cucullata</i>	1
Lesser Striped Swallow	<i>Cecropis abyssinica</i>	1
Red-breasted Swallow	<i>Cecropis semirufa</i>	1
<b><u>Crombecs, African Warblers</u></b>	<b><u>Macrosphenidae</u></b>	-
Cape Grassbird	<i>Sphenoeacus afer</i>	1
Long-billed Crombec	<i>Sylvietta rufescens</i>	1
<b><u>Leaf Warblers and allies</u></b>	<b><u>Phylloscopidae</u></b>	-
Willow Warbler	<i>Phylloscopus trochilus</i>	1
<b><u>Reed Warblers and allies</u></b>	<b><u>Acrocephalidae</u></b>	-
Lesser Swamp Warbler	<i>Acrocephalus gracilirostris</i>	1
African Reed Warbler	<i>Acrocephalus baeticatus</i>	1
Olive-tree Warbler	<i>Hippolais olivetorum</i>	1
<b><u>Grassbirds and allies</u></b>	<b><u>Locustellidae</u></b>	-
Little Rush Warbler	<i>Bradypterus baboecala</i>	1
<b><u>Cisticolas and allies</u></b>	<b><u>Cisticolidae</u></b>	-
Red-faced Cisticola	<i>Cisticola erythrops</i>	1
Rattling Cisticola	<i>Cisticola chiniana</i>	1
Wailing Cisticola	<i>Cisticola lais</i>	1
Levaillant's Cisticola	<i>Cisticola tinniens</i>	1
Croaking Cisticola	<i>Cisticola natalensis</i>	1
Neddicky	<i>Cisticola fulvicapilla</i>	1
Zitting Cisticola	<i>Cisticola juncidis</i>	1
Cloud Cisticola	<i>Cisticola textrix</i>	1

Tawny-flanked Prinia	<i>Prinia subflava</i>	1
<b>Drakensberg Prinia</b>	<b><i>Prinia hypoxantha</i></b>	1
Yellow-breasted Apalis	<i>Apalis flavida</i>	1
Green-backed Camaroptera	<i>Camaroptera brachyura</i>	1
Burnt-necked Eremomela	<i>Eremomela usticollis</i>	1
Barred Wren-Warbler	<i>Calamonastes fasciolatus</i>	1
<b><u>Laughingthrushes</u></b>	<b><u>Leiothrichidae</u></b>	-
Arrow-marked Babbler	<i>Turdoides jardineii</i>	1
Southern Pied Babbler	<i>Turdoides bicolor</i>	1
<b>Sylviid Babblers</b>	<b>Sylviidae</b>	
Chestnut-vented Warbler	<i>Sylvia subcaerulea</i>	1
<b><u>White-eyes</u></b>	<b><u>Zosteropidae</u></b>	-
Cape White-eye	<i>Zosterops virens</i>	1
<b><u>Sugarbirds</u></b>	<b><u>Promeropidae</u></b>	-
Gurney's Sugarbird	<i>Promerops gurneyi</i>	1
<b><u>Starlings, Rhabdornis</u></b>	<b><u>Sturnidae</u></b>	-
Common Myna	<i>Acridothores tristis</i>	1
Wattled Starling	<i>Creatophora cinerea</i>	1
Cape Starling	<i>Lamprotornis nitens</i>	1
Greater Blue-eared Starling	<i>Lamprotornis chalybaeus</i>	1
Burchell's Starling	<i>Lamprotornis australis</i>	1
Pied Starling	<i>Lamprotornis bicolor</i>	1
Violet-backed Starling	<i>Cinnyricinclus leucogaster</i>	1
Red-winged Starling	<i>Onychognathus morio</i>	1
<b><u>Oxpeckers</u></b>	<b><u>Buphagidae</u></b>	-
Red-billed Oxpecker	<i>Buphagus erythrorhynchus</i>	1
<b><u>Thrushes</u></b>	<b><u>Turdidae</u></b>	-
Kurrichane Thrush	<i>Turdus libonyana</i>	1
Olive Thrush	<i>Turdus olivaceus</i>	1
<b><u>Chats, Old World Flycatchers</u></b>	<b><u>Muscicapidae</u></b>	-
White-browed Scrub Robin	<i>Cercotrichas leucophrys</i>	1
Southern Black Flycatcher	<i>Melaenornis pammelaina</i>	1
Marico Flycatcher	<i>Melaenornis mariquensis</i>	1
Spotted Flycatcher	<i>Muscicapa striata</i>	1
Ashy Flycatcher	<i>Muscicapa caerulescens</i>	1
Cape Robin-Chat	<i>Cossypha caffra</i>	1
White-browed Robin-Chat	<i>Cossypha heuglini</i>	1
<b>Cape Rock Thrush</b>	<b><i>Monticola rupestris</i></b>	1
African Stonechat	<i>Saxicola torquatus</i>	1
Buff-streaked Chat	<i>Campicoloides bifasciatus</i>	1
Mocking Cliff Chat	<i>Thamnolaea cinnamomeiventris</i>	1
Mountain Wheatear	<i>Myrmecocichla monticola</i>	1

<b><u>Sunbirds</u></b>	<b><u>Nectariniidae</u></b>	-
Scarlet-chested Sunbird	<i>Chalcomitra senegalensis</i>	1
Malachite Sunbird	<i>Nectarinia famosa</i>	1
Greater Double-collared Sunbird	<i>Cinnyris afer</i>	1
Marico Sunbird	<i>Cinnyris mariquensis</i>	1
White-bellied Sunbird	<i>Cinnyris talatala</i>	1
<b><u>Old World Sparrows, Snowfinches</u></b>	<b><u>Passeridae</u></b>	-
White-browed Sparrow-Weaver	<i>Plocepasser mahali</i>	1
House Sparrow	<i>Passer domesticus</i>	1
Cape Sparrow	<i>Passer melanurus</i>	1
Southern Grey-headed Sparrow	<i>Passer diffusus</i>	1
Yellow-throated Petronia	<i>Gymnoris superciliaris</i>	1
<b><u>Weavers, Widowbirds</u></b>	<b><u>Ploceidae</u></b>	-
Red-billed Buffalo Weaver	<i>Bubalornis niger</i>	1
Scaly-feathered Weaver	<i>Sporopipes squamifrons</i>	1
Thick-billed Weaver	<i>Amblyospiza albifrons</i>	1
Spectacled Weaver	<i>Ploceus ocularis</i>	1
<b><u>Cape Weaver</u></b>	<b><i>Ploceus capensis</i></b>	1
Lesser Masked Weaver	<i>Ploceus intermedius</i>	1
Southern Masked Weaver	<i>Ploceus velatus</i>	1
Village Weaver	<i>Ploceus cucullatus</i>	1
Red-headed Weaver	<i>Anaplectes rubriceps</i>	1
Red-billed Quelea	<i>Quelea quelea</i>	1
Yellow-crowned Bishop	<i>Euplectes afer</i>	1
Yellow Bishop	<i>Euplectes capensis</i>	1
Fan-tailed Widowbird	<i>Euplectes axillaris</i>	1
White-winged Widowbird	<i>Euplectes albonotatus</i>	1
Red-collared Widowbird	<i>Euplectes ardens</i>	1
Long-tailed Widowbird	<i>Euplectes progne</i>	1
<b><u>Waxbills, Munias and allies</u></b>	<b><u>Estrildidae</u></b>	-
Green-winged Pytilia	<i>Pytilia melba</i>	1
Red-billed Firefinch	<i>Lagonosticta senegala</i>	1
African Firefinch	<i>Lagonosticta rubricata</i>	1
Blue Waxbill	<i>Uraeginthus angolensis</i>	1
Common Waxbill	<i>Estrilda astrild</i>	1
<b><u>Indigobirds, Whydahs</u></b>	<b><u>Viduidae</u></b>	-
Village Indigobird	<i>Vidua chalybeata</i>	1
Purple Indigobird	<i>Vidua purpurascens</i>	1
Pin-tailed Whydah	<i>Vidua macroura</i>	1
Shaft-tailed Whydah	<i>Vidua regia</i>	1
Long-tailed Paradise Whydah	<i>Vidua paradisaea</i>	1
<b><u>Wagtails, Pipits</u></b>	<b><u>Motacillidae</u></b>	-

Cape Wagtail	<i>Motacilla capensis</i>	1
African Pied Wagtail	<i>Motacilla aguimp</i>	1
Cape Longclaw	<i>Macronyx capensis</i>	1
Yellow-throated Longclaw	<i>Macronyx croceus</i>	1
African Pipit	<i>Anthus cinnamomeus</i>	1
<b>Yellow-breasted Pipit - VU</b>	<i>Anthus chloris</i>	1
<b><u>Finches</u></b>	<b><u>Fringillidae</u></b>	-
Black-throated Canary	<i>Crithagra atrogularis</i>	1
Yellow-fronted Canary	<i>Crithagra mozambica</i>	1
Yellow Canary	<i>Crithagra flaviventris</i>	1
Streaky-headed Seedeater	<i>Crithagra gularis</i>	1
Cape Canary	<i>Serinus canicollis</i>	1
<b><u>Buntings, New World Sparrows and allies</u></b>	<b><u>Emberizidae</u></b>	
Cinnamon-breasted Bunting	<i>Emberiza tahapisi</i>	1
Golden-breasted Bunting	<i>Emberiza flaviventris</i>	1
<b>TOTAL</b>		<b>291</b>

<b>DULLSTROOM AND KRUGER NATIONAL PARK WILDLIFE LISTS 17 - 22 JANUARY 2016</b>		
<b>MAMMALS</b>		
<b>Common Name</b>	<b>Scientific Name</b>	<b>Trip</b>
	<b>PRIMATES</b>	
	<b>Cercopithecidae</b>	
Chacma baboon	<i>Papio ursinus</i>	1
Vervet	<i>Chlorocebus pygerythrus</i>	1
	<b>Galagidae</b>	
Thick-tailed greater galago	<i>Otolemur crassicaudatus</i>	1
	<b>RODENTIA</b>	
	<b>Sciuridae</b>	
Smith's bush squirrel	<i>Paraxerus cepapi</i>	1
	<b>CARNIVORA</b>	
	<b>Canidae</b>	
Black-backed jackal	<i>Canis mesomelas</i>	1
African wild dog	<i>Lycaon pictus</i>	1
	<b>Herpestidae</b>	
Banded mongoose	<i>Mungos mungo</i>	1
Common dwarf mongoose	<i>Helogale parvula</i>	1
	<b>Hyaenidae</b>	
Spotted hyaena	<i>Crocuta crocuta</i>	1
	<b>Felidae</b>	
African lion	<i>Panthera leo leo</i>	1
Cheetah	<i>Acinonyx jubatus</i>	1



Leopard	<i>Panthera pardus</i>	1
	<b>PROBOSCIDEA</b>	
	<b>Elephantidae</b>	
African elephant	<i>Loxodonta africana</i>	1
	<b>PERISSODACTYLA</b>	
	<b>Equidae</b>	
Plains zebra	<i>Equus quagga</i>	1
	<b>Rhinocerotidae</b>	
White rhinoceros	<i>Ceratotherium simum</i>	1
	<b>ARTIODACTYLA</b>	
	<b>Suidae</b>	
Common warthog	<i>Phacochoerus africanus</i>	1
	<b>Hippopotamidae</b>	
Hippopotamus	<i>Hippopotamus amphibius</i>	1
	<b>Giraffidae</b>	
Giraffe	<i>Giraffa camelopardalis</i>	1
	<b>Bovidae</b>	
African buffalo	<i>Syncerus caffer</i>	1
Blesbok	<i>Damaliscus pygargus phillipsi</i>	1
Blue wildebeest	<i>Connochaetes taurinus taurinus</i>	1
Black wildebeest	<i>Connochaetes gnou</i>	1
Bushbuck	<i>Tragelaphus scriptus</i>	1
Greater kudu	<i>Tragelaphus strepsiceros</i>	1
Nyala	<i>Tragelaphus angasii</i>	1
Southern reedbuck	<i>Redunca arundinum</i>	1
Common duiker	<i>Sylvicapra grimmia</i>	1
Impala	<i>Aepyceros melampus</i>	1
Oribi	<i>Ourebia ourebi</i>	1
Steenbok	<i>Raphicerus campestris</i>	1
Grey rhebok	<i>Pelea capreolus</i>	1
Waterbuck	<i>Kobus ellipsiprymnus</i>	1
<b>TOTAL</b>		<b>32</b>
<b>REPTILES</b>		
<b>Common Name</b>	<b>Scientific Name</b>	<b>Trip</b>
	<b>SQUAMATA</b>	
	<b>Agamidae</b>	
Southern tree agama	<i>Acanthocercus atricollis</i>	1
	<b>Varanidae</b>	
Nile monitor	<i>Varanus niloticus</i>	1
Rock monitor	<i>Varanus albigularis</i>	1
	<b>Gekkonidae</b>	
Moreau's tropical house gecko	<i>Hemidactylus mabouia</i>	1

	<b>Scincidae</b>	
Rainbow skink	<i>Trachylepis quinquetaeniata</i>	1
	<b>CROCODILIA</b>	
	<b>Crocodylidae</b>	
Nile crocodile	<i>Crocodylus niloticus</i>	1
	<b>TESTUDINES</b>	
	<b>Pelomedusidae</b>	
Serrated hinged terrapin	<i>Pelusios sinuatus</i>	1
	<b>Testudinidae</b>	
Leopard tortoise	<i>Stigmochelys pardalis</i>	1
Speke's hinged tortoise	<i>Kinixys spekii</i>	1
<b>TOTAL</b>		<b>9</b>