



**Tanzania: 19-day Birding Safari – Savanna Birds, Wildebeest
Migration, and Eastern Arc Mountains
Trip Report April 2015**

By Jason Boyce



Superb Starling

Tanzania is quintessential Africa - a tour that we highly recommend for every type of nature lover and birder. This exciting birding safari, which began in coastal Dar es Salaam and ended in the breathtaking Serengeti National Park, was most certainly enjoyed by our participants. I was fortunate enough to oversee this tour and ensure that birding was to be A-grade! We enjoyed fantastic weather throughout this tour and were spoiled with some outstanding bird and mammal sightings on each and every single day of the tour.

Day 1, 4 April. Dar es Salaam to Mikumi National Park

A 6:00 a.m. start to the first day of the trip after the tedious flights, connections, and delays was exactly what was needed to get our adrenaline rushing! The beach-side hotel in Dar es Salaam gave us a few excellent sightings before breakfast and before our departure for Mikumi National Park. Both **Dimorphic** and **Little Egrets** were on display on the shore as well as **Common**, **Lesser Crested**, and the diminutive **Saunders's Tern**. The gardens held the gorgeous **White-browed Robin-Chat**, **Yellow-breasted Apalis**, **Blue Waxbill**, and **Striped Kingfisher**.

So with a couple of species under the belt we met up with our excellent local guide and driver and started the journey. Our first stop was alongside the road at a marshy floodplain area. Here we got our first looks at **Zanzibar Red Bishop**, **Coastal Cisticola**, and **Eastern Golden Weaver**.

After lunch we arrived at Mikumi and managed visuals of **Black-bellied Bustard**, the stunning **Beautiful Sunbird**, **Eurasian Hobby**, and **Pale-billed Hornbill**. After a fairly long day's travel we were happy to arrive at our accommodation for the evening and prepare for the next day's birding.



Beautiful Sunbird

Day 2, 5 April. Mikumi National Park

Our second day of the tour was spent birding in a Miombo woodland area as well as in the open woodland and plains of Mikumi National Park. The Miombo woodland was the first destination on the itinerary, which meant an early start to get the morning activity in full song! Miombo woodland birding can offer many species at one time, often in large 'bird parties' – we weren't disappointed! Our morning's birds included **Yellow-fronted Canary**, **Arnot's Chat**, **Cinnamon-breasted Tit**, **Grey Penduline Tit**, the ever-active **Green-capped Eremomela**, **White-crested Helmetshrike**, **Short-winged Cisticola**, **Common Scimitarbill**, **Green Wood Hoopoe**, **Yellow-bellied Hyliota**, and **Black Cuckoo**. Some also managed visuals of **Crimson-rumped Waxbill** and **Cardinal Woodpecker**. A very productive morning, with some bird-parties numbering nine species!

On the way back to the hotel for breakfast we managed to see **Dark Chanting Goshawk**, **Broad-tailed Paradise** and **Pin-tailed Whydahs**, and **Dusky Indigobird**.

Mikumi National Park delivered some fantastic birding for the rest of the day – we got our first looks at the starling of the trip no doubt, **Superb Starling**! Other species that greeted us at the entrance were

White-browed Sparrow-Weaver, another glimpse at **Beautiful Sunbird**, and some oxpeckers flying overhead searching out large game. It didn't take long before we were in the midst of that large game; African elephant, common eland, Masai giraffe, and African buffalo were all in close proximity in the open plains. What was very noticeable were the numbers of larger non-passerine bird species too; these included **Marabou Stork**, **White-backed** and **Palm-nut Vultures**, and the impressive **Martial Eagle**. The last treat for the day was the terrestrial passerine **Fischer's Sparrow-Lark**. As are most sparrow-larks, this bird is sexually dimorphic, with the male showing a black line right down the breast and belly and a rich rufous coloration to the crown and nape.

Day 3, 6 April, Mikumi National Park to Kilombero Floodplain and Udzungwa Mountain National Park

Today we managed to see the Kilombero Floodplain endemics. A long morning's drive towards the Udzungwa Mountains meant we didn't have much time for stopping. We did, however, stop at one point after noticing some aerial activity. There was an insect emergence, and this had attracted some of the smaller falcons and hobbies. Species here included **Eurasian Hobby**, **Amur Falcon**, and **Dickinson's** and **Lesser Kestrels**. Our "honorary raptor" was a **Crowned Hornbill** that also decided to join in on the fun.

We stopped again later in the morning as we were nearing the Kilombero Floodplain to try for **Marsh Tchagra** as well as **Moustached Grass Warbler**. We were successful and got excellent views of both species.

We had lunch as we arrived at the floodplain and soon afterwards we had connected with the endemic **Kilombero Weaver**. The current status of both 'White-tailed' and 'Kilombero' *Cisticolas* is that they are not officially good species yet, and therefore are both *Cisticola* sp. at the moment. Nevertheless, good views of both were had by the whole group. Some other good species seen at the floodplain included **African Openbill**, **Giant Kingfisher**, **Orange-breasted Waxbill**, and **African Marsh Harrier**.




Kilombero Weaver



Moustached Grass Warbler

Our day ended on a high with the first colobus monkey of the trip in the form of the endemic Udzungwa red colobus.



Udzungwa red colobus

Day 4, 7 April. Udzungwa Mountain National Park

Day four was spent birding the Udzungwa Mountains National Park, our first taste of Eastern Arc Mountains forest birding. Before entering the reserve we managed to notch up a good number of species on a short walk from the hotel to the reserve gate. These included the likes of **Black-and-white Shrike-flycatcher**, **Red-rumped Swallow**, **Tropical Boubou**, **Blue-spotted Wood Dove**, **Speckled Mousebird**, **Black-backed Puffback**, **Magpie Mannikin**, and **Little Bee-eater**. As we arrived at the gate the heavens opened, but this luckily only delayed our birding for about 45 minutes.

Dark-backed Weaver was the first species to greet us after the rain delay, followed soon afterwards by an amazing sighting of the sought-after **Green Malkoha**. We worked hard in the afternoon session and managed decent looks at **Red-capped Robin-Chat**, **Collared Sunbird**, and **Black Sparrowhawk**, while **Scarce Swift** and **Mottled Spinetail** came cruising by overhead. This national park is definitely worth

seeing; it has some beautiful scenery, Udzungwa red colobus and blue monkey are not uncommon, the forest trails are beautiful, and some of them lead towards scenic waterfall spots!



Speckled Mousebird

The reserve also has more than 400 species of butterflies, some of which are absolutely gorgeous. Many an hour can be spent wandering the forests here in the Udzungwa Mountain National Park.



Forest glade nymph, one of many extraordinary butterfly species seen during our two days in the park.

Day 5, 8 April. Udzungwa Mountain National Park to Morogoro

We spent another morning's birding in the Udzungwa Mountains National Park before we started a long trip to Morogoro. After breakfast, as we were loading the vehicle, we noticed movement in the tree alongside us; a **Lizard Buzzard** with its breakfast was sitting watching us – a great way to start the day!

In the park the birding was once again fairly slow, but the call of **Livingstone's Turaco** in the distance drove us onward. Some of the morning's top birds included **Uluguru Violet-backed Sunbird**, **Thick-billed Seedeater**, **Olive Sunbird**, **Retz's Helmetshrike**, and **Crested Guinea fowl**. Some of the group managed decent visuals of the small, beautiful, and hyperactive **Livingstone's Flycatcher**. Unfortunately none of the group managed to see the stunning **Livingstone's Turaco**, and we had to settle for a heard only.

Our lunch stop en route to Morogoro added a few species, not the least of which were **Emerald-spotted Wood Dove** and **Collared Palm Thrush**. Only one stop was made after lunch, which produced a few species. These were a majestic female **Bateleur**, **Brown Snake Eagle**, **Bronze Mannikin**, and **Pin-tailed Whydah**.

Both today and tomorrow would largely be travel days; we would cover about 550km in the two days to get from Udzungwa Mountains National Park to Amani Nature Reserve in the East Usambara Mountains.

Day 6, 9 April. Morogoro to Amani Nature Reserve, East Usambara Mountains

This was a travel day from Morogoro to Amani in the East Usambaras that would include a couple stops closer to Amani. The vegetation along the drive changed from lush green woodland to a drier open country with many sisal plantations. It changed once again as we started to gain altitude towards Amani – true forest patches started to become apparent, and soon we were driving in the lower forest of the East Usambaras.

We stopped here to try for a couple of lower forest species and found **Black-headed Apalis**, **Green Barbet**, and **Green-headed Oriole**. We were also successful with two mammal species at this stop, Angola colobus and black and red bush squirrel, which both gave excellent views. The day ended with the call of an **African Wood Owl** when we were sauntering back to our cabins. Needless to say, the dawn wouldn't come quickly enough as the excitement of the next morning's birding was drawing closer!



Angola colobus

Day 7, 10 April. Amani Nature Reserve, East Usambara Mountains

Birding started early with a walk on some of the roads in Amani, both forest and birdsong were all-encompassing! The first few species that made it onto our day list were **Cabanis's Bunting**, **Kenrick's Starling**, **Silvery-cheeked Hornbill**, **Speckled Mousebird**, **Southern Citril**, **Rock Martin**, and **Green Barbet**. A couple of minutes later and only 100 meters down the path we were in the middle of another large bird party, this time the species included the endemic **Banded Green Sunbird**, **Moustached Tinkerbird**, **Red-tailed Ant Thrush**, **Black-and-white Mannikin**, a family of **Montane White-eyes**, **Mombasa Woodpecker**, and both **Shelley's** and **Grey-olive Greenbuls**. What a treat, and this was all before breakfast!

An hour later we were on the go again with some more greenbul species, this time we managed to get **Montane Tiny**, **Fischer's**, and **Mountain Greenbuls**. Other species we picked up in the midday session included **Mottled Spinetail**, **Common Waxbill**, **Black-throated Wattle-eye**, and the extraordinary **Fischer's Turaco**! This is the only turaco species in the East Usambara Mountains: an all-green turaco with a brilliantly red crest and bill.

The last birding session for the day was largely frustrating – while we did manage to get good sightings of quite a number of birds, such as **Baglaffeht Weaver**, **Plain-backed Sunbird**, and **Stripe-faced Greenbul**, our main target, the **Amani Sunbird**, wasn't playing along. All we could manage was hearing the call and seeing the bird fly past us into the distance, never to be seen again. At least we knew the bird was around, and we had a hope for it in the morning.



Baglaffeht Weaver

The forests surrounding Amani here in the East Usambaras are also home to a number of absolutely fascinating endemic chameleons. A very productive walk into the forest at night, specifically looking for chameleons and Usambara Eagle-Owl, was enjoyed by some. Whilst we did not find the owl, we did manage to find a few fascinating chameleons.



Usambara three-horned chameleon



West Usambara blade-horned chameleon



Usambara spiny pygmy chameleon

Day 8, 11 April. Amani, East Usambara Mountains to Lushoto, West Usambara Mountains

Today we drove from Amani to Lushoto in the West Usambara Mountains. The difference between the two mountain chains is remarkably different, even though the distance between the two – as the turaco flies – is really not too far. Compared to the East Usambaras Lushoto is cold and misty, with a fair amount of drizzle in the mornings. The birding also differs greatly, and both sites have species that the other does not have – spending a couple of nights at both locations is crucial.

We started off the morning with a quick walk into the deep forest, targeting Long-billed Forest Warbler as well as a few other forest species we had missed up until this point. **White-chested Alethe** calling in the distance kicked things off, while **Red-tailed Ant Thrush** showed off over the trail in front of us. A fair distance on and after seeing both **Square-tailed Drongo** and the smart little **Forest Batis** we could hear **Long-billed Forest Warbler** call. Unfortunately, just the call up the hillside and a possible glimpse of movement were all we could muster. The drive down the mountain was productive, with both **Mountain Wagtail** as well as the beautiful forest stream species, **Half-collared Kingfisher**, showing very well. The road leading up to Lushoto was built by the German colonialists in about 1913 and makes the steep drive very comfortable. The roadside birding here also offered us **Augur** as well as **Mountain Buzzards**, **Red-throated Twinspot**, and **Mocking Cliff Chat**.

In the afternoon the rain came down and left us to settle into our rooms at the fantastic Mullers Mountain Lodge.

Day 9, 12 April. Lushoto, West Usambara Mountains

The morning started off with some **Red-winged Starlings** and **Baglaffeht Weavers** around the cabins, as well as a family of **Silvery-cheeked Hornbills** muttering among themselves as they flew overhead. We took a short drive to a nearby forest patch called Magamba Forest, and as we stepped out of the car we could hear birdsong all around us. We knew we were in for an excellent morning. The first few species at this spot included **White-tailed Crested Flycatcher**, **Red-capped Forest Warbler**, **Black-headed Apalis**, and **Fülleborn's Boubou**, as well as six **Eastern Bronze-naped Pigeons** perched on the top of a dead tree. We ambled along the quiet track to another productive area; this time we were pleased to see **Yellow-throated Woodland Warbler**, the *usambarae* subspecies of **Mountain Greenbul**, **Montane White-eye**, and a glimpse of **Cinnamon Bracken Warbler** clambering through the undergrowth.

After lunch we headed to a different forest patch and had great views of the endemic **Usambara Thrush**. Other highlights here included **Cinnamon-chested Bee-eater**, **Terrestrial Brownbul**, **Stripe-faced Greenbul**, and a Flash of **Hartlaub's Turaco**. Unfortunately, both **White-chested Alethe** and **Spot-throat** were happy staying hidden and calling away in the thickets – our luck had run out for the day, no visuals were had.



Fülleborn's Boubou



Red-capped Forest Warbler

Day 10, 13 April. Lushoto, West Usambara Mountains to Same

Before we packed up and headed onward to the Elephant Motel in Same, we snuck in about an hour's forest birding near the lodge. Once again there was a lot going on in terms of activity, and, in addition to **White-tailed Crested Flycatcher** and **Black Saw-wing** nipping by, we had good visuals of **Black Sparrowhawk**, **Yellow-bellied Waxbill**, and the ever-elusive **African Hill Babbler**. Some of us also had a quick look at a fairly rare forest Mammal, a mall elephant shrew – black and rufous sengi – as it clambered across the path.

After a good breakfast at Mullers Mountain Lodge we transferred to the properly dry area of Same town. The first few dry-country indicator species for us were **D'Arnaud's** and **Spot-flanked Barbets** as well as the fantastic **Rosy-patched Bushshrike**. A little further on, just before we arrived at the Elephant Motel in Same, we managed very good visuals of **Slate-colored Boubou** and an **Eastern Chanting Goshawk** perched nicely on a telephone pole.

The bombardment of new trip birds didn't stop there for the day, though, as directly after lunch we headed out to the north of town to find a few more. The vegetation here is dominated by low acacia scrub about head-high, mixed in with some larger trees, and the soil is reddish brown and quite rocky. A quick passing shower delayed progress slightly, but it also meant that everything became very active in the last two hours of the day. Highlights included the sexually dimorphic **Purple Grenadier** male and female, **Nubian Woodpecker**, the prinia-like **Red-fronted Warbler**, **Black-necked Weaver**, **Eastern Violet-backed Sunbird**, **Eastern Black-headed Batis**, and the absolutely stunning **Red-and-yellow Barbet**.

A day worth celebrating with a good meal and a local beverage!



Rosy-patched Bushshrike

Day 11, 14 April. Same to Arusha

We had a couple of stops planned for the morning before heading on to our destination for the evening, the bustling town of Arusha.

The first stop certainly didn't disappoint us, and at one stage we were in such a horde of activity it left us wondering where we should look first. This spot really produced; the species we saw included **White-headed Mousebird**, **Hunter's Sunbird**, **Somali Bunting**, **Pygmy Batis**, our first looks at **Red-bellied Parrot**, and a lovely **Grey Wren-Warbler** display. The calls of **Pink-breasted Lark** were ringing in the background – we managed excellent views of it. A short walk slightly further into the bush yielded an interesting surprise, a family of **Fiery-necked Nightjars** blending in really nicely with the soil color. Other highlights for the morning included **Blue-naped Mousebird**, **Blue-capped Cordon-bleu**, **Chestnut Weaver**, **Pale Prinia**, **Vitelline Masked Weaver**, **White-bellied Canary**, **Southern Grosbeak-Canary**, and a flock of **Fischer's Starlings** – which were a fantastic surprise!

Our second stop of the morning was at the Nyumba ya Mungu Reservoir, where we were able to add some waterfowl and shorebirds to our species list. The dam was extensive, and we were only able to bird one productive area due to our time constraints. This site produced **African Skimmer**, **African Darter**, **Reed** and **White-breasted Cormorants**, **Grey-headed Gull**, **White-winged** and **Gull-billed Terns**, and a distant **Western Osprey** that was enjoyed through scope views, as well as a couple of shorebirds such as **Spur-winged Lapwing**, **Little Stint**, **Black-winged Stilt**, and **Water Thick-knee**.

Our day had one more surprise in store for us; the incredible **Straw-tailed Whydah** perched up on the side of the dirt track as we were making our way back to the main road. With our tails up we headed on to Arusha and settled into our guest house.



Blue-capped Cordon-bleu

Day 12, 15 April. Arusha to Tarangire National Park

Today included a quick search for Brown-breasted Barbet before heading on to Tarangire National Park, a much-anticipated park for the whole group! We seemed to have run out of Brown-breasted Barbet luck, however, as the morning's search in the northern parts of Arusha only yielded **Red-fronted Barbet**.

On the outskirts of town we managed a 'hit-and-run' sighting of **Pangani Longclaw** just after the airport area to the west of Arusha.

The scenery started to change as we approached the park; the trees were bigger, the bush was incredibly green and lush, and the birding was hoped to be wonderful.

We found out as soon as we stepped out of the vehicle that the birding was to be great, as we were greeted by **Northern White-crowned Shrike**, **Ashy Starling**, **Yellow-collared Lovebird**, **White-headed Buffalo-Weaver**, **Emerald-spotted Wood Dove**, **Swahili** and **Chestnut Sparrows**, and **Bearded Woodpecker** clambering up and down some of the acacia trees at the entrance gate. A few hundred meters into the park, and we had already had awesome visuals of **White-bellied Go-away-bird**, the near-endemic **Rufous-tailed Weaver**, **African Cuckoo**, **Silverbird**, and many, many, many **Superb Starlings** – an amazing treat!



Yellow-collared Lovebird



Ashy Starling

Day 13, 16 April. Tarangire National Park

A full day's birding and game viewing in Tarangire National Park was just what we needed. One of the day's highlights came really early on, a gorgeous male **Pygmy Falcon** that was perched at eye level alongside the track. The falcon sat in the open and wasn't too perturbed by our presence, allowing us to

get saturation looks at him. Some of the other species that we found today included a couple of families of **Southern Ground Hornbill**, **Von der Decken's Hornbill**, **Black-faced Sandgrouse**, **Grey Kestrel** – one of my personal favorites, **Northern Pied Babbler**, **Foxy Lark**, and the cute **Pearl-spotted Owlet**.

Today we also found one of the biggest African elephant herds that the whole group had ever experienced, well over one hundred elephants, from really young calves all the way up to big, old, male tusked. While enjoying the elephants we also noticed both **Red-necked** and **Yellow-necked Spurfowls** running around among the herd. **Freckled Nightjar** was heard calling at the lodge, and a quick burst of playback allowed us to see this fantastic little creature as it came in, perched on a nearby rock, and sang for us – a special way to end the day!

There is surely incredible avian diversity in Tarangire National Park, but it also offers incredible scenery! One of my personal favorite scenes was experiencing the magical baobab trees. These trees are literally littered all over the park – some of them truly gigantic!



Von der Decken's Hornbill

Day 14, 17 April. Tarangire National Park to Ngorongoro Crater

Today was to be a truly fantastic day with too many highlights to even recall – an early start in Tarangire National Park and then traveling through to the must-see Ngorongoro Crater.

The game drive in the park started off with finally getting a visual of **Coqui Francolin**; a small francolin that had been calling non-stop for the past two days. After catching up with this species we just knew it was going to be a good day! It was a beautiful morning after some rain the night before, and the birds were out in force. We found the likes of **Hildebrandt's Starling**, **Jacobin Cuckoo**, **Gabar Goshawk**, breeding-plumaged flocks of **Wattled Starling**, a perched juvenile **Martial Eagle** that was clearly soaked to the bone after the rain, **Double-banded Courser**, and a pair of **Knob-billed Ducks** flying by.

Some of the mammal highlights during our time at Tarangire National Park were olive baboon, Kirk's dik-dik, banded and common dwarf mongooses, and Coke's hartebeest.



Hildebrandt's Starling

At the entrance to the Ngorongoro Conservation Area we managed to get a **Brown-headed Apalis** into the open and then started our drive up to the lookout point – what an extraordinary view!

The drive down into the crater after lunch offered us a few decent birds, including **White-eyed Slaty-flycatcher**, **Purple Grenadier**, **Hildebrandt's Francolin**, the east-African endemic **Mourning Wheatear**, **Augur Buzzard**, **Kenya Sparrow**, and **Wailing Cisticola**.

The spectacle inside the crater is one of those things that just needs to be experienced, no words or even photographs can do it justice. The number of animals including large game, large birds, small game, small birds, waterfowl, and of course thousands of **Flamingos**, both **Lesser** and **Greater**, that span the shallow water body in the center is just magnificent.

The mammals that we encountered while in the crater were Grant's and Thomson's gazelles, plains zebra, black rhinoceros, common warthog, blue wildebeest, hippopotamus, common eland, lion, and both black-backed and golden jackals.



Mourning Wheatear



Plains zebra

Some of the bird species we encountered were **Common Ostrich**, **Grey Crowned Crane**, **Kori** and **Black-bellied Bustards**, **Lappet-faced Vulture**, **Yellow-throated Sandgrouse**, **Red-capped Lark**, **Rosy-throated Longclaw**, and **African Pipit**. The waterbirds were also in full swing around the pan; these included **African Sacred** and **Glossy Ibis**, three **Teal** species, **Cape**, **Hottentot**, and **Red-billed, Pied Avocet**, **Ruff**, **Spur-winged** and **Egyptian Geese**, and a large flock of **Great White Pelicans** overhead.

The day ended sooner than we wanted it to, but we still managed to sneak in some amazing sightings of **Golden-winged** and **Tacazze Sunbirds** as well as a **Montane Nightjar** around the lodge just after dark – almost the perfect day!



Grey Crowned Crane



Black-bellied Bustard

Day 15, 18 April. Ngorongoro Crater to Serengeti National Park

We left the Ngorongoro Crater this morning for the Serengeti National Park, with the hope and an anticipation of seeing the spectacle of the great wildebeest migration. We had heard some news that the rains were late, but the migration was on the go in the area we were passing through – the best news we could have hoped for.

We made sure to quickly pick up one or two species for the day before we left the lodge. **Hunter's Cisticola**, **Speckled Pigeon**, and **Golden-winged Sunbird** made it onto the list, and before we knew it we were on the road again. Before getting to the migration area we made sure to add a few more plains species to our lists, which included **Temminck's Courser**, **Fischer's Sparrow-Lark**, **Chestnut-bellied Sandgrouse**, and **Taita Fiscal**.

As we moved on towards the start of the Serengeti National Park the numbers of plains game started to increase slowly but surely, and before we could say 'brindled gnu' five times we could see tens of thousands of blue wildebeest in the distance. We made our way towards them and witnessed parts of the migration – how incredible! Some of them grazing, some of them running in single-file lines with dust all around, many young were in this area, and we were told that these are the calving plains. Two things were for sure, though, they were all moving in the same direction, and estimating their numbers was nearly impossible.



Chestnut-bellied Sandgrouse

After spending some time with the wildebeest and taking as many photos as possible to somehow try and capture the spectacle, we headed on to the main Serengeti National Park entrance for lunch. The lunch stop was very birdy and produced **Black-lored Babbler**, **Buff-bellied Warbler**, **Rufous-tailed Weaver**, **Black-faxed Waxbill**, **Banded Parisoma**, both **Rüppell's Vulture** and **Marabou Stork** cruising overhead, and some great looks at **Speckle-fronted Weaver**. The east-African endemic **Fischer's Lovebird** and the two Tanzanian endemics, **Grey-breasted Spurfowl** and **Tanzanian Red-billed Hornbill**, followed soon after driving into the park; we also were to have excellent sightings of all three of these species in the days to follow.



Grey-breasted Spurfowl

Day 16, 19 April. Serengeti National Park

A very relaxed day with some local Serengeti game viewing and birding was enjoyed by everyone today. We did have one main target for the day, though, the sought-after Grey-crested Helmetshrike. We spent a good part of the morning birding suitable habitat for the helmetshrike, but we did not have any luck finding it during the morning birding session. We did see **Red-throated Tit**, **Yellow-spotted Petronia**, **Chinspot Batis**, **Grey-headed Kingfisher**, **Grey Kestrel**, **Grey Wren-Warbler**, **Rufous-tailed Weaver**, **Orange-breasted Bushshrike**, and a few waders at one of the close-by pans.

Two of the best birds for the day came much later in the afternoon. Having spent much of the day trying for the helmetshrike, we had resigned ourselves to the fact that this species wasn't around and we might just have to try again tomorrow, but we were so pleasantly surprised when our vehicle hit the brakes and cries of "There they are" rung throughout the Serengeti. Three **Grey-crested Helmetshrikes**, clambering low down in a small tree, gave decent views for about a minute before heading off deeper into the bush – a real cracker of a species for us.

We arrived back at the lodge and spent a few moments outside looking over the plains as a couple of localized storms approached. These storms also sent the swifts, swallows, and martins into a frenzy, and some of the group were able to pick out a **Nyanza Swift** cruising by among the usual suspects.



Rufous-tailed Weaver

Day 17, 20 April. Central Serengeti National Park

An early start allowed us to travel to the central parts of the Serengeti in search of a couple of trip species and with the hope of coming home with a few more big cats in the bag. The morning got underway with a few **Fischer's Lovebirds** as well as a smart little **Silverbird** perched a couple of meters from our vehicle.

Soon after that in the taller grassland plains we picked up the likes of **Black-bellied** and **White-bellied Bustards**, **Quailfinch**, **Pectoral-patch Cisticola**, and **White-tailed Lark** in full display song above us.

The whole group was hoping to get either a leopard or a cheetah today and, boy oh boy, were we spoiled! Not only did we get a leopard lazing about with a full stomach in a nearby tree, but we were also treated to a pair of cheetah, which walked right by the leopard and further up past one of the joining roads. We rushed around in order to get the best looks possible – what an incredible sighting!

And so after that amazing experience of both leopard and cheetah our birding venture to the central Serengeti continued. A couple-hours' drive through some very scenic areas led us to an area in which we picked out the sought-after **Karamoja Apalis** as well as **Grey-capped Social Weaver**, the *usambiro* subspecies of **D'Arnaud's Barbet**, **Three-banded** and **Temminck's Coursers**, **Kenya Sparrow**, and **Blue-capped Cordon-bleu**. A leisurely drive back to our lodge was just what we needed to process the last two days spent in the Serengeti paradise.



Cheetah in the Serengeti's "endless plains"



Grey-capped Social Weaver

Day 18, 21 April. Serengeti National Park to Arusha/Kilimanjaro International Airport

A slow drive from the lodge allowed us to take in the beauty of Serengeti National Park one more time, as we headed back to Arusha and, for some, a flight from Kilimanjaro International Airport to start their journey home from there.

The travel day was interrupted, very pleasantly I might add, by a wonderful lunch stop at the famous Gibbs Farm, which offered us some fantastic birds both before and after lunch, such as **White-tailed Blue Flycatcher**, **Grey-capped Warbler**, **Rüppell's Robin-Chat**, which we only heard and caught glimpses of, **Bronzy Sunbird**, **Thick-billed** and **Streaky Seedeaters**, **Usambara Thrush**, and **Mottled Swift**.



Bronzy Sunbird

We arrived safely in Arusha and after a few goodbyes' here and there we made our way to the airport for an evening departure. A big thanks to everyone who was on the tour, and I trust it was one of the best tours you have experienced.

TANZANIA 2015 BIRDLIST		
H = hears only, bold = country endemic		
Common Name (IOC 5.2)	Scientific Name (IOC 5.2)	Trip
STRUTHIONIFORMES		
<u>Ostriches</u>	<u>Struthionidae</u>	
Common Ostrich	<i>Struthio camelus</i>	1
ANSERIFORMES		
<u>Ducks, Geese and Swans</u>	<u>Anatidae</u>	
Spur-winged Goose	<i>Plectropterus gambensis</i>	1
Knob-billed Duck	<i>Sarkidiornis melanotos</i>	1
Egyptian Goose	<i>Alopochen aegyptiaca</i>	1
Cape Teal	<i>Anas capensis</i>	1
Red-billed Teal	<i>Anas erythrorhyncha</i>	1
Hottentot Teal	<i>Anas hottentota</i>	1

GALLIFORMES		
<u>Guineafowl</u>	<u>Numididae</u>	
Helmeted Guineafowl	<i>Numida meleagris</i>	1
Crested Guineafowl	<i>Guttera pucherani</i>	1
<u>Pheasants and allies</u>	<u>Phasianidae</u>	
Coqui Francolin	<i>Peliperdix coqui</i>	1
Crested Francolin	<i>Dendroperdix sephaena</i>	1
Hildebrandt's Francolin	<i>Pternistis hildebrandti</i>	1
Yellow-necked Spurfowl	<i>Pternistis leucoscepus</i>	1
Grey-breasted Spurfowl	<i>Pternistis rufopictus</i>	1
Red-necked Spurfowl	<i>Pternistis afer</i>	1
PODICIPEDIFORMES		
<u>Grebes</u>	<u>Podicipedidae</u>	
Little Grebe	<i>Tachybaptus ruficollis</i>	1
Great Crested Grebe	<i>Podiceps cristatus</i>	1
PHOENICOPTERIFORMES		
<u>Flamingos</u>	<u>Phoenicopteridae</u>	
Greater Flamingo	<i>Phoenicopterus roseus</i>	1
Lesser Flamingo	<i>Phoeniconaias minor</i>	1
CICONIIFORMES		
<u>Storks</u>	<u>Ciconiidae</u>	
Yellow-billed Stork	<i>Mycteria ibis</i>	1
African Openbill	<i>Anastomus lamelligerus</i>	1
Black Stork	<i>Ciconia nigra</i>	1
Abdim's Stork	<i>Ciconia abdimii</i>	1
Woolly-necked Stork	<i>Ciconia episcopus</i>	1
White Stork	<i>Ciconia ciconia</i>	1
Marabou Stork	<i>Leptoptilos crumenifer</i>	1
PELECANIFORMES		
<u>Ibises, Spoonbills</u>	<u>Threskiornithidae</u>	
African Sacred Ibis	<i>Threskiornis aethiopicus</i>	1
Hadada Ibis	<i>Bostrychia hagedash</i>	1
Glossy Ibis	<i>Plegadis falcinellus</i>	1
African Spoonbill	<i>Platalea alba</i>	1
<u>Herons, Bitterns</u>	<u>Ardeidae</u>	
Western Cattle Egret	<i>Bubulcus ibis</i>	1
Grey Heron	<i>Ardea cinerea</i>	1
Black-headed Heron	<i>Ardea melanocephala</i>	1
Goliath Heron	<i>Ardea goliath</i>	1

Purple Heron	<i>Ardea purpurea</i>	1
Great Egret	<i>Ardea alba</i>	1
Intermediate Egret	<i>Egretta intermedia</i>	1
Black Heron	<i>Egretta ardesiaca</i>	1
Little Egret	<i>Egretta garzetta</i>	1
Dimorphic Egret	<i>Egretta dimorpha</i>	1
<u>Hamerkop</u>	<u>Scopidae</u>	
Hamerkop	<i>Scopus umbretta</i>	1
<u>Pelicans</u>	<u>Pelecanidae</u>	
Great White Pelican	<i>Pelecanus onocrotalus</i>	1
SULIFORMES		
<u>Cormorants. Shags</u>	<u>Phalacrocoracidae</u>	
Reed Cormorant	<i>Microcarbo africanus</i>	1
White-breasted Cormorant	<i>Phalacrocorax lucidus</i>	1
<u>Anhingas, Darters</u>	<u>Anhingidae</u>	
African Darter	<i>Anhinga rufa</i>	1
ACCIPITRIFORMES		
<u>Secretarybird</u>	<u>Sagittariidae</u>	
Secretarybird	<i>Sagittarius serpentarius</i>	1
<u>Ospreys</u>	<u>Pandionidae</u>	
Western Osprey	<i>Pandion haliaetus</i>	1
<u>Kites, Haws and Eagles</u>	<u>Accipitridae</u>	
African Harrier-Hawk	<i>Polyboroides typus</i>	1
Palm-nut Vulture	<i>Gypohierax angolensis</i>	1
White-backed Vulture	<i>Gyps africanus</i>	1
Rüppell's Vulture	<i>Gyps rueppelli</i>	1
Lappet-faced Vulture	<i>Torgos tracheliotos</i>	1
Black-chested Snake Eagle	<i>Circaetus pectoralis</i>	1
Brown Snake Eagle	<i>Circaetus cinereus</i>	1
Southern Banded Snake Eagle	<i>Circaetus fasciolatus</i>	1
Bateleur	<i>Terathopius ecaudatus</i>	1
Crowned Eagle	<i>Stephanoaetus coronatus</i>	1
Martial Eagle	<i>Polemaetus bellicosus</i>	1
Long-crested Eagle	<i>Lophaetus occipitalis</i>	1
Lesser Spotted Eagle	<i>Clanga pomarina</i>	1
Tawny Eagle	<i>Aquila rapax</i>	1
Steppe Eagle	<i>Aquila nipalensis</i>	1
African Hawk-Eagle	<i>Aquila spilogaster</i>	1
Lizard Buzzard	<i>Kaupifalco monogrammicus</i>	1

Gabar Goshawk	<i>Micronisus gabar</i>	1
Dark Chanting Goshawk	<i>Melierax metabates</i>	1
Eastern Chanting Goshawk	<i>Melierax poliopterus</i>	1
African Goshawk	<i>Accipiter tachiro</i>	1
Shikra	<i>Accipiter badius</i>	1
Little Sparrowhawk	<i>Accipiter minullus</i>	1
Black Sparrowhawk	<i>Accipiter melanoleucus</i>	1
Western Marsh Harrier	<i>Circus aeruginosus</i>	1
African Marsh Harrier	<i>Circus ranivorus</i>	1
Yellow-billed Kite	<i>Milvus aegyptius</i>	1
African Fish Eagle	<i>Haliaeetus vocifer</i>	1
Mountain Buzzard	<i>Buteo oreophilus</i>	1
Augur Buzzard	<i>Buteo augur</i>	1
OTIDIFORMES		
<u>Bustards</u>	<u>Otididae</u>	
Kori Bustard	<i>Ardeotis kori</i>	1
White-bellied Bustard	<i>Eupodotis senegalensis</i>	1
Buff-crested Bustard	<i>Lophotis gindiana</i>	1
Black-bellied Bustard	<i>Lissotis melanogaster</i>	1
GRUIFORMES		
<u>Rails, Crakes and Coots</u>	<u>Rallidae</u>	
African Crake	<i>Crex egregia</i>	1
Black Crake	<i>Amaurornis flavirostra</i>	1
Common Moorhen	<i>Gallinula chloropus</i>	1
Lesser Moorhen	<i>Gallinula angulata</i>	1
Red-knobbed Coot	<i>Fulica cristata</i>	1
<u>Cranes</u>	<u>Gruidae</u>	
Grey Crowned Crane	<i>Balearica regulorum</i>	1
CHARADRIIFORMES		
<u>Stone-curlews, Thick-knees</u>	<u>Burhinidae</u>	
Water Thick-knee	<i>Burhinus vermiculatus</i>	1
Spotted Thick-knee	<i>Burhinus capensis</i>	1
<u>Stilts, Avocets</u>	<u>Recurvirostridae</u>	
Black-winged Stilt	<i>Himantopus himantopus</i>	1
Pied Avocet	<i>Recurvirostra avosetta</i>	1
<u>Plovers</u>	<u>Charadriidae</u>	
Long-toed Lapwing	<i>Vanellus crassirostris</i>	1
Blacksmith Lapwing	<i>Vanellus armatus</i>	1
Spur-winged Lapwing	<i>Vanellus spinosus</i>	1

Black-winged Lapwing	<i>Vanellus melanopterus</i>	1
Crowned Lapwing	<i>Vanellus coronatus</i>	1
Kittlitz's Plover	<i>Charadrius pecuarius</i>	1
Three-banded Plover	<i>Charadrius tricollaris</i>	1
<u>Jacanas</u>	<u>Jacanidae</u>	
African Jacana	<i>Actophilornis africanus</i>	1
<u>Sandpipers, Snipes</u>	<u>Scolopacidae</u>	
Common Greenshank	<i>Tringa nebularia</i>	1
Green Sandpiper	<i>Tringa ochropus</i>	1
Wood Sandpiper	<i>Tringa glareola</i>	1
Common Sandpiper	<i>Actitis hypoleucos</i>	1
Little Stint	<i>Calidris minuta</i>	1
Curlew Sandpiper	<i>Calidris ferruginea</i>	1
Ruff	<i>Philomachus pugnax</i>	1
<u>Courasers, Pratincoles</u>	<u>Glareolidae</u>	
Temminck's Courser	<i>Cursorius temminckii</i>	1
Double-banded Courser	<i>Rhinoptilus africanus</i>	1
Three-banded Courser	<i>Rhinoptilus cinctus</i>	1
<u>Gulls, Terns and Skimmers</u>	<u>Laridae</u>	
African Skimmer	<i>Rynchops flavirostris</i>	1
Grey-headed Gull	<i>Chroicocephalus cirrocephalus</i>	1
Gull-billed Tern	<i>Gelochelidon nilotica</i>	1
Lesser Crested Tern	<i>Thalasseus bengalensis</i>	1
Saunders's Tern	<i>Sternula saundersi</i>	1
Common Tern	<i>Sterna hirundo</i>	1
White-winged Tern	<i>Chlidonias leucopterus</i>	1
PTEROCLIFORMES		
<u>Sandgrouse</u>	<u>Pteroclididae</u>	
Chestnut-bellied Sandgrouse	<i>Pterocles exustus</i>	1
Yellow-throated Sandgrouse	<i>Pterocles gutturalis</i>	1
Black-faced Sandgrouse	<i>Pterocles decoratus</i>	1
COLUMBIFORMES		
<u>Pigeons, Doves</u>	<u>Columbidae</u>	
Rock Dove	<i>Columba livia</i>	1
Speckled Pigeon	<i>Columba guinea</i>	1
Eastern Bronze-naped Pigeon	<i>Columba delegorguei</i>	1
Mourning Collared Dove	<i>Streptopelia decipiens</i>	1
Red-eyed Dove	<i>Streptopelia semitorquata</i>	1
Ring-necked Dove	<i>Streptopelia capicola</i>	1

Laughing Dove	<i>Spilopelia senegalensis</i>	1
Emerald-spotted Wood Dove	<i>Turtur chalcospilos</i>	1
Blue-spotted Wood Dove	<i>Turtur afer</i>	1
Tambourine Dove	<i>Turtur tympanistria</i>	1
Namaqua Dove	<i>Oena capensis</i>	1
African Green Pigeon	<i>Treron calvus</i>	1
MUSOPHAGIFORMES		
<u>Turacos</u>	<u>Musophagidae</u>	
Livingstone's Turaco	<i>Tauraco livingstonii</i>	H
Schalow's Turaco	<i>Tauraco schalowi</i>	1
Fischer's Turaco	<i>Tauraco fischeri</i>	1
Hartlaub's Turaco	<i>Tauraco hartlaubi</i>	1
Purple-crested Turaco	<i>Tauraco porphyreolophus</i>	1
Bare-faced Go-away-bird	<i>Corythaixoides personatus</i>	1
White-bellied Go-away-bird	<i>Corythaixoides leucogaster</i>	1
CUCULIFORMES		
<u>Cuckoos</u>	<u>Cuculidae</u>	
White-browed Coucal	<i>Centropus superciliosus</i>	1
Black Coucal	<i>Centropus grillii</i>	1
Green Malkoha	<i>Ceuthmochares australis</i>	1
Great Spotted Cuckoo	<i>Clamator glandarius</i>	1
Jacobin Cuckoo	<i>Clamator jacobinus</i>	1
Diederik Cuckoo	<i>Chrysococcyx caprius</i>	1
Klaas's Cuckoo	<i>Chrysococcyx klaas</i>	1
African Emerald Cuckoo	<i>Chrysococcyx cupreus</i>	1
Black Cuckoo	<i>Cuculus clamosus</i>	1
Red-chested Cuckoo	<i>Cuculus solitarius</i>	1
African Cuckoo	<i>Cuculus gularis</i>	1
Common Cuckoo	<i>Cuculus canorus</i>	1
STRIGIFORMES		
<u>Owls</u>	<u>Strigidae</u>	
African Scops Owl	<i>Otus senegalensis</i>	1
African Wood Owl	<i>Strix woodfordii</i>	H
Pearl-spotted Owlet	<i>Glaucidium perlatum</i>	1
CAPRIMULGIFORMES		
<u>Nightjars</u>	<u>Caprimulgidae</u>	
Fiery-necked Nightjar	<i>Caprimulgus pectoralis</i>	1
Montane Nightjar	<i>Caprimulgus poliocephalus</i>	1
Freckled Nightjar	<i>Caprimulgus tristigma</i>	1

APODIFORMES		
<u>Swifts</u>	<u>Apodidae</u>	
Scarce Swift	<i>Schoutedenapus myoptilus</i>	1
Mottled Spinetail	<i>Telacanthura ussheri</i>	1
African Palm Swift	<i>Cypsiurus parvus</i>	1
Alpine Swift	<i>Tachymarptis melba</i>	1
Mottled Swift	<i>Tachymarptis aequatorialis</i>	1
Common Swift	<i>Apus apus</i>	1
Nyanza Swift	<i>Apus niansae</i>	1
Little Swift	<i>Apus affinis</i>	1
White-rumped Swift	<i>Apus caffer</i>	1
COLIIFORMES		
<u>Mousebirds</u>	<u>Coliidae</u>	
Speckled Mousebird	<i>Colius striatus</i>	1
White-headed Mousebird	<i>Colius leucocephalus</i>	1
Blue-naped Mousebird	<i>Urocolius macrourus</i>	1
Red-faced Mousebird	<i>Urocolius indicus</i>	1
TROGONIFORMES		
<u>Trogons</u>	<u>Trogonidae</u>	
Narina Trogon	<i>Apaloderma narina</i>	1
CORACIIFORMES		
<u>Rollers</u>	<u>Coraciidae</u>	
Purple Roller	<i>Coracias naevius</i>	1
Lilac-breasted Roller	<i>Coracias caudatus</i>	1
European Roller	<i>Coracias garrulus</i>	1
<u>Kingfishers</u>	<u>Alcedinidae</u>	
Grey-headed Kingfisher	<i>Halcyon leucocephala</i>	1
Brown-hooded Kingfisher	<i>Halcyon albiventris</i>	1
Striped Kingfisher	<i>Halcyon chelicuti</i>	1
Woodland Kingfisher	<i>Halcyon senegalensis</i>	1
African Pygmy Kingfisher	<i>Ispidina picta</i>	1
Malachite Kingfisher	<i>Corythornis cristatus</i>	1
Half-collared Kingfisher	<i>Alcedo semitorquata</i>	1
Giant Kingfisher	<i>Megaceryle maxima</i>	1
Pied Kingfisher	<i>Ceryle rudis</i>	1
<u>Bee-eaters</u>	<u>Meropidae</u>	
Little Bee-eater	<i>Merops pusillus</i>	1
Cinnamon-chested Bee-eater	<i>Merops oreobates</i>	1
White-fronted Bee-eater	<i>Merops bullockoides</i>	1

Blue-cheeked Bee-eater	<i>Merops persicus</i>	1
European Bee-eater	<i>Merops apiaster</i>	1
BUCEROTIFORMES		
<u>Hoopoes</u>	<u>Upupidae</u>	
African Hoopoe	<i>Upupa africana</i>	1
<u>Wood Hoopoes</u>	<u>Phoeniculidae</u>	
Green Wood Hoopoe	<i>Phoeniculus purpureus</i>	1
Common Scimitarbill	<i>Rhinopomastus cyanomelas</i>	1
Abyssinian Scimitarbill	<i>Rhinopomastus minor</i>	1
<u>Ground Hornbills</u>	<u>Bucorvidae</u>	
Southern Ground Hornbill	<i>Bucorvus leadbeateri</i>	1
<u>Hornbills</u>	<u>Bucerotidae</u>	
Tanzanian Red-billed Hornbill	<i>Tockus ruahae</i>	1
Northern Red-billed Hornbill	<i>Tockus erythrorhynchus</i>	1
Von der Decken's Hornbill	<i>Tockus deckeni</i>	1
Crowned Hornbill	<i>Lophoceros alboterminatus</i>	1
African Pied Hornbill	<i>Lophoceros fasciatus</i>	1
African Grey Hornbill	<i>Lophoceros nasutus</i>	1
Pale-billed Hornbill	<i>Lophoceros pallidirostris</i>	1
Trumpeter Hornbill	<i>Bycanistes bucinator</i>	1
Silvery-cheeked Hornbill	<i>Bycanistes brevis</i>	1
PICIFORMES		
<u>African Barbets</u>	<u>Lybiidae</u>	
White-eared Barbet	<i>Stactolaema leucotis</i>	1
Green Barbet	<i>Stactolaema olivacea</i>	1
Moustached Tinkerbird	<i>Pogoniulus leucomystax</i>	1
Yellow-fronted Tinkerbird	<i>Pogoniulus chrysoconus</i>	1
Red-fronted Barbet	<i>Tricholaema diademata</i>	1
Spot-flanked Barbet	<i>Tricholaema lacrymosa</i>	1
Black-throated Barbet	<i>Tricholaema melanocephala</i>	1
White-headed Barbet	<i>Lybius leucocephalus</i>	1
Red-faced Barbet	<i>Lybius rubrifacies</i>	1
Crested Barbet	<i>Trachyphonus vaillantii</i>	1
Red-and-yellow Barbet	<i>Trachyphonus erythrocephalus</i>	1
D'Arnaud's Barbet	<i>Trachyphonus darnaudii</i>	1
<u>Honeyguides</u>	<u>Indicatoridae</u>	
Lesser Honeyguide	<i>Indicator minor</i>	1
Scaly-throated Honeyguide	<i>Indicator variegatus</i>	1
Greater Honeyguide	<i>Indicator indicator</i>	1

<u>Woodpeckers</u>	<u>Picidae</u>	
Nubian Woodpecker	<i>Campethera nubica</i>	1
Mombasa Woodpecker	<i>Campethera mombassica</i>	1
Cardinal Woodpecker	<i>Dendropicos fuscescens</i>	1
Bearded Woodpecker	<i>Dendropicos namaquus</i>	1
African Grey Woodpecker	<i>Dendropicos goertae</i>	1
Eastern Grey Woodpecker	<i>Dendropicos spodocephalus</i>	1
FALCONIFORMES		
<u>Caracaras, Falcons</u>	<u>Falconidae</u>	
Pygmy Falcon	<i>Polihierax semitorquatus</i>	1
Common Kestrel	<i>Falco tinnunculus</i>	1
Lesser Kestrel	<i>Falco naumanni</i>	1
Grey Kestrel	<i>Falco ardosiaceus</i>	1
Dickinson's Kestrel	<i>Falco dickinsoni</i>	1
Amur Falcon	<i>Falco amurensis</i>	1
Eurasian Hobby	<i>Falco subbuteo</i>	1
Lizard Buzzard	<i>Falco monogrammicus</i>	1
Lanner Falcon	<i>Falco biarmicus</i>	1
PSITTACIFORMES		
<u>Parrots</u>	<u>Psittacidae</u>	
Fischer's Lovebird	<i>Agapornis fischeri</i>	1
Yellow-collared Lovebird	<i>Agapornis personatus</i>	1
Brown-necked Parrot	<i>Poicephalus fuscicollis</i>	1
Meyer's Parrot	<i>Poicephalus meyeri</i>	1
Brown-headed Parrot	<i>Poicephalus cryptoxanthus</i>	1
Red-bellied Parrot	<i>Poicephalus rufiventris</i>	1
PASSERIFORMES		
<u>Wattle-eyes, Batises</u>	<u>Platysteiridae</u>	
Black-and-white Shrike-flycatcher	<i>Bias musicus</i>	1
Forest Batis	<i>Batis mixta</i>	1
Chinspot Batis	<i>Batis molitor</i>	1
Pale Batis	<i>Batis soror</i>	1
Eastern Black-headed Batis	<i>Batis minor</i>	1
Pygmy Batis	<i>Batis perkeo</i>	1
Black-throated Wattle-eye	<i>Platysteira peltata</i>	1
<u>Helmetshrikes</u>	<u>Prionopidae</u>	
White-crested Helmetshrike	<i>Prionops plumatus</i>	1
Grey-crested Helmetshrike	<i>Prionops poliophus</i>	1
Retz's Helmetshrike	<i>Prionops retzii</i>	1

Chestnut-fronted Helmetshrike	<i>Prionops scopifrons</i>	1
<u>Bushshrikes</u>	<u>Malaconotidae</u>	
Grey-headed Bushshrike	<i>Malaconotus blanchoti</i>	1
Black-fronted Bushshrike	<i>Chlorophoneus nigrifrons</i>	1
Orange-breasted Bushshrike	<i>Chlorophoneus sulfureopectus</i>	1
Rosy-patched Bushshrike	<i>Telophorus cruentus</i>	1
Marsh Tchagra	<i>Bocagia minuta</i>	1
Brown-crowned Tchagra	<i>Tchagra australis</i>	1
Black-crowned Tchagra	<i>Tchagra senegalus</i>	1
Black-backed Puffback	<i>Dryoscopus cubla</i>	1
Pringle's Puffback	<i>Dryoscopus pringlii</i>	1
Fülleborn's Boubou	<i>Laniarius fuelleborni</i>	1
Slate-colored Boubou	<i>Laniarius funebris</i>	1
Tropical Boubou	<i>Laniarius major</i>	1
Brubru	<i>Nilaus afer</i>	1
<u>Cuckooshrikes</u>	<u>Campephagidae</u>	
Grey Cuckooshrike	<i>Coracina caesia</i>	1
<u>Shrikes</u>	<u>Laniidae</u>	
Magpie Shrike	<i>Urolestes melanoleucus</i>	1
Northern White-crowned Shrike	<i>Eurocephalus ruppelli</i>	1
Red-backed Shrike	<i>Lanius collurio</i>	1
Red-tailed Shrike	<i>Lanius phoenicuroides</i>	1
Lesser Grey Shrike	<i>Lanius minor</i>	1
Grey-backed Fiscal	<i>Lanius excubitoroides</i>	1
Long-tailed Fiscal	<i>Lanius cabanisi</i>	1
Taita Fiscal	<i>Lanius dorsalis</i>	1
Northern Fiscal	<i>Lanius humeralis</i>	1
<u>Figbirds, Orioles</u>	<u>Oriolidae</u>	
Eurasian Golden Oriole	<i>Oriolus oriolus</i>	1
African Golden Oriole	<i>Oriolus auratus</i>	1
Green-headed Oriole	<i>Oriolus chlorocephalus</i>	1
Black-headed Oriole	<i>Oriolus larvatus</i>	1
<u>Drongos</u>	<u>Dicruridae</u>	
Square-tailed Drongo	<i>Dicrurus ludwigii</i>	1
Fork-tailed Drongo	<i>Dicrurus adsimilis</i>	1
<u>Monarchs</u>	<u>Monarchidae</u>	
Blue-mantled Crested Flycatcher	<i>Trochocercus cyanomelas</i>	1
African Paradise Flycatcher	<i>Terpsiphone viridis</i>	1
<u>Crows, Jays</u>	<u>Corvidae</u>	

House Crow	<i>Corvus splendens</i>	1
Cape Crow	<i>Corvus capensis</i>	1
Pied Crow	<i>Corvus albus</i>	1
White-necked Raven	<i>Corvus albicollis</i>	1
<u>Fairy Flycatchers</u>	<u>Stenostiridae</u>	
White-tailed Blue Flycatcher	<i>Elminia albicauda</i>	1
White-tailed Crested Flycatcher	<i>Elminia albonotata</i>	1
<u>Tits, Chickadees</u>	<u>Paridae</u>	
Cinnamon-breasted Tit	<i>Melaniparus pallidiventris</i>	1
Red-throated Tit	<i>Melaniparus fringillinus</i>	1
<u>Penduline Tits</u>	<u>Remizidae</u>	
Grey Penduline Tit	<i>Anthoscopus caroli</i>	1
<u>Larks</u>	<u>Alaudidae</u>	
Fischer's Sparrow-Lark	<i>Eremopterix leucopareia</i>	1
Pink-breasted Lark	<i>Calendulauda poecilosterna</i>	1
Foxy Lark	<i>Calendulauda alopex</i>	1
Rufous-naped Lark	<i>Mirafraga africana</i>	1
Flappet Lark	<i>Mirafraga rufocinnamomea</i>	1
White-tailed Lark	<i>Mirafraga albicauda</i>	1
Red-capped Lark	<i>Calandrella cinerea</i>	1
<u>Bulbuls</u>	<u>Pycnonotidae</u>	
Dark-capped Bulbul	<i>Pycnonotus tricolor</i>	1
Shelley's Greenbul	<i>Arizelocichla masukuensis</i>	1
Mountain Greenbul	<i>Arizelocichla nigriceps</i>	1
Stripe-faced Greenbul	<i>Arizelocichla striifacies</i>	1
Little Greenbul	<i>Eurillas virens</i>	1
Sombre Greenbul	<i>Andropadus importunus</i>	1
Yellow-bellied Greenbul	<i>Chlorocichla flaviventris</i>	1
Terrestrial Brownbul	<i>Phyllastrephus terrestris</i>	1
Grey-olive Greenbul	<i>Phyllastrephus cerviniventris</i>	1
Fischer's Greenbul	<i>Phyllastrephus fischeri</i>	1
Icterine Greenbul	<i>Phyllastrephus icterinus</i>	1
Xavier's Greenbul	<i>Phyllastrephus xavieri</i>	1
Yellow-streaked Greenbul	<i>Phyllastrephus flavostriatus</i>	1
Montane Tiny Greenbul	<i>Phyllastrephus albigula</i>	1
<u>Swallows, Martins</u>	<u>Hirundinidae</u>	
Black Saw-wing	<i>Psalidoprocne pristoptera</i>	1
Brown-throated Martin	<i>Riparia paludicola</i>	1
Banded Martin	<i>Riparia cincta</i>	1

Barn Swallow	<i>Hirundo rustica</i>	1
Wire-tailed Swallow	<i>Hirundo smithii</i>	1
Rock Martin	<i>Ptyonoprogne fuligula</i>	1
Common House Martin	<i>Delichon urbicum</i>	1
Lesser Striped Swallow	<i>Cecropis abyssinica</i>	1
Mosque Swallow	<i>Cecropis senegalensis</i>	1
Red-rumped Swallow	<i>Cecropis daurica</i>	1
<u>Crombecs, African Warblers</u>	<u>Macrosphenidae</u>	
Moustached Grass Warbler	<i>Melocichla mentalis</i>	1
Northern Crombec	<i>Sylvietta brachyura</i>	1
Red-faced Crombec	<i>Sylvietta whytii</i>	1
<u>Yellow Flycatchers</u>	<u>Erythrocercidae</u>	
Livingstone's Flycatcher	<i>Erythrocercus livingstonei</i>	1
<u>Leaf Warblers and allies</u>	<u>Phylloscopidae</u>	
Yellow-throated Woodland Warbler	<i>Phylloscopus ruficapilla</i>	1
Willow Warbler	<i>Phylloscopus trochilus</i>	1
<u>Reed Warblers and allies</u>	<u>Acrocephalidae</u>	
Lesser Swamp Warbler	<i>Acrocephalus gracilirostris</i>	1
Great Reed Warbler	<i>Acrocephalus arundinaceus</i>	1
Sedge Warbler	<i>Acrocephalus schoenobaenus</i>	1
African Reed Warbler	<i>Acrocephalus baeticatus</i>	1
<u>Grassbirds and allies</u>	<u>Locustellidae</u>	
Cinnamon Bracken Warbler	<i>Bradypterus cinnamomeus</i>	1
<u>Cisticolas and allies</u>	<u>Cisticolidae</u>	
Red-faced Cisticola	<i>Cisticola erythrops</i>	1
Hunter's Cisticola	<i>Cisticola hunteri</i>	1
Rattling Cisticola	<i>Cisticola chiniana</i>	1
Wailing Cisticola	<i>Cisticola lais</i>	1
Winding Cisticola	<i>Cisticola marginatus</i>	1
Coastal Cisticola	<i>Cisticola haematocephalus</i>	1
Chirping Cisticola	<i>Cisticola pipiens</i>	1
Croaking Cisticola	<i>Cisticola natalensis</i>	1
Short-winged Cisticola	<i>Cisticola brachypterus</i>	1
Neddicky	<i>Cisticola fulvicapilla</i>	1
Zitting Cisticola	<i>Cisticola juncidis</i>	1
Desert Cisticola	<i>Cisticola aridulus</i>	1
Pectoral-patch Cisticola	<i>Cisticola brunnescens</i>	1
"White-tailed Cisticola"	<i>Cisticola</i> sp. nov. (unconfirmed)	1
"Kilombero Cisticola"	<i>Cisticola</i> sp. nov.	1

	(unconfirmed)	
Tawny-flanked Prinia	<i>Prinia subflava</i>	1
Pale Prinia	<i>Prinia somalica</i>	1
Buff-bellied Warbler	<i>Phyllolais pulchella</i>	1
Bar-throated Apalis	<i>Apalis thoracica</i>	1
Yellow-breasted Apalis	<i>Apalis flavida</i>	1
Black-headed Apalis	<i>Apalis melanocephala</i>	1
Karamoja Apalis	<i>Apalis karamojae</i>	1
Brown-headed Apalis	<i>Apalis alticola</i>	1
Red-fronted Warbler	<i>Urorhipis rufifrons</i>	1
Grey-capped Warbler	<i>Eminia lepida</i>	1
Green-backed Camaroptera	<i>Camaroptera brachyura</i>	1
Grey Wren-Warbler	<i>Calamonastes simplex</i>	1
Miombo Wren-Warbler	<i>Calamonastes undosus</i>	1
Stierling's Wren-Warbler	<i>Calamonastes stierlingi</i>	1
Red-capped Forest Warbler	<i>Artisornis metopias</i>	1
Long-billed Forest Warbler	<i>Artisornis moreau</i>	H
Green-capped Eremomela	<i>Eremomela scotops</i>	1
<u>Laughingthrushes</u>	<u>Leiothrichidae</u>	
Black-lored Babbler	<i>Turdoides sharpei</i>	1
Arrow-marked Babbler	<i>Turdoides jardineii</i>	1
Northern Pied Babbler	<i>Turdoides hypoleuca</i>	1
<u>Sylviid Babblers</u>	<u>Sylviidae</u>	
African Hill Babbler	<i>Pseudoalcippe abyssinica</i>	1
Common Whitethroat	<i>Sylvia communis</i>	1
Banded Parisoma	<i>Sylvia boehmi</i>	1
<u>White-eyes</u>	<u>Zosteropidae</u>	
Abyssinian White-eye	<i>Zosterops abyssinicus</i>	1
Montane White-eye	<i>Zosterops poliogastrus</i>	1
<u>Dapple-throat and allies</u>	<u>Arcanatoridae</u>	
Spot-throat	<i>Modulatrix stictigula</i>	H
<u>Hyliotas</u>	<u>Hyliotidae</u>	
Yellow-bellied Hyliota	<i>Hyliota flavigaster</i>	1
<u>Starlings, Rhabdornis</u>	<u>Sturnidae</u>	
Wattled Starling	<i>Creatophora cinerea</i>	1
Greater Blue-eared Starling	<i>Lamprotornis chalybaeus</i>	1
Miombo Blue-eared Starling	<i>Lamprotornis elisabeth</i>	1
Rüppell's Starling	<i>Lamprotornis purpuroptera</i>	1
Superb Starling	<i>Lamprotornis superbus</i>	1

Hildebrandt's Starling	<i>Lamprotornis hildebrandti</i>	1
Ashy Starling	<i>Lamprotornis unicolor</i>	1
Fischer's Starling	<i>Lamprotornis fischeri</i>	1
Violet-backed Starling	<i>Cinnyricinclus leucogaster</i>	1
Red-winged Starling	<i>Onychognathus morio</i>	1
Kenrick's Starling	<i>Poeoptera kenricki</i>	1
<u>Oxpeckers</u>	<u>Buphagidae</u>	
Yellow-billed Oxpecker	<i>Buphagus africanus</i>	1
Red-billed Oxpecker	<i>Buphagus erythrorhynchus</i>	1
<u>Thrushes</u>	<u>Turdidae</u>	
Red-tailed Ant Thrush	<i>Neocossyphus rufus</i>	1
Usambara Thrush	<i>Turdus roehli</i>	1
<u>Chats, Old World Flycatchers</u>	<u>Muscicapidae</u>	
White-browed Scrub Robin	<i>Cercotrichas leucophrys</i>	1
White-eyed Slaty Flycatcher	<i>Melaenornis fischeri</i>	1
Southern Black Flycatcher	<i>Melaenornis pammelaina</i>	1
Pale Flycatcher	<i>Melaenornis pallidus</i>	1
African Grey Flycatcher	<i>Melaenornis microrhynchus</i>	1
Silverbird	<i>Empidonax semipartitus</i>	1
Spotted Flycatcher	<i>Muscicapa striata</i>	1
Ashy Flycatcher	<i>Muscicapa caerulescens</i>	1
African Dusky Flycatcher	<i>Muscicapa adusta</i>	1
White-chested Alethe	<i>Pseudalethe fuelleborni</i>	H
Cape Robin-Chat	<i>Cossypha caffra</i>	1
Rüppell's Robin-Chat	<i>Cossypha semirufa</i>	H
White-browed Robin-Chat	<i>Cossypha heuglini</i>	1
Red-capped Robin-Chat	<i>Cossypha natalensis</i>	1
Collared Palm Thrush	<i>Cichladusa arquata</i>	1
Spotted Palm Thrush	<i>Cichladusa guttata</i>	1
African Stonechat	<i>Saxicola torquatus</i>	1
Mocking Cliff Chat	<i>Thamnolaea cinnamomeiventris</i>	1
Anteater Chat	<i>Myrmecocichla aethiops</i>	1
Arnot's Chat	<i>Myrmecocichla arnotti</i>	1
Capped Wheatear	<i>Oenanthe pileata</i>	1
Mourning Wheatear	<i>Oenanthe lugens</i>	1
<u>Sunbirds</u>	<u>Nectariniidae</u>	
Plain-backed Sunbird	<i>Anthreptes reichenowi</i>	1
Eastern Violet-backed Sunbird	<i>Anthreptes orientalis</i>	1
Uluguru Violet-backed Sunbird	<i>Anthreptes neglectus</i>	1

Banded Green Sunbird	<i>Anthreptes rubritorques</i>	1
Collared Sunbird	<i>Hedydipna collaris</i>	1
Amani Sunbird	<i>Hedydipna pallidigaster</i>	1
Green-headed Sunbird	<i>Cyanomitra verticalis</i>	1
Olive Sunbird	<i>Cyanomitra olivacea</i>	1
Amethyst Sunbird	<i>Chalcomitra amethystina</i>	1
Scarlet-chested Sunbird	<i>Chalcomitra senegalensis</i>	1
Hunter's Sunbird	<i>Chalcomitra hunteri</i>	1
Tacazze Sunbird	<i>Nectarinia tacazze</i>	1
Bronzy Sunbird	<i>Nectarinia kilimensis</i>	1
Golden-winged Sunbird	<i>Drepanorhynchus reichenowi</i>	1
Miombo Double-collared Sunbird	<i>Cinnyris manoensis</i>	1
Eastern Double-collared Sunbird	<i>Cinnyris mediocris</i>	1
Usambara Double-collared Sunbird	<i>Cinnyris usambaricus</i>	1
Beautiful Sunbird	<i>Cinnyris pulchellus</i>	1
Marico Sunbird	<i>Cinnyris mariquensis</i>	1
Purple-banded Sunbird	<i>Cinnyris bifasciatus</i>	1
White-bellied Sunbird	<i>Cinnyris talatala</i>	1
Variable Sunbird	<i>Cinnyris venustus</i>	1
<u>Old World Sparrows</u>	<u>Passeridae</u>	
White-browed Sparrow-Weaver	<i>Plocepasser mahali</i>	1
Rufous-tailed Weaver	<i>Histurgops ruficauda</i>	1
Grey-capped Social Weaver	<i>Pseudonigrita arnaudi</i>	1
House Sparrow	<i>Passer domesticus</i>	1
Kenya Sparrow	<i>Passer rufocinctus</i>	1
Northern Grey-headed Sparrow	<i>Passer griseus</i>	1
Swahili Sparrow	<i>Passer suahelicus</i>	1
Chestnut Sparrow	<i>Passer eminibey</i>	1
Yellow-throated Petronia	<i>Gymnoris superciliaris</i>	1
Yellow-spotted Petronia	<i>Gymnoris pyrgita</i>	1
<u>Weavers, Widowbirds</u>	<u>Ploceidae</u>	
Red-billed Buffalo Weaver	<i>Bubalornis niger</i>	1
White-headed Buffalo Weaver	<i>Dinemellia dinemelli</i>	1
Speckle-fronted Weaver	<i>Sporopipes frontalis</i>	1
Thick-billed Weaver	<i>Amblyospiza albifrons</i>	1
Baglafecht Weaver	<i>Ploceus baglafecht</i>	1
Spectacled Weaver	<i>Ploceus ocularis</i>	1
Black-necked Weaver	<i>Ploceus nigricollis</i>	1
Eastern Golden Weaver	<i>Ploceus subaureus</i>	1

Holub's Golden Weaver	<i>Ploceus xanthops</i>	1
Taveta Weaver	<i>Ploceus castaneiceps</i>	1
Southern Brown-throated Weaver	<i>Ploceus xanthopterus</i>	1
Kilombero Weaver	<i>Ploceus burnieri</i>	1
Lesser Masked Weaver	<i>Ploceus intermedius</i>	1
Vitelline Masked Weaver	<i>Ploceus vitellinus</i>	1
Speke's Weaver	<i>Ploceus spekei</i>	1
Village Weaver	<i>Ploceus cucullatus</i>	1
Golden-backed Weaver	<i>Ploceus jacksoni</i>	1
Chestnut Weaver	<i>Ploceus rubiginosus</i>	1
Dark-backed Weaver	<i>Ploceus bicolor</i>	1
Red-headed Weaver	<i>Anaplectes rubriceps</i>	1
Red-billed Quelea	<i>Quelea quelea</i>	1
Black Bishop	<i>Euplectes gierowii</i>	1
Zanzibar Red Bishop	<i>Euplectes nigroventris</i>	1
Black-winged Red Bishop	<i>Euplectes hordeaceus</i>	1
Yellow Bishop	<i>Euplectes capensis</i>	1
Fan-tailed Widowbird	<i>Euplectes axillaris</i>	1
White-winged Widowbird	<i>Euplectes albonotatus</i>	1
Red-collared Widowbird	<i>Euplectes ardens</i>	1
<u>Waxbills, Munias and allies</u>	<u>Estrildidae</u>	
Green-winged Pytilia	<i>Pytilia melba</i>	1
Red-throated Twinspot	<i>Hypargos niveoguttatus</i>	1
Red-billed Firefinch	<i>Lagonosticta senegala</i>	1
African Firefinch	<i>Lagonosticta rubricata</i>	1
Jameson's Firefinch	<i>Lagonosticta rhodopareia</i>	1
Blue Waxbill	<i>Uraeginthus angolensis</i>	1
Red-cheeked Cordon-bleu	<i>Uraeginthus bengalus</i>	1
Blue-capped Cordon-bleu	<i>Uraeginthus cyanocephalus</i>	1
Purple Grenadier	<i>Uraeginthus ianthinogaster</i>	1
Yellow-bellied Waxbill	<i>Coccygia quartinia</i>	1
Crimson-rumped Waxbill	<i>Estrilda rhodopyga</i>	1
Common Waxbill	<i>Estrilda astrild</i>	1
Black-faced Waxbill	<i>Estrilda erythronotos</i>	1
Orange-breasted Waxbill	<i>Amandava subflava</i>	1
Quailfinch	<i>Ortygospiza atricollis</i>	1
African Silverbill	<i>Euodice cantans</i>	1
Bronze Mannikin	<i>Lonchura cucullata</i>	1
Black-and-white Mannikin	<i>Lonchura bicolor</i>	1

Magpie Mannikin	<i>Lonchura fringilloides</i>	1
<u>Indigobirds, Whydahs</u>	<u>Viduidae</u>	
Village Indigobird	<i>Vidua chalybeata</i>	1
Dusky Indigobird	<i>Vidua funerea</i>	1
Pin-tailed Whydah	<i>Vidua macroura</i>	1
Straw-tailed Whydah	<i>Vidua fischeri</i>	1
Long-tailed Paradise Whydah	<i>Vidua paradisaea</i>	1
Broad-tailed Paradise Whydah	<i>Vidua obtusa</i>	1
<u>Wagtails, Pipits</u>	<u>Motacillidae</u>	
Western Yellow Wagtail	<i>Motacilla flava</i>	1
Mountain Wagtail	<i>Motacilla clara</i>	1
African Pied Wagtail	<i>Motacilla aguimp</i>	1
Yellow-throated Longclaw	<i>Macronyx croceus</i>	1
Pangani Longclaw	<i>Macronyx aurantiigula</i>	1
Rosy-throated Longclaw	<i>Macronyx ameliae</i>	1
African Pipit	<i>Anthus cinnamomeus</i>	1
Plain-backed Pipit	<i>Anthus leucophrys</i>	1
<u>Finches</u>	<u>Fringillidae</u>	
Southern Citril	<i>Crithagra hyposticta</i>	1
Yellow-fronted Canary	<i>Crithagra mozambica</i>	1
White-bellied Canary	<i>Crithagra dorsostriata</i>	1
Southern Grosbeak-Canary	<i>Crithagra bchanani</i>	1
Thick-billed Seed eater	<i>Crithagra burtoni</i>	1
Streaky Seed eater	<i>Crithagra striolata</i>	1
<u>Buntings, New World Sparrows and allies</u>	<u>Emberizidae</u>	
Cinnamon-breasted Bunting	<i>Emberiza tahapisi</i>	1
Somali Bunting	<i>Emberiza poliopleura</i>	1
Golden-breasted Bunting	<i>Emberiza flaviventris</i>	1
Cabanis's Bunting	<i>Emberiza cabanisi</i>	1
TOTAL		506

TANZANIA 2015 MAMMAL LIST		
Common Name (IUCN)	Scientific Name (IUCN)	Trip
PRIMATES		
<u>Old World monkeys</u>	<u>Cercopithecidae</u>	
Vervet	<i>Cercopithecus pygerythrus</i>	1
Blue monkey	<i>Cercopithecus mitis</i>	1

Angola colobus	<i>Colobus angolensis</i>	1
Udzungwa red colobus	<i>Procolobus gordonorum</i>	1
Yellow baboon	<i>Papio cynocephalus</i>	1
Olive baboon	<i>Papio anubis</i>	1
MACROSCELIDEA		
<u>Elephant shrews</u>	<u>Macroscelididae</u>	
Black and rufous sengi	<i>Rhynchocyon petersi</i>	1
LAGOMORPHA		
<u>Rabbits, hares</u>	<u>Leporidae</u>	
Cape hare	<i>Lepus capensis</i>	1
RODENTIA		
<u>Squirrels</u>	<u>Sciuridae</u>	
Black and red bush squirrel	<i>Paraxerus lucifer</i>	1
Swynnerton's bush squirrel	<i>Paraxerus vexillarius</i>	1
Unstriped ground squirrel	<i>Xerus rutilus</i>	1
CARNIVORA		
<u>Dogs, wolves and allies</u>	<u>Canidae</u>	
Golden jackal	<i>Canis aureus</i>	1
Black-backed jackal	<i>Canis mesomelas</i>	1
<u>Mongoose</u>	<u>Herpestidae</u>	
Common dwarf mongoose	<i>Helogale parvula</i>	1
Banded mongoose	<i>Mungos mungo</i>	1
<u>Hyaenas</u>	<u>Hyaenidae</u>	
Spotted hyaena	<i>Crocuta crocuta</i>	1
<u>Genets, civets</u>	<u>Viverridae</u>	-
Common genet	<i>Genetta genetta</i>	1
African civet	<i>Civettictis civetta</i>	1
<u>Cats</u>	<u>Felidae</u>	
Serval	<i>Leptailurus serval</i>	1
Leopard	<i>Panthera pardus</i>	1
Lion	<i>Panthera leo</i>	1
Cheetah	<i>Acinonyx jubatus</i>	1
HYRACOIDEA		
<u>Hyraxes</u>	<u>Procaviidae</u>	
Black-necked rock hyrax	<i>Procavia johnstoni</i>	1
Yellow-spotted bush hyrax	<i>Heterohyrax brucei</i>	1
PROBOSCIDEA		
<u>Elephants</u>	<u>Elephantidae</u>	
African elephant	<i>Loxodonta africana</i>	1

<u>PERISSODACTYLA</u>		
<u>Horses and allies</u>	<u>Equidae</u>	
Plains zebra	<i>Equus quagga</i>	1
<u>Rhinoceroses</u>	<u>Rhinocerotidae</u>	
Black rhinoceros	<i>Diceros bicornis</i>	1
<u>ARTIODACTYLA</u>		
<u>Hippopotamuses</u>	<u>Hippopotamidae</u>	
Hippopotamus	<i>Hippopotamus amphibius</i>	1
<u>Pigs</u>	<u>Suidae</u>	
Common warthog	<i>Phacochoerus africanus</i>	1
<u>Giraffe, okapi</u>	<u>Giraffidae</u>	
Giraffe	<i>Giraffa camelopardalis</i>	1
<u>Cattle, antelope and allies</u>	<u>Bovidae</u>	
African buffalo	<i>Syncerus caffer</i>	1
Bushbuck	<i>Tragelaphus scriptus</i>	1
Common eland	<i>Tragelaphus oryx</i>	1
Harvey's duiker	<i>Cephalophus harveyi</i>	1
Kirk's dik-dik	<i>Madoqua kirkii</i>	1
Bohor reedbuck	<i>Redunca redunca</i>	1
Common waterbuck	<i>Kobus ellipsiprymnus ellipsiprymnus</i>	1
Defassa waterbuck	<i>Kobus ellipsiprymnus defassa</i>	0
Thomson's gazelle	<i>Eudorcas thomsonii</i>	1
Grant's gazelle	<i>Nanger granti</i>	1
Impala	<i>Aepyceros melampus</i>	1
Topi	<i>Damaliscus lunatus jimela</i>	1
Coke's hartebeest	<i>Alcelaphus buselaphus cokei</i>	1
Common wildebeest	<i>Connochaetes taurinus</i>	1
TOTAL		43