



## CENTRAL AND NORTHERN THAILAND CUSTOM TOUR TRIP REPORT

24 FEBRUARY - 15 MARCH 2019

By Andy Walker



*We saw a couple of **Banded Kingfishers** during the tour, fantastic-looking birds.*

## Overview

This three-week custom birdwatching tour of Central and Northern Thailand commenced in Bangkok on the 24<sup>th</sup> of February 2019 and ended back there on the 15<sup>th</sup> of March 2019. The tour was based on our Central and Northern Thailand set-departure itineraries with a few slight modifications to fit the timescale allowed. We birded areas around the Gulf of Thailand for shorebirds and Kaeng Krachan and Khao Yai National Parks in the central region before flying north for a birding circuit from and back to Chiang Mai, which included visits to Doi Inthanon and Doi Pha Hom Pok National Parks (Doi Lang and Doi Ang Khang), Chiang Dao Wildlife Sanctuary, and Chiang Saen Lake. We also visited a couple of incredible temples along the way.

A total of 442 bird species were seen (plus 4 species heard only). Full species lists are provided at the end of this report.

Highlight birds seen were many and during our time in the central Thailand region included a couple of **Spoon-billed Sandpipers**, a large flock of **Nordmann's Greenshanks**, and hundreds of **Terek Sandpipers** on the salt pans among about 40 species of shorebirds, with several 'White-faced' **Kentish Plovers**, **Malaysian Plovers**, and **Chinese Egrets** on the nearby beach. A lake and rice fields near the coast hosted **Spot-billed Pelican**, **Asian Dowitcher**, **Greater Spotted Eagle**, and **Black-headed Ibis**. Forest birding around Kaeng Krachan National Park was highly productive with **Black-and-yellow** and **Black-and-red Broadbills** seen very well, along with **Blue Pitta**, **Buffy Fish Owl**, **Kalij Pheasant**, **Red Junglefowl**, **Black-thighed Falconet**, **Common Green Magpie**, **Orange-breasted Trogon**, and a host of woodpeckers. A stop at Khao Yai National Park for a couple of days was also fantastic with great views of **Great**, **Wreathed**, **Oriental Pied**, and **Austen's Brown Hornbills** all enjoyed, along with **Siamese Fireback**, **Silver Pheasant**, **Red-headed Trogon**, **Red-breasted Parakeet**, **Long-tailed** and **Banded Broadbills**, **Banded Kingfisher** (see trip report cover image), **Blue-eared Kingfisher**, and numerous other species. However, the real highlight here (and 'animal of the trip') was the incredible sighting we had of a huge **Asian Elephant!** Wow. Simply amazing.

Our time in northern Thailand was no less impressive, and we found numerous highly-sought species one after the other. We were afforded some of the best views imaginable of a pair of **White-crowned Forktails** that showed to a matter of a few feet as well as seeing both **Slaty-backed** and **Black-backed Forktails**, **White-capped Redstart**, and nesting **Small Pratincole** along various waterways. Forest birding was wonderful; we had great views of some skulking species such as **Mrs. Hume's Pheasant**, **Rufous-throated Partridge**, **Mountain Bamboo Partridge**, **Siberian Rubythroat**, **White-bellied Redstart**, **Dark-sided** and **Scaly Thrushes**, and **Himalayan Shortwing**. Other exciting species included **Amur Paradise Flycatcher**, **Black-headed Woodpecker**, **Blossom-headed Parakeet**, **Collared Falconet**, **Daurian Redstart**, **Grey-headed Parrotbill**, **Ultramarine Flycatcher**, **Spectacled Barwing**, **Silver-eared Mesia**, and **Scarlet-faced Liocichla**, but one of the major highlights was watching a pair of feeding **Rusty-naped Pittas** right out in the open – a magical moment! Birding in the rice paddies and wetlands along the Thai-Myanmar-Laos border produced further great birds such as **Yellow-breasted** and **Chestnut-eared Buntings**, **Blunt-winged Warbler**, and an incredible spectacle of around a hundred **Pied Harriers** coming in to roost. We even found another rarity while here, a stunning male **Mandarin Duck** that was actively displaying to anything that looked its way!

### Detailed Report

#### **Day 1, 24<sup>th</sup> February 2019. Bangkok to the Laem Pak Bia area**

The group met in our very comfortable hotel in Bangkok before we left the city after breakfast and drove to the Bay of Bangkok. Once the majority of the drive was behind us we stopped for our first birding session of the tour in some fishpond areas, where we found numerous birds, all new ones too! Birds were coming thick and fast, but some of the highlights were **Oriental Pratincole**, **300 Cotton Pygmy Geese**, **Pheasant-tailed** and **Bronze-winged Jacanas**, **Northern Pintail**, **Blue-tailed Bee-eater**, **White-throated Kingfisher**, **Yellow-bellied Prinia**, **Black-browed** and **Oriental Reed Warblers**, **Asian Openbill**, **Chinese** and **Javan Pond Herons** (both in breeding plumage), **Purple Heron**, and too many others to list.

After checking into our hotel, and after the heat of the day had subsided, we ventured into the salt pans where we found yet more new birds, including the magnificent (and beautiful) **Painted Stork**, **Ruddy-breasted Crake**, **Green Bee-eater** (extremely close views), and **Collared Kingfisher**. We also continued to grow our shorebird list in earnest with great views of **Long-toed Stint**, **Temminck's Stint**, **Ruff**, **Marsh Sandpiper**, and **Spotted Redshank** (among many more).

#### **Day 2, 25<sup>th</sup> February 2019. Pak Thale and the Laem Pak Bia area**

There was just one bird on our minds this morning, and we made it a priority to find... We left our hotel in darkness to make the short journey up the coast to the world-famous Pak Thale shorebird site. Here (once we'd had a snack and hot drink) we headed into the salt pans. As the sun started to rise the shorebirds started to move around a bit, and we headed into position. After not too long, while scanning a pan full of birds, we picked up a **Spoon-billed Sandpiper** busily feeding. Success! It took a while for everyone to get good views of it, as it was rapidly moving around. Eventually, though, everyone got good views of this highly-sought and Critically Endangered (BirdLife International) species.



*Spoon-billed Sandpiper, picture taken a few days before we saw them at the same spot.*

Once the “Spoonie” was under the belt we could concentrate on some of the other birds, and we found **Red-necked Phalarope**, **Terek Sandpiper** (over 300!), **Broad-billed Sandpiper**, **Greater and Lesser Sand Plovers**, **Kentish Plover**, **Eurasian Curlew**, **Bar-tailed Godwit**, **Red Knot**, **Sanderling**, and **Red-necked Stint**.

In the afternoon we took a boat out to the Laem Pak Bia Sandspit, where we had great success and found all of our target species here, which included **Chinese Egret**, **Pacific Reef Heron**, **Kentish ‘White-faced’ Plover** (surely a potential split), and gorgeous **Malaysian Plovers** at close range. We also had lots of terns loafing on the beach, with **Caspian**, **Greater Crested**, **Common**, **Whiskered**, **White-winged**, and **Little Terns** all present. Both **Collared** and **Black-capped Kingfishers** were noted too.

### Day 3, 26<sup>th</sup> February 2019. Laem Pak Bia area

We spent the morning back in the Laem Pak Bia salt pans, where a vast array of shorebirds were evident as they roosted during the high tide period. **Great Knots** were abundant and we got our first views of them, along with a brief **Red Knot**. However, one of our big targets was **Nordmann’s Greenshank**, and we found a flock of over 80 of these Endangered (BirdLife International) species. Plenty of other birds were also on offer, including **Pied Avocet**, **Terek Sandpiper**, **Greater Sand Plover** (some in breeding plumage), **Lesser Sand Plover**, **Little Ringed Plover**, **Kentish Plover**, **Long-toed**, **Red-necked**, and **Temminck’s Stint**, and all the other usual suspects (**Broad-billed Sandpiper**, **Curlew Sandpiper**, and **Marsh Sandpiper** etc...). An unusual sighting was a **White-bellied Sea Eagle** that was perched in a tree, no wonder the birds were so flighty at times! A few other birds gave brief views, such as **Yellow Bittern**, **Striated Heron**, and **Javan Pond Heron** (in breeding plumage). We also improved our views of **Collared** and **Black-capped Kingfishers** as we made our way around the various waterways.

Passerines were thin on the ground, but we did find **Common Iora**, **Indochinese Bush Lark**, **Plain-backed Sparrow** (actually really beautiful), and **Dusky Warbler**.

After sitting out the heat of the middle of the day we headed to some nearby rice paddies, where in a short space of time we amassed a decent species list. Some of the new birds for us included **Common Kingfisher**, **Freckle-breasted Woodpecker**, **Asian Koel**, **Greater Coucal**, **Asian Palm Swift**, **Eastern Marsh Harrier**, **Common Kestrel**, **Zitting Cisticola**, **Richard’s** and **Paddyfield Pipits**, **Baya Weaver**, and **Scaly-breasted Munia**. We also got further views of popular birds such as **Oriental Pratincole**, **Green Bee-eater**, **Blue-tailed Bee-eater**, **Black Drongo**, **Stejneger’s Stonechat**, and **Plain-backed Sparrow**. The latter bathed in glorious late-afternoon golden sunshine.

### Day 4, 27<sup>th</sup> February 2019. Laem Pak Bia to Kaeng Krachan (via Phetchaburi Rice Fields)

After breakfast we started our journey to Kaeng Krachan. Our first stop was at a lake, where we found **Spot-billed Pelican**, **Asian Dowitcher**, **Black-headed Ibis**, **Common Kingfisher**, **Garganey**, **Eurasian Wigeon**, **Northern Shoveler**, **Northern Pintail**, **Pied Avocet**, and **Golden-bellied Gerygone**, along with a large number of species we’d seen over the previous days. Once we’d had our fill of these birds we headed into the rice fields, where we quickly found **Greater Spotted Eagle**, **Eastern Marsh Harrier** (a very smart male), **Black Kite**, and **Brahminy Kite**. The air was full of **Germain’s Swiftlets** and **Barn Swallows**, thousands of birds. A recently-harvested rice field yielded **Red-throated** and **Paddyfield Pipits** along with one or two **Stejneger’s Stonechats**. Here we also found breeding-plumaged **Asian Golden Weaver** and **Streaked Weaver**, both looking rather spectacular.

After lunch in the rice paddies we continued our journey to Baan Maka, our favorite accommodation near Kaeng Krachan. Here a quick walk gave us plenty of new birds, including **Coppersmith Barbet**, **Greater Flameback**, **Eyebrowed Thrush**, **Taiga Flycatcher**, **Lesser Necklaced Laughingthrush**, **Greater Necklaced Laughingthrush**, **Blue Whistling Thrush**, **Scarlet-backed Flowerpecker**, and **Black-crested Bulbul**. At the end of the day we finished by watching the local starlings roost. Highlight here was a pair of **Vinous-breasted Starlings** that gave good views along with wonderful looks at a pair of stunning **Indian Rollers**. Near dusk a **Grey-rumped Treeswift** gave a good, prolonged flyover.



*Green Bee-eater frequently gave excellent close views throughout the tour.*

#### Day 5, 28<sup>th</sup> February 2019. Kaeng Krachan area

We had a seriously exciting day birding around the Kaeng Krachan area, with some excellent views of numerous highly-sought species. We spent the morning birding along a small area of the national park entrance road. We didn't go very far, mainly because we didn't need to. Birds were everywhere! The list of highlights was long and included **Great, Wreathed, and Oriental Pied Hornbills**, **Rufous, Heart-spotted, and Streak-breasted Woodpeckers**, **Greater Yellownape**, **Common and Greater Flamebacks**, **Blue-eared and Green-eared Barbets**, **Black-thighed Falconet**, **Jerdon's Baza**, **Sultan Tit**, **Thick-billed Green Pigeon**, **Green-billed Malkoha**, **Asian Emerald Cuckoo**, **Large-tailed Nightjar**, **Asian Barred Owlet**, **Brown-backed Needletail**, **Oriental Dollarbird**, **Vernal Hanging Parrot**, **Greater Racket-tailed Drongo**, **Asian Fairy-bluebird**, **Common Hill Myna**, and **Golden-crested Myna**.

Over lunch we added **Brown Hawk-Owl**, **Kalij Pheasant**, **Bar-winged Flycatcher-shrike**, **Brown-throated Sunbird**, **Eastern Crowned Warbler**, and **Puff-throated Babbler**. Our afternoon waterhole stakeout yielded **Red Junglefowl**, **Green-legged Partridge**, **Large Scimitar Babbler**, **Abbott's Babbler**, **Black-naped Monarch**, **Chinese Blue Flycatcher**, **Tickell's Blue Flycatcher**, **Siberian Blue Robin**, **Racket-tailed Treepie**, **Common Emerald Dove**, and, most-spectacular, **Common Green Magpie**. Several mammals were present and included **Lesser**

**Oriental Chevrotain**, a tiny animal (formerly known as Lesser Mouse Deer). An **Eared Pitta** called a couple of times as it got dark, and we found another **Large-tailed Nightjar** on the road near our accommodation as we drove back for another wonderful meal.



*Common Green Magpie is one of those standout birds that is always popular.*

#### **Day 6, 1<sup>st</sup> March 2019. Kaeng Krachan area**

Another incredible day birding in the Kaeng Krachan area, which was a riot of color from start to finish. First we headed into a forest, where we sat in a blind (hide) and patiently waited for our target bird to show. We didn't need to wait long, as it happened, since within a few minutes we were watching a stunning male **Blue Pitta**! What a shock of color to kick-start our day! A female was also present, but she stuck to the shadows. Also keeping to the edges of the opening was a pair of **Bar-backed Partridges**. But wow, what a bird!

Our next stop was in Kaeng Krachan National Park, where we found plenty to get us excited, with the following coming hot on each others' heels: **Black-and-red Broadbill**, **Black-and-yellow Broadbill**, **Orange-breasted Trogon**, and a very welcome surprise **Buffy Fish Owl**! Plenty of other birds were seen during the day, many we'd seen the previous day but lots of new ones too, such as **Great Iora**, **Pacific Swift**, and **Grey-headed Canary-flycatcher**.

Our afternoon continued the theme of great and colorful birds with **Common Green Magpie** glowing at a waterhole. Other prized birds included **White-crested Laughingthrush**, **Blyth's Paradise Flycatcher**, great looks at **Bar-backed Partridge**, **Red Junglefowl**, **Large Scimitar Babbler**, and a stunning male **Crimson Sunbird**. The birds we'd enjoyed over the last two days were simply breathtaking.



*Blue Pitta was an early highlight on the tour.*



*Black-and-yellow Broadbill dropped down nice and low, which was a real treat.*

### **Day 7, 2<sup>nd</sup> March 2019. Kaeng Krachan to Khao Yai**

Essentially a day of travel as we moved northeast from Kaeng Krachan to Khao Yai. Before we started our journey we birded a couple of hours around our accommodation at Baan Maka, recording over 70 species in no time at all! Most of what we saw we'd seen over the last few days, but it was nice to cement some of these great birds in our memories (**Black-hooded** and **Black-naped Orioles**, **Bronze-winged Jacana**, **Indian Roller**, **Green-billed Malkoha**, **White-breasted**

**Waterhen, Black-capped, White-throated, and Common Kingfishers, Pacific Swift, Hair-crested Drongo, and lots more).** Several new birds seen included **Lineated Barbet, Purple Sunbird, Cinnamon Bittern, White-rumped Munia, and Siberian Rubythroat.**

A stop along the route gave us some fantastic views of a roosting colony of **Lyle's Flying Foxes**, which was a spectacular sight, sound, and smell! A **Shikra** flew through and caused all sorts of pandemonium but allowed us some very close flybys!

### **Day 8, 3<sup>rd</sup> March 2019. Khao Yai National Park**

We spent the full day birding our way around Khao Yai National Park and had an amazing day! After a fairly early start we headed straight for the higher-elevation sections of the park. One of the highlights of the day (and in fact of the whole tour) came early in the day, when we rounded a corner in the road to come face to face with a large bull **Asian Elephant!** With great driving by our excellent driver, Chod, we were able to get amazing views of this huge creature from a safe distance. It was a magnificent specimen, and we felt very lucky to have such an incredible encounter.



*Asian Elephant was a much hoped-for mammal, and we got some rather good looks at a big one!*

Once the excitement of the elephant had subsided we started birding, and over the course of the morning found plenty of other reasons to get excited, such as **Silver Pheasant, Red-headed Trogon, Common Green Magpie, Black-throated Laughingthrush, Great and Wreathed Hornbills, Ruby-cheeked and Black-throated Sunbirds, Mountain Imperial Pigeon, Barred Cuckoo Dove, Puff-throated, Ashy, and Red-whiskered Bulbuls, White-bellied Erpornis, Grey-headed Canary-flycatcher, Blue-throated and Moustached Barbets, Olive-backed Pipit, and Hill Blue Flycatcher.**

During a break for lunch and through the heat of the day we found **Blue-eared Kingfisher, Chestnut-headed Bee-eater, House Swift, Red-rumped Swallow, Sand Martin, Asian Fairy-bluebird, and Oriental Pied Hornbill.**



The afternoon birding session yielded fewer species but included some fantastic birds, with a calling **Banded Kingfisher** eventually tracked down and with a showy pair of **Banded Broadbills** giving good views too. Further excitement came with **Siamese Fireback**, **Great Iora**, **Thick-billed Green Pigeon**, and another **Great Hornbill**. Our final stop of the day was at a pre-roost site for the beautiful **Red-breasted Parakeet**. Our arrival was right on cue, and we had at least 35 birds on view. A great way to end a long but fruitful day.



*The uncommon **Blue-eared Kingfisher** was a nice treat while we took a rest during the heat of the middle of the day.*

#### **Day 9, 4<sup>th</sup> March 2019. Khao Yai National Park**

This was another great day birding in Khao Yai National Park with plenty of exciting new birds discovered, along with improved views of several we'd already seen. Our day started by birding a quiet section of the park, and very quickly we were watching a nesting pair of the outrageously-plumaged **Long-tailed Broadbills**. Here we also saw the stunning **Scarlet Minivet** and **Asian Fairy-bluebird** incredibly close. However, as far as incredible close views go, our next exciting bird was not far away. We had some amazing, prolonged views of a **Great Hornbill** feeding, not on fruit as usual, but rather we could watch it strip bark off a tree as it foraged for insects, reptiles, and even took out a bees' nest! We were just speechless by how unconcerned by our presence this humongous bird was. There were several other vibrant birds in the area here too, such as **Wreathed Hornbill**, **Crimson Sunbird**, (another) **Common Green Magpie**, and **Siberian Blue Robin**.

As we made our way around a few different sections of the park before lunch we saw another **Banded Kingfisher**. After working hard for our sighting yesterday this one was a little different and allowed a better view too! Here we also saw **Collared Owlet**, a nesting **Moustached Barbet**, a breeding-plumaged **Taiga Flycatcher**, **Fire-breasted Flowerpecker**, and **Common Kingfisher**. After lunch we took a walk at a few different spots and found several more good species, such as **Large Hawk-Cuckoo**, **Rosy Minivet**, **Grey-backed Shrike**, **Chestnut-headed Bee-eater**, eye-level views of **Brown-backed** and **Silver-backed Needletails**, **Oriental Pied**

**Hornbill**, and, best of all, excellent looks at **Austen's Brown Hornbill**. But now after two highly enjoyable days birding in Khao Yai National Park it was time to bid farewell.



*This Great Hornbill gave us some prolonged and very close views as it fed.*

#### **Day 10, 5<sup>th</sup> March 2019. Khao Yai to Chiang Mai via Bangkok**

Today was a travel day as we drove from Khao Yai to Bangkok before flying to Chiang Mai, where we spent the night before commencing our northern Thailand birding circuit. A birding stop along the way to Bangkok produced the main target of the day, **Limestone Wren-Babbler**, this subspecies a much-touted potential split. While searching for the wren-babbler we were lucky to encounter an **Eastern Barn Owl** – brief but exciting views. Several other common but no less impressive species included **Coppersmith Barbet**, **Black-crested Bulbul**, **Blue Whistling Thrush**, **Oriental Magpie Robin**, and **White-rumped Shama**.

We arrived in Chiang Mai in the early evening, where we stayed for the night.

#### **Day 11, 6<sup>th</sup> March 2019. Doi Inthanon National Park**

After an early breakfast we left Chiang Mai and headed to the southwest to spend a couple of days birding around Thailand's highest peak, Doi Inthanon. Along the way we made a brief stop at a river, where we enjoyed some of the best views imaginable of the rather cute **Small Pratincole**. Some insects hatching out was also attracting a huge number of **Black Drongos**, but more exciting were the **Plaintive**, **Banded Bay**, and **Indian Cuckoos** that showed well.

On arriving at Doi Inthanon we spent the remainder of the morning birding a trail and finding plenty of new and exciting birds, such as **Clicking Shrike-babbler**, **Little Pied Flycatcher**, **Dark-backed Sibia**, **Striated** and **Mountain Bulbuls**, **Golden-throated Barbet**, **Mountain Tailorbird**, **Rufous-winged Fulvetta**, **Grey-chinned Minivet**, **Yellow-cheeked Tit**, **Lesser Racket-tailed Drongo**, and many more.



*We had spectacular views of the tiny **Small Pratincole** on our way to Doi Inthanon.*

After lunch we headed to the summit area, where a whole new set of birds awaited us, including some very impressive ones like **Rufous-throated Partridge**, **Himalayan Shortwing**, **Dark-sided Thrush**, **Snowy-browed Flycatcher**, **Bar-throated Minla**, **Grey-sided Thrush**, **Black-throated**, **Green-tailed**, and **Mrs. Gould's Sunbirds**, **Silver-eared Laughingthrush**, **Ashy-throated Warbler**, **Yellow-browed Tit**, and several other species. It was a really enjoyable day venturing into a totally new set of habitats, and the birding was all set in stunning forest with incredible mountain views throughout the day.

### **Day 12, 7<sup>th</sup> March 2019. Doi Inthanon National Park**

We enjoyed another magical day on Doi Inthanon with a long list of highlight birds. We started our birding in the lower elevations of the mountain with a couple of **Black-backed Forktails** feeding in the river, with **Eurasian (White-faced) Jay** and **Common Kingfisher** also present. The forest nearby gave us the stunning **Black-headed Woodpecker** and a copulating pair of the tiny **Collared Falconet**. A **Red-billed Blue Magpie** was glimpsed, and **Golden-fronted Leafbird** was very showy. A nearby waterfall provided a male **Plumbeous Water Redstart**, a brief **Slaty-backed Forktail**, and a welcome cup of tea/coffee as well as a good view of a beautiful waterfall. We then birded a trail and found plenty of new and very exciting species, such as **Silver-eared Mesia**, **Spectacled Barwing**, **Blyth's Shrike-babbler**, **Golden-throated Barbet**, **Chestnut-vented** and **Velvet-fronted Nuthatches**, **Slaty-bellied Tesia**, **Pygmy Cupwing**, **Stripe-breasted Woodpecker**, and **Short-billed Minivet**.

After lunch we headed to another waterfall, where we had simply breathtaking views of a pair of **White-crowned Forktails** feeding within 8 feet of us (surely a 'Bird of the Trip' contender?). We also saw an extremely close-range **White-capped Redstart**, another **Plumbeous Water Redstart**, **Grey Wagtail**, **Hill Blue Flycatcher**, **Yellow-bellied Flowerpecker**, **Striated Swallow**, **House Swift**, and **Asian House Martin**. On returning to our accommodation we enjoyed watching a **Spotted Owlet** standing to attention against a tree trunk. A great way to end a wonderful day!



*To see **White-crowned Forktail** is one thing, but to get the views we had was just breathtaking!*

### **Day 13, 8<sup>th</sup> March 2019. Doi Inthanon to Chiang Dao**

We had a brief birding session at the foot of Doi Inthanon, where we found plenty to keep us occupied before we headed north to Chiang Dao. Morning birding near our accommodation gave great views of numerous **Blossom-headed Parakeets** (a really attractive species of parrot), **Burmese Shrike**, **Striated Swallow**, **Pintail Snipe**, **Greater Painted-snipe**, and **Grey-headed Lapwing** along with a number of more common species.

Later in the afternoon, after checking into our accommodation, we took a quick trip around the nearby rice paddies, finding numerous **Grey-headed Lapwings**, **White Wagtail**, **Chinese Pond Heron**, **Golden-headed Cisticola** (along with **Zitting Cisticola**), and several other common species.

### **Day 14, 9<sup>th</sup> March 2019. Doi Chiang Dao**

At an earlyish start we jumped into a couple of 4x4s and headed up the mountain in darkness. We arrived near the top in time for a beautiful sunrise and quickly started birding (not before seeing three **Black-backed Forktails**, **White-rumped Shama**, and **Blue Whistling Thrush** in the dawn light). As the sun lit up the treetops birds started moving, and we started adding new birds to our growing trip lists. **Long-tailed Minivets** were fairly showy, as were **Olive-backed Pipits** walking around our feet. A **Grey Bush Chat** came to investigate us, and **Mountain Imperial Pigeons** were rather vocal and flying over a clearing, as too were several **Cook's Swifts**, **Grey Treepies**, **Eyebrowed Thrushes**, and **Large Cuckooshrikes**. After a short time we had good views of perched **Slender-billed Orioles** (with **Maroon Orioles** seen briefly later too) and **Common Iora**. A **Black Bulbul** came into a fruiting tree, as did **Grey-eyed**, **Red-whiskered**, **Sooty-headed**, and **Flavescent Bulebuls**. **Blue-eared** and **Great Barbets** were very vocal, and several other species flew through a clearing (**Chestnut Bunting**, **Common Rosefinch**, **Blue Rock Thrush**, and **Verditer Flycatcher**, to name a few). One of the best birds of the early morning was a **Scaly Thrush** that was flushed from behind the toilet block and then showed briefly a couple of times.

While on the mountain we took a couple of walks to explore the area and found several other interesting species. Highlights included **Lesser Yellownape**, **Grey-capped Pygmy Woodpecker**, **Eurasian (White-faced) Jay**, **Large Woodshrike**, **Grey-crowned Warbler**, **Orange-bellied** and **Golden-fronted Leafbirds**, **Rufescent Prinia**, **Slaty-backed Flycatcher**, **Swinhoe's White-eye**, **Ashy**, **Lesser Racket-tailed**, and **Hair-crested Drongos**, but best of all was a pair of **Grey-headed Parrotbills**.

As we drove down the mountain after lunch (in increasing wind and heat) a splash of color was provided by several **Chestnut-headed Bee-eaters** and an **Indian Roller**. The remainder of the afternoon was spent relaxing around our accommodation before another wonderful meal.

### **Day 15, 10<sup>th</sup> March 2019. Doi Chiang Dao and Fang Paddies**

A post breakfast walk near our accommodation was very successful with some great views of several new species for the trip, such as **Violet Cuckoo**, **Crested Treeswift**, **Pin-tailed Green Pigeon**, **Blue-throated Barbet**, **Buff-breasted Babbler**, **Purple-naped Sunbird**, **Thick-billed Flowerpecker**, and **Yellow-bellied Warbler**. We also improved our visuals of several other species, such as **Grey-throated Babbler**, **Claudia's Leaf Warbler**, **Asian Fairy-bluebird**, **Black-hooded Oriole**, **Hume's White-eye**, **Crimson Sunbird**, **Little Spiderhunter**, and **House Swift**. **Streaked Wren-Babbler** was glimpsed but unfortunately didn't show for everyone.

Before lunch we briefly visited the Chiang Dao Paddies, where we quickly found a pair of **Wire-tailed Swallows** that gave great views, and soon after we found a wonderful restaurant for lunch, where we also enjoyed seeing the striking **Blue Crested (Forest) Lizard**. Then it was time to continue north to the town of Fang, our base for the next three nights, from where we would bird the mountains along the Thai-Myanmar border.

A birding session in the late afternoon was made to an area of rice paddies not far from our hotel, where we searched for and eventually found **Yellow-breasted** and **Chestnut-eared Buntings**. We also saw several larks, pipits, and wagtails in the rice fields, some in the fresh crops, others in the stubbles, such as **Citrine** and **White Wagtails**, **Richard's**, **Paddyfield**, and **Red-throated Pipits**, **Oriental Skylark**, and **Horsfield's Bush Lark**. However, the real highlight here came with our first sighting of the simply stunning **Pied Harrier** – one of the best-looking raptors in the world! Always great to see, and a fantastic way to end the day!

### **Day 16, 11<sup>th</sup> March 2019. Doi Ang Khang**

We had a wonderful day birding along the Thai-Myanmar border in Doi Pha Hom Pok National Park at Doi Ang Khang. On arrival at the top of the mountain we started finding new birds; one of the first was **Eurasian Hoopoe**. Initially it had been just a flyby, but we eventually tracked it down to where it was feeding and had some great views. Here we also found nesting **Burmese Shrikes** (quite fitting given our location), **Blue Rock Thrush**, **Stripe-breasted Woodpecker**, **Spectacled Barwing**, **White-browed Laughingthrush**, **Verditer Flycatcher**, and **Long-tailed Shrike**. We then found a bird gathering near our breakfast stop, where we saw **Little Pied Flycatcher**, **Rufous-gorgeted Flycatcher**, **Yellow-cheeked Tit**, **Long-tailed Minivet**, **Chestnut-vented Nuthatch**, **Grey-capped Pygmy Woodpecker**, **Blue-winged Minla**, **Grey Bush Chat**, **Mrs. Gould's Sunbird**, and a plethora of *Phylloscopus* warblers. A short way along the road we found ourselves looking at the rather huge **Giant Nuthatch** that gave decent enough views and was seen much better later in the day too. Here we also found our first **Crested Finchbills** of the trip and a few **Ashy Drongos** for good measure!

Over the late morning and early afternoon period we relaxed around the gardens of the area, but in doing so we found plenty of great birds. Highlights included **Amur Paradise Flycatcher**, **White-tailed Robin**, **Daurian Redstart**, **Spot-winged Grosbeak**, **Dark-sided**, **Black-breasted**, and **Eyebrowed Thrushes**, **Hill Blue Flycatcher**, **Rufous-bellied Niltava**, **Streaked Wren-Babbler**, **Silver-eared Mesia**, **Mountain Bulbul**, **Chestnut-flanked**, **Hume's**, and **Swinhoe's White-eyes**, **Streaked Spiderhunter**, **Chinese Leaf Warbler**, and **Cook's Swift**.



*Daurian Redstart is an uncommon wintering species in Thailand, so we were pleased to see this one so well in a beautiful garden setting.*

Later in the afternoon before driving down the mountain we found several other great birds, such as **Scarlet-faced Liocichla**, **Hill Prinia**, **Spot-winged Grosbeak**, **Silver-eared Laughingthrush**, **Giant Nuthatch**, **Black Bulbul**, **Grey-backed Shrike**, and **Brown-breasted Bulbul**. It was a great day set in some beautiful habitat, and it was interesting to see the way of life in a very rural part of northern Thailand.

### **Day 17, 12<sup>th</sup> March 2019. Doi Lang West and Thaton Paddies**

The earliest start of the tour saw us heading up Doi Lang in the dark with the aim of being in place before the sun was up. This we did, and after putting some grain and meal worms out we waited for the birds to do their bit. We didn't have too long to wait before our various target birds started appearing. The main target was **Mrs. Hume's Pheasant**, and we had great, prolonged views of two females with a rather shy male being glimpsed by a few of us. **Mountain Bamboo Partridges** were also present, and we found **Rusty-cheeked Scimitar Babbler**, **Siberian Rubythroat** (a young male), **Ultramarine Flycatcher**, **White-browed Laughingthrush**, and plenty more.

After a picnic breakfast we moved along the mountain ridge and found several further target birds, such as **White-gorgeted Flycatcher**, **Slaty-blue Flycatcher**, **Silver-eared Laughingthrush**, **Siberian Rubythroat** (an adult male), **Red-billed Scimitar Babbler**, **Hill Prinia**, **Black-throated Bushtit**, **Crested Finchbill**, **Brown-breasted Bulbul**, and a range of warblers.



*Yet another spectacular bird, **Siberian Rubythroat** gave fantastic views.*

After our picnic lunch we decided to drive off the mountain to go to the rice paddies. But before that we found another group of **Mrs. Hume's Pheasants**, and this one included a male and after a bit of work we were able to get great views of it. What a simply stunning bird, definite a contender for 'Bird of the Trip'!



*We all had some great looks at this male **Mrs. Hume's Pheasant**, an often very secretive bird, and it was great to see the male after we had enjoyed prolonged views of two females.*

On the way down the mountain we found a male **White-bellied Redstart**, **Yellow-cheeked Tit**, **Long-tailed Minivet**, **Maroon Oriole**, and several other species.

Our late-afternoon walk through some nearby rice paddies yielded a couple of nice surprises, such as **Blunt-winged Warbler**, **Baikal Bush Warbler**, **Yellow-breasted**, **Chestnut-eared**, and **Black-faced Buntings**, **Bluethroat**, **Richard's**, **Red-throated**, and **Paddyfield Pipits**, **Kentish Plover**, **Small Pratincole**, and **Citrine Wagtail**. A huge **Peregrine Falcon** was perched on a sand island, and two male **Pied Harriers** circled overhead. A perfect end to another great day.

### Day 18, 13<sup>th</sup> March 2019. Fang to Chiang Saen

We allowed ourselves a slightly later start after the very long previous day. We headed north of Fang and drove up into the mountains for a final time on this tour, where we had one main target in mind... We entered a botanical garden along the Thai-Myanmar border and made our way to our stakeout site, put out our mealworms, and sat and waited. The wait was minimal, and suddenly right before our eyes we were watching a pair of the often extremely-tough-to-see **Rusty-naped Pittas** feeding right there, not more that 12 feet from us! What a spectacular way to see this highly-sought species, and a great way to start our final full days birding of this bird-filled tour. Once the pitta sighting had sunk in we walked back to our van to have a picnic brunch. Along the way we found a female **Himalayan Bluetail**, **Slaty-backed Flycatcher**, **Blue-winged Minla**, and several **Blue Whistling Thrushes**. While eating we were temporarily distracted by a couple of **Grey-faced Buzzards** overhead, along with several **Asian House Martins**. A post-brunch walk gave us a nice mix of birds, such as **Grey-crowned Warbler**, **Grey-headed Canary-flycatcher**, and a stunning male **Himalayan Bluetail**, along with many *Phylloscopus* warblers.



*To watch a pair of Rusty-naped Pittas feeding out in the open was incredible!*

We then headed to the Mekong River, where over lunch we found **Grey-throated Martin** cruising along the river, with a **Eurasian Hoopoe** and **Baikal Bush Warbler** in the restaurant garden.



Our afternoon birding was as exciting as the morning. A visit to Chiang Saen Lake had us looking at ducks (and **Striated Grassbird**) with **Indian Spot-billed Duck** and **Ferruginous Duck** being new for the trip and thousands of **Garganey** present and looking extremely dashing. A **Pied Kingfisher** gave us some entertainment and actually led us to find a simply stunning male **Mandarin Duck** that was busily displaying to anything that was nearby! This was a Thai rarity, so another great find on the tour. Here too we also found **Pheasant-tailed** and **Bronze-winged Jacanas**, **Purple Heron**, hundreds of **Grey-headed Swamphens**, and **Peregrine Falcon**.



*We ended the tour in style by finding another rarity, a stunning male **Mandarin Duck** that was happily and busily displaying to anything or anyone that would look!*

We ended our day, and the final full day's birding of the tour at a nearby harrier roost, where, as the sun set, the sky became full of amazing **Pied Harriers** and **Eastern Marsh Harriers**, and there was even another rarity present for us in the form of **Western Marsh Harrier**. Many of the harriers landed right in front of our hide, and we had some exceptional looks. A day full of highlights!

### **Day 19, 14<sup>th</sup> March 2019. Chiang Saen to Chiang Mai**

We spent the morning back around Chiang Saen Lake; however, the visibility was fairly poor due to dense smoke in the atmosphere. Waterfowl was much harder to come by than on the previous day, with only a handful of ducks found and nothing new. We did, however, find our first **Eurasian Wrynecks** of the trip, and having not seen one during the previous 18 days we found two different birds within an hour this morning! Funny how that happens sometimes. We also had our best views of a pair of **Chestnut-tailed Starlings** along with a few more **Striated Grassbirds** (very showy and vocal), **Baikal Bush Warbler** and **Black-browed Reed Warbler** (both extremely shy), and **Pheasant-tailed Jacana**, along with all the usual suspects here, e.g. **Ferruginous Duck**, **Grey-headed Lapwing**, **Chinese Pond Heron**, etc.

In the mid-morning we started our journey back to Chiang Mai. Along the way we stopped at Wat Rong Seur Ten, the ‘Blue Temple’ and Wat Rong Khun, the ‘White Temple’, both near Chiang Rai and both totally spectacular sights and a real privilege to see.

We arrived back in Chiang Mai in the late afternoon in time for a relaxed evening.

### Day 20, 15<sup>th</sup> March 2019. Chiang Mai to Bangkok

We departed Chiang Mai in the mid-morning for our flight back to Bangkok, where we arrived at lunchtime. The afternoon was spent at leisure (enjoying **Pink-necked Green Pigeons**, **Red Collared Doves**, and **Asian Koel** for the final time) before we took our final meal of the tour together and discussed the ‘Bird of the Trip’. The selection process was tough with so many amazing birds seen during the tour, with **Great Hornbill**, **Blue Pitta**, **Common Green Magpie**, **Mandarin Duck**, **Painted Stork**, and **White-crowned Forktail** coming out high in the rankings, although the clear favorite was **Mrs. Hume’s Pheasant**.

### Day 21, 16<sup>th</sup> March 2019. International departure from Bangkok and tour concluded

The group departed from Bangkok during the day as this tour concluded.

#### Bird List - Following IOC (9.1)

Birds ‘heard only’ are marked with (H) after the common name, all other species were seen.

The following notation after the common names is used to show conservation status following BirdLife International: CR = Critically Endangered, EN = Endangered, VU = Vulnerable, NT = Near Threatened.

Common Name	Scientific Name
<b>Ducks, Geese, Swans (Anatidae)</b>	
Lesser Whistling Duck	<i>Dendrocygna javanica</i>
Mandarin Duck	<i>Aix galericulata</i>
Cotton Pygmy Goose	<i>Nettapus coromandelianus</i>
Garganey	<i>Spatula querquedula</i>
Northern Shoveler	<i>Spatula clypeata</i>
Eurasian Wigeon	<i>Mareca penelope</i>
Indian Spot-billed Duck	<i>Anas poecilorhyncha</i>
Northern Pintail	<i>Anas acuta</i>
Ferruginous Duck - NT	<i>Aythya nyroca</i>
<b>Pheasants and Allies (Phasianidae)</b>	
Rufous-throated Partridge	<i>Arborophila rufogularis</i>
Bar-backed Partridge	<i>Arborophila brunneopectus</i>
Green-legged Partridge	<i>Arborophila chloropus</i>

<b>Common Name</b>	<b>Scientific Name</b>
Mountain Bamboo Partridge	<i>Bambusicola fytchii</i>
Red Junglefowl	<i>Gallus gallus</i>
Kalij Pheasant	<i>Lophura leucomelanos</i>
Silver Pheasant	<i>Lophura nycthemera</i>
Siamese Fireback	<i>Lophura diardi</i>
Mrs. Hume's Pheasant - NT	<i>Syrmaticus humiae</i>
<b>Grebes (Podicipedidae)</b>	
Little Grebe	<i>Tachybaptus ruficollis</i>
<b>Storks (Ciconiidae)</b>	
Painted Stork - NT	<i>Mycteria leucocephala</i>
Asian Openbill	<i>Anastomus oscitans</i>
<b>Ibises, Spoonbills (Threskiornithidae)</b>	
Black-headed Ibis - NT	<i>Threskiornis melanocephalus</i>
<b>Hérons, Bitterns (Ardeidae)</b>	
Yellow Bittern	<i>Ixobrychus sinensis</i>
Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>
Striated Heron	<i>Butorides striata</i>
Chinese Pond Heron	<i>Ardeola bacchus</i>
Javan Pond Heron	<i>Ardeola speciosa</i>
Eastern Cattle Egret	<i>Bubulcus coromandus</i>
Grey Heron	<i>Ardea cinerea</i>
Purple Heron	<i>Ardea purpurea</i>
Great Egret	<i>Ardea alba</i>
Intermediate Egret	<i>Ardea intermedia</i>
Little Egret	<i>Egretta garzetta</i>
Pacific Reef Heron	<i>Egretta sacra</i>
Chinese Egret - VU	<i>Egretta eulophotes</i>
<b>Pelicans (Pelecanidae)</b>	
Spot-billed Pelican - NT	<i>Pelecanus philippensis</i>
<b>Cormorants, Shags (Phalacrocoracidae)</b>	
Little Cormorant	<i>Microcarbo niger</i>

Common Name	Scientific Name
Indian Cormorant	<i>Phalacrocorax fuscicollis</i>
Great Cormorant	<i>Phalacrocorax carbo</i>
<b>Kites, Hawks, Eagles (Accipitridae)</b>	
Black-winged Kite	<i>Elanus caeruleus</i>
Crested Honey Buzzard	<i>Pernis ptilorhynchus</i>
Jerdon's Baza	<i>Aviceda jerdoni</i>
Crested Serpent Eagle	<i>Spilornis cheela</i>
Greater Spotted Eagle - VU	<i>Clanga clanga</i>
Crested Goshawk	<i>Accipiter trivirgatus</i>
Shikra	<i>Accipiter badius</i>
Western Marsh Harrier	<i>Circus aeruginosus</i>
Eastern Marsh Harrier	<i>Circus spilonotus</i>
Pied Harrier - NT	<i>Circus melanoleucos</i>
Black Kite	<i>Milvus migrans</i>
Brahminy Kite	<i>Haliastur indus</i>
White-bellied Sea Eagle	<i>Haliaeetus leucogaster</i>
Grey-faced Buzzard	<i>Butastur indicus</i>
Eastern Buzzard	<i>Buteo japonicus</i>
<b>Rails, Crakes and Coots (Rallidae)</b>	
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>
Ruddy-breasted Crake	<i>Porzana fusca</i>
Grey-headed Swamphen	<i>Porphyrio poliocephalus</i>
Common Moorhen	<i>Gallinula chloropus</i>
Eurasian Coot	<i>Fulica atra</i>
<b>Black-winged Stilt</b>	
Black-winged Stilt	<i>Himantopus himantopus</i>
Pied Avocet	<i>Recurvirostra avosetta</i>
<b>Plovers (Charadriidae)</b>	
Grey-headed Lapwing	<i>Vanellus cinereus</i>
Red-wattled Lapwing	<i>Vanellus indicus</i>
Pacific Golden Plover	<i>Pluvialis fulva</i>
Grey Plover	<i>Pluvialis squatarola</i>
Little Ringed Plover	<i>Charadrius dubius</i>
Kentish Plover	<i>Charadrius alexandrinus</i>

Common Name	Scientific Name
["White-faced Plover"]	[ <i>C. a dealbatus</i> ]
Malaysian Plover - NT	<i>Charadrius peronii</i>
Lesser Sand Plover	<i>Charadrius mongolus</i>
Greater Sand Plover	<i>Charadrius leschenaultii</i>
<b>Painted-snipes (Rostratulidae)</b>	
Greater Painted-snipe	<i>Rostratula benghalensis</i>
<b>Jacanas (Jacanidae)</b>	
Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>
Bronze-winged Jacana	<i>Metopidius indicus</i>
<b>Sandpipers, Snipes (Scolopacidae)</b>	
Whimbrel	<i>Numenius phaeopus</i>
Eurasian Curlew - NT	<i>Numenius arquata</i>
Bar-tailed Godwit - NT	<i>Limosa lapponica</i>
Black-tailed Godwit - NT	<i>Limosa limosa</i>
Great Knot - EN	<i>Calidris tenuirostris</i>
Red Knot - NT	<i>Calidris canutus</i>
Ruff	<i>Calidris pugnax</i>
Broad-billed Sandpiper	<i>Calidris falcinellus</i>
Curlew Sandpiper - NT	<i>Calidris ferruginea</i>
Temminck's Stint	<i>Calidris temminckii</i>
Long-toed Stint	<i>Calidris subminuta</i>
Spoon-billed Sandpiper - CR	<i>Calidris pygmaea</i>
Red-necked Stint - NT	<i>Calidris ruficollis</i>
Sanderling	<i>Calidris alba</i>
Asian Dowitcher - NT	<i>Limnodromus semipalmatus</i>
Pin-tailed Snipe	<i>Gallinago stenura</i>
Common Snipe	<i>Gallinago gallinago</i>
Terek Sandpiper	<i>Xenus cinereus</i>
Red-necked Phalarope	<i>Phalaropus lobatus</i>
Common Sandpiper	<i>Actitis hypoleucos</i>
Common Redshank	<i>Tringa totanus</i>
Marsh Sandpiper	<i>Tringa stagnatilis</i>
Wood Sandpiper	<i>Tringa glareola</i>
Spotted Redshank	<i>Tringa erythropus</i>
Common Greenshank	<i>Tringa nebularia</i>

Common Name	Scientific Name
Nordmann's Greenshank - EN	<i>Tringa guttifer</i>
<b>Coursers, Pratincoles (Glareolidae)</b>	
Oriental Pratincole	<i>Glareola maldivarum</i>
Small Pratincole	<i>Glareola lactea</i>
<b>Gulls, Terns, Skimmers (Laridae)</b>	
Brown-headed Gull	<i>Chroicocephalus brunnicephalus</i>
Caspian Tern	<i>Hydroprogne caspia</i>
Greater Crested Tern	<i>Thalasseus bergii</i>
Little Tern	<i>Sternula albifrons</i>
Common Tern	<i>Sterna hirundo</i>
Whiskered Tern	<i>Chlidonias hybrida</i>
White-winged Tern	<i>Chlidonias leucopterus</i>
<b>Pigeons, Doves (Columbidae)</b>	
Rock Dove	<i>Columba livia</i>
Red Turtle Dove	<i>Streptopelia tranquebarica</i>
Spotted Dove	<i>Spilopelia chinensis</i>
Barred Cuckoo-Dove	<i>Macropygia unchall</i>
Common Emerald Dove	<i>Chalcophaps indica</i>
Zebra Dove	<i>Geopelia striata</i>
Pink-necked Green Pigeon	<i>Treron vernans</i>
Thick-billed Green Pigeon	<i>Treron curvirostra</i>
Pin-tailed Green Pigeon	<i>Treron apicauda</i>
Mountain Imperial Pigeon	<i>Ducula badia</i>
<b>Cuckoos (Cuculidae)</b>	
Greater Coucal	<i>Centropus sinensis</i>
Lesser Coucal (H)	<i>Centropus bengalensis</i>
Green-billed Malkoha	<i>Phaenicophaeus tristis</i>
Asian Koel	<i>Eudynamys scolopaceus</i>
Asian Emerald Cuckoo	<i>Chrysococcyx maculatus</i>
Violet Cuckoo	<i>Chrysococcyx xanthorhynchus</i>
Banded Bay Cuckoo	<i>Cacomantis sonneratii</i>
Plaintive Cuckoo	<i>Cacomantis merulinus</i>
Square-tailed Drongo-Cuckoo	<i>Surniculus lugubris</i>
Large Hawk-Cuckoo	<i>Hierococcyx sparverioides</i>

Common Name	Scientific Name
Indian Cuckoo	<i>Cuculus micropterus</i>
<b>Barn Owls (Tytonidae)</b>	
Eastern Barn Owl	<i>Tyto javanica</i>
<b>Owls (Strigidae)</b>	
Collared Scops Owl (H)	<i>Otus lettia</i>
Buffy Fish Owl	<i>Ketupa ketupu</i>
Collared Owlet	<i>Glaucidium brodiei</i>
Asian Barred Owlet	<i>Glaucidium cuculoides</i>
Spotted Owlet	<i>Athene brama</i>
Brown Hawk-Owl	<i>Ninox scutulata</i>
<b>Nightjars (Caprimulgidae)</b>	
Large-tailed Nightjar	<i>Caprimulgus macrurus</i>
<b>Treeswifts (Hemiprocnidae)</b>	
Crested Treeswift	<i>Hemiprocne coronata</i>
Grey-rumped Treeswift	<i>Hemiprocne longipennis</i>
<b>Swifts (Apodidae)</b>	
Himalayan Swiftlet	<i>Aerodramus brevirostris</i>
Germain's Swiftlet	<i>Aerodramus germani</i>
Silver-backed Needletail	<i>Hirundapus cochinchinensis</i>
Brown-backed Needletail	<i>Hirundapus giganteus</i>
Asian Palm Swift	<i>Cypsiurus balasiensis</i>
Pacific Swift	<i>Apus pacificus</i>
Cook's Swift	<i>Apus cooki</i>
House Swift	<i>Apus nipalensis</i>
<b>Trogon (Trogonidae)</b>	
Orange-breasted Trogon	<i>Harpactes oreskios</i>
Red-headed Trogon	<i>Harpactes erythrocephalus</i>
<b>Rollers (Coraciidae)</b>	
Indian Roller	<i>Coracias benghalensis</i>
Oriental Dollarbird	<i>Eurystomus orientalis</i>

Common Name	Scientific Name
<b>Kingfishers (Alcedinidae)</b>	
Banded Kingfisher	<i>Lacedo pulchella</i>
White-throated Kingfisher	<i>Halcyon smyrnensis</i>
Black-capped Kingfisher	<i>Halcyon pileata</i>
Collared Kingfisher	<i>Todiramphus chloris</i>
Blue-eared Kingfisher	<i>Alcedo meninting</i>
Common Kingfisher	<i>Alcedo atthis</i>
Pied Kingfisher	<i>Ceryle rudis</i>
<b>Bee-eaters (Meropidae)</b>	
Green Bee-eater	<i>Merops orientalis</i>
Blue-tailed Bee-eater	<i>Merops philippinus</i>
Chestnut-headed Bee-eater	<i>Merops leschenaulti</i>
<b>Hoopoes (Upupidae)</b>	
Eurasian Hoopoe	<i>Upupa epops</i>
<b>Hornbills (Bucerotidae)</b>	
Great Hornbill - VU	<i>Buceros bicornis</i>
Oriental Pied Hornbill	<i>Anthracoceros albirostris</i>
Austen's Brown Hornbill - NT	<i>Anorrhinus austeni</i>
Wreathed Hornbill - VU	<i>Rhyticeros undulatus</i>
<b>Asian Barbets (Megalaimidae)</b>	
Great Barbet (H)	<i>Psilopogon virens</i>
Lineated Barbet	<i>Psilopogon lineatus</i>
Green-eared Barbet	<i>Psilopogon faiostrictus</i>
Golden-throated Barbet	<i>Psilopogon franklinii</i>
Blue-throated Barbet	<i>Psilopogon asiaticus</i>
Moustached Barbet	<i>Psilopogon incognitus</i>
Blue-eared Barbet	<i>Psilopogon duvaucelii</i>
Coppersmith Barbet	<i>Psilopogon haemacephalus</i>
<b>Woodpeckers (Picidae)</b>	
Eurasian Wryneck	<i>Jynx torquilla</i>
Heart-spotted Woodpecker	<i>Hemicircus canente</i>
Grey-capped Pygmy Woodpecker	<i>Yungipicus canicapillus</i>
Freckle-breasted Woodpecker	<i>Dendrocopos analis</i>



Common Name	Scientific Name
Stripe-breasted Woodpecker	<i>Dendrocopos atratus</i>
Greater Yellownape	<i>Chrysophlegma flavinucha</i>
Lesser Yellownape	<i>Picus chlorolophus</i>
Streak-breasted Woodpecker	<i>Picus viridanus</i>
Black-headed Woodpecker	<i>Picus erythropygius</i>
Common Flameback	<i>Dinopium javanense</i>
Greater Flameback	<i>Chrysocolaptes guttacristatus</i>
Rufous Woodpecker	<i>Micropternus brachyurus</i>
<b>Caracaras, Falcons (Falconidae)</b>	
Collared Falconet	<i>Microhierax caerulescens</i>
Black-thighed Falconet	<i>Microhierax fringillarius</i>
Common Kestrel	<i>Falco tinnunculus</i>
Oriental Hobby	<i>Falco severus</i>
Peregrine Falcon	<i>Falco peregrinus</i>
<b>Old World Parrots (Psittaculidae)</b>	
Blossom-headed Parakeet - NT	<i>Psittacula roseata</i>
Red-breasted Parakeet - NT	<i>Psittacula alexandri</i>
Vernal Hanging Parrot	<i>Loriculus vernalis</i>
<b>Broadbills (Eurylaimidae)</b>	
Black-and-red Broadbill	<i>Cymbirhynchus macrorhynchos</i>
Long-tailed Broadbill	<i>Psarisomus dalhousiae</i>
Banded Broadbill	<i>Eurylaimus javanicus</i>
Black-and-yellow Broadbill - NT	<i>Eurylaimus ochromalus</i>
<b>Pittas (Pittidae)</b>	
Eared Pitta (H)	<i>Hydrornis phayrei</i>
Rusty-naped Pitta	<i>Hydrornis oatesi</i>
Blue Pitta	<i>Hydrornis cyaneus</i>
<b>Australasian Warblers (Acanthizidae)</b>	
Golden-bellied Gerygone	<i>Gerygone sulphurea</i>
<b>Vangas and Allies (Vangidae)</b>	
Bar-winged Flycatcher-shrike	<i>Hemipus picatus</i>
Large Woodshrike	<i>Tephrodornis virgatus</i>

Common Name	Scientific Name
<b>Woodswallows, Butcherbirds and Allies (Artamidae)</b>	
Ashy Woodswallow	<i>Artamus fuscus</i>
<b>Ioras (Aegithinidae)</b>	
Common Iora	<i>Aegithina tiphia</i>
Great Iora	<i>Aegithina lafresnayei</i>
<b>Cuckooshrikes (Campephagidae)</b>	
Grey-chinned Minivet	<i>Pericrocotus solaris</i>
Short-billed Minivet	<i>Pericrocotus brevirostris</i>
Long-tailed Minivet	<i>Pericrocotus ethologus</i>
Scarlet Minivet	<i>Pericrocotus speciosus</i>
Swinhoe's Minivet	<i>Pericrocotus cantonensis</i>
Rosy Minivet	<i>Pericrocotus roseus</i>
Large Cuckooshrike	<i>Coracina macei</i>
Black-winged Cuckooshrike	<i>Lalage melaschistos</i>
<b>Shrikes (Laniidae)</b>	
Brown Shrike	<i>Lanius cristatus</i>
Burmese Shrike	<i>Lanius collurioides</i>
Long-tailed Shrike	<i>Lanius schach</i>
Grey-backed Shrike	<i>Lanius tephronotus</i>
<b>Vireos, Greenlets, Shrike-babblers (Vireonidae)</b>	
White-bellied Erpornis	<i>Erpornis zantholeuca</i>
Blyth's Shrike-babbler	<i>Pteruthius aeralatus</i>
Clicking Shrike-babbler	<i>Pteruthius intermedius</i>
<b>Figbirds, Orioles, Turnagra (Oriolidae)</b>	
Slender-billed Oriole	<i>Oriolus tenuirostris</i>
Black-naped Oriole	<i>Oriolus chinensis</i>
Black-hooded Oriole	<i>Oriolus xanthornus</i>
Maroon Oriole	<i>Oriolus traillii</i>
<b>Drongos (Dicruridae)</b>	
Black Drongo	<i>Dicrurus macrocercus</i>
Ashy Drongo	<i>Dicrurus leucophaeus</i>

<b>Common Name</b>	<b>Scientific Name</b>
Bronzed Drongo	<i>Dicrurus aeneus</i>
Lesser Racket-tailed Drongo	<i>Dicrurus remifer</i>
Hair-crested Drongo	<i>Dicrurus hottentottus</i>
Greater Racket-tailed Drongo	<i>Dicrurus paradiseus</i>
<b>Fantails (Rhipiduridae)</b>	
Malaysian Pied Fantail	<i>Rhipidura javanica</i>
<b>Monarchs (Monarchidae)</b>	
Black-naped Monarch	<i>Hypothymis azurea</i>
Blyth's Paradise Flycatcher	<i>Terpsiphone affinis</i>
Amur Paradise Flycatcher	<i>Terpsiphone incei</i>
<b>Crows, Jays (Corvidae)</b>	
Eurasian Jay	<i>Garrulus glandarius</i>
Red-billed Blue Magpie	<i>Urocissa erythroryncha</i>
Common Green Magpie	<i>Cissa chinensis</i>
Grey Treepie	<i>Dendrocitta formosae</i>
Racket-tailed Treepie	<i>Crypsirina temia</i>
Large-billed Crow	<i>Corvus macrorhynchos</i>
<b>Fairy Flycatchers (Stenostiridae)</b>	
Grey-headed Canary-flycatcher	<i>Culicicapa ceylonensis</i>
<b>Tits, Chickadees (Paridae)</b>	
Yellow-browed Tit	<i>Sylviparus modestus</i>
Sultan Tit	<i>Melanochlora sultanea</i>
Japanese Tit	<i>Parus minor</i>
Yellow-cheeked Tit	<i>Machlolophus spilonotus</i>
<b>Larks (Alaudidae)</b>	
Horsfield's Bush Lark	<i>Mirafra javanica</i>
Indochinese Bush Lark	<i>Mirafra erythrocephala</i>
Oriental Skylark	<i>Alauda gulgula</i>
<b>Bulbuls (Pycnonotidae)</b>	
Crested Finchbill	<i>Spizixos canifrons</i>
Striated Bulbul	<i>Pycnonotus striatus</i>

<b>Common Name</b>	<b>Scientific Name</b>
Black-headed Bulbul	<i>Pycnonotus atriceps</i>
Black-crested Bulbul	<i>Pycnonotus flaviventris</i>
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>
Brown-breasted Bulbul	<i>Pycnonotus xanthorrhous</i>
Sooty-headed Bulbul	<i>Pycnonotus aurigaster</i>
Stripe-throated Bulbul	<i>Pycnonotus finlaysoni</i>
Flavescent Bulbul	<i>Pycnonotus flavescens</i>
Yellow-vented Bulbul	<i>Pycnonotus goiavier</i>
Streak-eared Bulbul	<i>Pycnonotus conradi</i>
Puff-throated Bulbul	<i>Alophoixus pallidus</i>
Olive Bulbul	<i>Iole viridescens</i>
Grey-eyed Bulbul	<i>Iole propinqua</i>
Mountain Bulbul	<i>Ixos mccllellandii</i>
Ashy Bulbul	<i>Hemixos flavala</i>
Black Bulbul	<i>Hypsipetes leucocephalus</i>
<b>Swallows, Martins (Hirundinidae)</b>	
Grey-throated Martin	<i>Riparia chinensis</i>
Sand Martin	<i>Riparia riparia</i>
Barn Swallow	<i>Hirundo rustica</i>
Wire-tailed Swallow	<i>Hirundo smithii</i>
Asian House Martin	<i>Delichon dasypus</i>
Red-rumped Swallow	<i>Cecropis daurica</i>
Striated Swallow	<i>Cecropis striolata</i>
<b>Cupwings (Pnoepygidae)</b>	
Pygmy Cupwing	<i>Pnoepyga pusilla</i>
<b>Cettia Bush Warblers and Allies (Cettiidae)</b>	
Yellow-bellied Warbler	<i>Abroscopus superciliaris</i>
Mountain Tailorbird	<i>Phyllergates cucullatus</i>
Aberrant Bush Warbler	<i>Horornis flavolivaceus</i>
Slaty-bellied Tesia	<i>Tesia olivea</i>
<b>Bushtits (Aegithalidae)</b>	
Black-throated Bushtit	<i>Aegithalos concinnus</i>
<b>Leaf Warblers and Allies (Phylloscopidae)</b>	

<b>Common Name</b>	<b>Scientific Name</b>
Buff-barred Warbler	<i>Phylloscopus pulcher</i>
Ashy-throated Warbler	<i>Phylloscopus maculipennis</i>
Hume's Leaf Warbler	<i>Phylloscopus humei</i>
Yellow-browed Warbler	<i>Phylloscopus inornatus</i>
Chinese Leaf Warbler	<i>Phylloscopus yunnanensis</i>
Yellow-streaked Warbler	<i>Phylloscopus armandii</i>
Radde's Warbler	<i>Phylloscopus schwarzi</i>
Dusky Warbler	<i>Phylloscopus fuscatus</i>
Buff-throated Warbler	<i>Phylloscopus subaffinis</i>
Eastern Crowned Warbler	<i>Phylloscopus coronatus</i>
Grey-crowned Warbler	<i>Phylloscopus tephrocephalus</i>
Bianchi's Warbler	<i>Phylloscopus valentini</i>
Alström's Warbler	<i>Phylloscopus soror</i>
Two-barred Warbler	<i>Phylloscopus plumbeitarsus</i>
Greenish Warbler	<i>Phylloscopus trochiloides</i>
Pale-legged Leaf Warbler	<i>Phylloscopus tenellipes</i>
Chestnut-crowned Warbler	<i>Phylloscopus castaniceps</i>
Sulphur-breasted Warbler	<i>Phylloscopus ricketti</i>
Blyth's Leaf Warbler	<i>Phylloscopus reguloides</i>
Claudia's Leaf Warbler	<i>Phylloscopus claudiae</i>
Davison's Leaf Warbler	<i>Phylloscopus intensior</i>
<b>Reed Warblers and Allies (Acrocephalidae)</b>	
Oriental Reed Warbler	<i>Acrocephalus orientalis</i>
Black-browed Reed Warbler	<i>Acrocephalus bistrigiceps</i>
Blunt-winged Warbler	<i>Acrocephalus concinens</i>
Thick-billed Warbler	<i>Arundinax aedon</i>
<b>Grassbirds and Allies (Locustellidae)</b>	
Baikal Bush Warbler	<i>Locustella davidi</i>
Russet Bush Warbler	<i>Locustella mandelli</i>
Striated Grassbird	<i>Megalurus palustris</i>
<b>Cisticolas and Allies (Cisticolidae)</b>	
Zitting Cisticola	<i>Cisticola juncidis</i>
Golden-headed Cisticola	<i>Cisticola exilis</i>
Hill Prinia	<i>Prinia superciliaris</i>
Rufescent Prinia	<i>Prinia rufescens</i>

<b>Common Name</b>	<b>Scientific Name</b>
Grey-breasted Prinia	<i>Prinia hodgsonii</i>
Yellow-bellied Prinia	<i>Prinia flaviventris</i>
Plain Prinia	<i>Prinia inornata</i>
Common Tailorbird	<i>Orthotomus sutorius</i>
Dark-necked Tailorbird	<i>Orthotomus atrogularis</i>
<b>Babblers, Scimitar Babblers (Timaliidae)</b>	
Large Scimitar Babbler	<i>Pomatorhinus hypoleucos</i>
Rusty-cheeked Scimitar Babbler	<i>Pomatorhinus erythrogegens</i>
Red-billed Scimitar Babbler	<i>Pomatorhinus ochraceiceps</i>
Grey-throated Babbler	<i>Stachyris nigriceps</i>
Pin-striped Tit-Babbler	<i>Macronus gularis</i>
Chestnut-capped Babbler	<i>Timalia pileata</i>
<b>Fulvettas, Ground Babblers (Pellorneidae)</b>	
Rufous-winged Fulvetta	<i>Alcippe castaneiceps</i>
Brown-cheeked Fulvetta	<i>Alcippe poioicephala</i>
Yunnan Fulvetta	<i>Alcippe fratercula</i>
Limestone Wren-Babbler	<i>Napothera crispifrons</i>
Streaked Wren-Babbler	<i>Napothera brevicaudata</i>
Abbott's Babbler	<i>Malacocincla abbotti</i>
Spot-throated Babbler	<i>Pellorneum albiventre</i>
Puff-throated Babbler	<i>Pellorneum ruficeps</i>
Buff-breasted Babbler	<i>Pellorneum tickelli</i>
<b>Laughingthrushes and Allies (Leiothrichidae)</b>	
Silver-eared Laughingthrush	<i>Trochalopteron melanostigma</i>
Bar-throated Minla	<i>Actinodura strigula</i>
Spectacled Barwing	<i>Actinodura ramsayi</i>
Blue-winged Minla	<i>Actinodura cyanouroptera</i>
Rufous-backed Sibia	<i>Leioptila annectens</i>
Silver-eared Mesia	<i>Leiothrix argentauris</i>
Scarlet-faced Liocichla	<i>Liocichla ripponi</i>
Dark-backed Sibia	<i>Heterophasia melanoleuca</i>
Lesser Necklaced Laughingthrush	<i>Garrulax monileger</i>
White-crested Laughingthrush	<i>Garrulax leucolophus</i>
Black-throated Laughingthrush	<i>Pterorhinus chinensis</i>

Common Name	Scientific Name
Greater Necklaced Laughingthrush	<i>Pterorhinus pectoralis</i>
White-browed Laughingthrush	<i>Pterorhinus sannio</i>
<b>Sylviid Babblers (Sylviidae)</b>	
Grey-headed Parrotbill	<i>Psittiparus gularis</i>
<b>White-eyes (Zosteropidae)</b>	
Striated Yuhina	<i>Yuhina castaniceps</i>
Chestnut-flanked White-eye	<i>Zosterops erythropleurus</i>
Swinhoe's White-eye	<i>Zosterops simplex</i>
Hume's White-eye	<i>Zosterops auriventer</i>
<b>Fairy-bluebirds (Irenidae)</b>	
Asian Fairy-bluebird	<i>Irena puella</i>
<b>Nuthatches (Sittidae)</b>	
Chestnut-vented Nuthatch	<i>Sitta nagaensis</i>
Velvet-fronted Nuthatch	<i>Sitta frontalis</i>
Giant Nuthatch - EN	<i>Sitta magna</i>
<b>Starlings, Rhabdornis (Sturnidae)</b>	
Golden-crested Myna	<i>Ampeliceps coronatus</i>
Common Hill Myna	<i>Gracula religiosa</i>
Great Myna	<i>Acridotheres grandis</i>
Common Myna	<i>Acridotheres tristis</i>
Vinous-breasted Starling	<i>Acridotheres burmannicus</i>
Black-collared Starling	<i>Gracupica nigricollis</i>
Pied Myna	<i>Gracupica contra</i>
Chestnut-tailed Starling	<i>Sturnia malabarica</i>
Rosy Starling	<i>Pastor roseus</i>
<b>Thrushes (Turdidae)</b>	
Scaly Thrush	<i>Zoothera dauma</i>
Dark-sided Thrush	<i>Zoothera marginata</i>
Black-breasted Thrush	<i>Turdus dissimilis</i>
Grey-sided Thrush - VU	<i>Turdus feae</i>
Eyebrowed Thrush	<i>Turdus obscurus</i>

Common Name	Scientific Name
<b>Chats, Old World Flycatchers (Muscicapidae)</b>	
Oriental Magpie-Robin	<i>Copsychus saularis</i>
White-rumped Shama	<i>Copsychus malabaricus</i>
Asian Brown Flycatcher	<i>Muscicapa dauurica</i>
White-gorgeted Flycatcher	<i>Anthipes monileger</i>
Hill Blue Flycatcher	<i>Cyornis banyumas</i>
Tickell's Blue Flycatcher	<i>Cyornis tickelliae</i>
Chinese Blue Flycatcher	<i>Cyornis glaucicomans</i>
Rufous-bellied Niltava	<i>Niltava sundara</i>
Large Niltava	<i>Niltava grandis</i>
Verditer Flycatcher	<i>Eumyias thalassinus</i>
Himalayan Shortwing	<i>Brachypteryx cruralis</i>
Siberian Blue Robin	<i>Larvivora cyane</i>
Bluethroat	<i>Luscinia svecica</i>
White-bellied Redstart	<i>Luscinia phaenicuroides</i>
Siberian Rubythroat	<i>Calliope calliope</i>
White-tailed Robin	<i>Myiomela leucura</i>
Himalayan Bluetail	<i>Tarsiger rufilatus</i>
Black-backed Forktail	<i>Enicurus immaculatus</i>
Slaty-backed Forktail	<i>Enicurus schistaceus</i>
White-crowned Forktail	<i>Enicurus leschenaulti</i>
Blue Whistling Thrush	<i>Myophonus caeruleus</i>
Slaty-backed Flycatcher	<i>Ficedula hodgsonii</i>
Rufous-gorgeted Flycatcher	<i>Ficedula strophciata</i>
Taiga Flycatcher	<i>Ficedula albicilla</i>
Snowy-browed Flycatcher	<i>Ficedula hyperythra</i>
Little Pied Flycatcher	<i>Ficedula westermanni</i>
Ultramarine Flycatcher	<i>Ficedula superciliaris</i>
Slaty-blue Flycatcher	<i>Ficedula tricolor</i>
Daurian Redstart	<i>Phoenicurus aureoreus</i>
Plumbeous Water Redstart	<i>Phoenicurus fuliginosus</i>
White-capped Redstart	<i>Phoenicurus leucocephalus</i>
Blue Rock Thrush	<i>Monticola solitarius</i>
Chestnut-bellied Rock Thrush	<i>Monticola rufiventris</i>
Stejneger's Stonechat	<i>Saxicola stejnegeri</i>
Pied Bush Chat	<i>Saxicola caprata</i>



Common Name	Scientific Name
Grey Bush Chat	<i>Saxicola ferreus</i>
<b>Leafbirds (Chloropseidae)</b>	
Blue-winged Leafbird	<i>Chloropsis cochinchinensis</i>
Golden-fronted Leafbird	<i>Chloropsis aurifrons</i>
Orange-bellied Leafbird	<i>Chloropsis hardwickii</i>
<b>Flowerpeckers (Dicaeidae)</b>	
Thick-billed Flowerpecker	<i>Dicaeum agile</i>
Yellow-bellied Flowerpecker	<i>Dicaeum melanoxanthum</i>
Fire-breasted Flowerpecker	<i>Dicaeum ignipectus</i>
Scarlet-backed Flowerpecker	<i>Dicaeum cruentatum</i>
<b>Sunbirds (Nectariniidae)</b>	
Ruby-cheeked Sunbird	<i>Chalcoparia singalensis</i>
Brown-throated Sunbird	<i>Anthreptes malacensis</i>
Purple Sunbird	<i>Cinnyris asiaticus</i>
Olive-backed Sunbird	<i>Cinnyris jugularis</i>
Mrs. Gould's Sunbird	<i>Aethopyga gouldiae</i>
Green-tailed Sunbird	<i>Aethopyga nipalensis</i>
Black-throated Sunbird	<i>Aethopyga saturata</i>
Crimson Sunbird	<i>Aethopyga siparaja</i>
Purple-naped Sunbird	<i>Kurochkinogramma hypogrammicum</i>
Little Spiderhunter	<i>Arachnothera longirostra</i>
Streaked Spiderhunter	<i>Arachnothera magna</i>
<b>Old World Sparrows, Snowfinches (Passeridae)</b>	
House Sparrow	<i>Passer domesticus</i>
Plain-backed Sparrow	<i>Passer flaveolus</i>
Eurasian Tree Sparrow	<i>Passer montanus</i>
<b>Weavers, Widowbirds (Ploceidae)</b>	
Asian Golden Weaver - NT	<i>Ploceus hypoxanthus</i>
Streaked Weaver	<i>Ploceus manyar</i>
Baya Weaver	<i>Ploceus philippinus</i>
<b>Waxbills, Munias and Allies (Estrildidae)</b>	

Common Name	Scientific Name
White-rumped Munia	<i>Lonchura striata</i>
Scaly-breasted Munia	<i>Lonchura punctulata</i>
Chestnut Munia	<i>Lonchura atricapilla</i>
<b>Wagtails, Pipits (Motacillidae)</b>	
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>
Citrine Wagtail	<i>Motacilla citreola</i>
Grey Wagtail	<i>Motacilla cinerea</i>
White Wagtail	<i>Motacilla alba</i>
Richard's Pipit	<i>Anthus richardi</i>
Paddyfield Pipit	<i>Anthus rufulus</i>
Olive-backed Pipit	<i>Anthus hodgsoni</i>
Red-throated Pipit	<i>Anthus cervinus</i>
<b>Finches, Euphonias (Fringillidae)</b>	
Spot-winged Grosbeak	<i>Mycerobas melanozanthos</i>
Common Rosefinch	<i>Carpodacus erythrinus</i>
<b>Buntings (Emberizidae)</b>	
Chestnut-eared Bunting	<i>Emberiza fucata</i>
Yellow-breasted Bunting - CR	<i>Emberiza aureola</i>
Chestnut Bunting	<i>Emberiza rutila</i>
Black-faced Bunting	<i>Emberiza spodocephala</i>
<b>Total seen</b>	<b>442</b>
Total heard only	4
Total recorded	446

### Mammal List

Common Name	Scientific Name
<b>Deer (Cervidae)</b>	
Southern Red Muntjac	<i>Muntiacus muntjak</i>
Sambar	<i>Rusa unicolor</i>
<b>Chevrotains (Tragulidae)</b>	
Lesser Oriental Chevrotain	<i>Tragulus kanchil</i>

Common Name	Scientific Name
<b>Elephants (Elephantidae)</b>	
Asian Elephant	<i>Elephas maximus</i>
<b>Old World Fruit Bats (Pteropodidae)</b>	
Lyle's Flying Fox	<i>Pteropus lylei</i>
<b>Rhinolophidae (Horseshoe Bats)</b>	
Great Woolly Horseshoe Bat	<i>Rhinolophus luctus</i>
<b>Old World Monkeys (Cercopithecidae)</b>	
Northern Pig-tailed Macaque	<i>Macaca leonina</i>
Crab-eating Macaque	<i>Macaca fascicularis</i>
Dusky Leaf-monkey	<i>Trachypithecus obscurus</i>
<b>Gibbons (Hylobatidae)</b>	
Lar Gibbon	<i>Hylobates lar</i>
Pileated Gibbon	<i>Hylobates pileatus</i>
<b>Squirrels (Sciuridae)</b>	
Grey-bellied Squirrel	<i>Callosciurus caniceps</i>
Variable Squirrel	<i>Callosciurus finlaysonii</i>
Berdmores Squirrel	<i>Menetes berdmorei</i>
Black Giant Squirrel	<i>Ratufa bicolor</i>
Himalayan Striped Squirrel	<i>Tamiops maccllellandii</i>
<b>Treeshrews (Tupaiaidae)</b>	
Northern Treeshrew	<i>Tupaia belangeri</i>
<b>Total Seen</b>	<b>17</b>

### Reptile List

Common Name	Scientific Name
<b>Agamids (Agamidae)</b>	
Oriental Garden Lizard	<i>Calotes versicolor</i>
Blue Crested (Forest) Lizard	<i>Calotes mystaceus</i>

<b>Common Name</b>	<b>Scientific Name</b>
Spotted Flying Dragon	<i>Draco maculatus</i>
Common Butterfly Lizard	<i>Leiolepis belliana</i>
<b>Gekkonidae (Geckos)</b>	
Common House Gecko	<i>Hemidactylus frenatus</i>
Tokay Gecko	<i>Gekko gekko</i>
Asian (Flat-tailed) House Gecko	<i>Hemidactylus platyurus</i>
<b>Monitors (Varanidae)</b>	
Common Water Monitor	<i>Varanus salvator</i>
<b>Skinks (Scincidae)</b>	
Grass Sun Skink	<i>Eutropis macularia</i>
<b>Keelbacks (Natricidae)</b>	
Checkered Keelback	<i>Xenochrophis piscator</i>
<b>Total Seen</b>	<b>10</b>