

http://birdingecotours.co.za

info@birdingecotours.co.za

Western and Northern Cape Trip Report – November 2014 By Errol de Beer

This was a custom-made trip to the endemic-rich Western and Northern Cape provinces, where Kalahari sands meet the ageless Karoo in all its stark beauty. We started with a day or two in the spectacular Western Cape, which included some birding around the city of Cape Town as well as the southernmost point of Africa, where the Agulhas plains hosts some pretty special birds. During this trip and the pre-cursor trip to this one that covered the eastern part of the country we found all the possible bustards and korhaans (small bustards) for South Africa.

Day 1, 6th November. Cape Town to the Agulhas Plains

I met Frances, the new kid on the block so to speak, at the City Lodge in Cape Town. While the rest of the group had already done the eastern part of the country with me, Frances would only be joining this leg of the trip. We left the City Lodge and went on to collect the rest of the group at a nearby hotel, from where we headed east over the Cape Flats towards the Overberg.

Our first stop was at the small village of Rooiels, famous as one of the more accessible and reliable spots for the much sought-after **Cape Rockjumper**. We enjoyed a couple of **Cape Sugarbirds** on a nearby protea, and **Cape Bunting** showed well. We finally spotted the rockjumper high up on a boulder and got the scopes to work. Everyone had reasonably good views of a fairly distant bird. **African Black Swift** was very much in evidence and was joined by the occasional **Alpine Swift**. A majestic **Verreaux's Eagle** made a flyby just before we pushed on, with our next stop at Stony Point for the African Penguins.

This is my favored site for the penguins as it has a very natural feel to it, and it surely didn't disappoint today, with lots of **African Penguins** visible, which were joined also by **White-breasted**, **Bank**, and **Cape Cormorants**.

Lunch was at another of the Western Cape's gems, Harold Porter Botanical Gardens. Lunch took forever, however, so our birding was a tad limited. But we still managed good looks at

Karoo Prinia, Swee Waxbill, Orange-breasted Sunbird, Fiscal Flycatcher, and Brimstone Canary.

We had to push hard now to reach our destination, so birding stops were limited, but we did squeeze in a stop for a pair of **Peregrine Falcons** attacking some **White-necked Ravens**, and who wouldn't stop for **Blue Cranes**? A displaying male **Denham's Bustard** concluded our day.

Day 2, 7th November. Agulhas Plains back to Cape Town (Bloubergstrand)

I met Sarah, Lloyd, and Frances out in the garden at first light with coffee in hand, marveling at several **Cape Sugarbirds** crowding around the nectar feeders. The seed feeders attracted **Cape Weaver, Streaky-headed Seedeater, Pin-tailed Whydah**, and **Cape Sparrow**, while **Speckled Mousebird** and **Cape Bulbul** indulged in the apples. **Malachite Sunbirds** were in marvelous color and were joined by **Southern Double-collared Sunbirds**, while a **Barthroated Apalis** jumped from bush to bush.

An estuary we visited held some good birds, such as **Grey Plover**, **Whimbrel**, **Marsh Sandpiper**, **African Darter**, **Caspian Tern**, **Sandwich Tern**, **Kelp Gull**, **Little Egret**, and **Grey Heron**. The find of the day was not a single bird, however, but two: first a cracking **Southern Tchagra** appearing out of nowhere and then a solitary **Knysna Woodpecker** that we kept hearing but struggled to locate, which we eventually did.

Upon leaving, the exit road proved very birdy with **Denham's Bustard**, **Blue Crane**, **Redcapped Lark**, **Kittlitz's Plover**, **Capped Wheatear**, and **Bokmakierie** in attendance. Further along we found another of our targets, **Agulhas Long-billed Lark**, in close proximity to **Large-billed Lark**. Other finds here included **Karoo Scrub Robin**, **White-throated Canary**, and **Grey-backed Cisticola**. We also heard a **Southern Black Korhaan** but sadly had no visuals. Another cracking bird came in the form of a **Black Harrier**, a bird that is always special on any trip.

The rest of the day was mostly spent traveling, and we reached our guesthouse in the late afternoon, with some folks opting for a walk along a vlei, where they raked up **Purple Heron, Great White Pelican**, and **African Marsh Harrier**.

Day 3, 8th November. Cape Town to Springbok

A big drive awaited us as we prepared to make our way to the Northern Cape, in particular to the town of Springbok. Luckily we managed to arrange an early breakfast and thus scored some time in getting on the road. Most of the birding today was going to be high-speed birding, as everyone was keen to get to our destination. This meant that we would forfeit certain birds that would not be possible further north, but it was a sacrifice the group deemed worth taking.

We did have **Great White Pelican** fly over again just as we left the lodge and **Purple Heron** a bit further on as we crossed a bridge over a small vlei. Several large and/or colorful birds such as **African Sacred Ibis, Jackal Buzzard, Steppe Buzzard, White-necked Raven, Rock Kestrel** and **Southern Red Bishop** made it onto the high-speed list, but the find of the day was a pair of **Ludwig's Bustards** just before the town of Kamieskroon. This time we did stop and managed superb scope views.

We arrived at the lodge with enough time to still have a walk around before dark and quickly notched up some good birds, which included **Acacia Pied Barbet**, **White-backed**

Mousebird, Karoo Prinia, Malachite Sunbird, and Bokmakierie. As we walked slightly higher and away from the lodge we could hear Southern Black Korhaan. This is a bird I had almost given up on, as we were at the very edge of its range here. We failed in trying to flush the first bird, but soon after unintentionally flushed a second male, getting great flight views in the process. Another great find came in the form of Damara Canary at a drinking point.

This was primarily a driving day, but a day that still delivered a few superb birds.

Day 4, 9th November. Springbok and surrounds, with a drive to Kleinsee

A blanket of fog surrounded our lodge as we met for a session of early morning birding before breakfast. The fog made things a tad difficult, but persevere we did, and slowly but surely notched up a few species, nothing really new but several repeats from the previous afternoon. **Karoo Thrush** was a new face, however, and we also managed better views of **Southern Double-collared Sunbird**.

After breakfast we made our way back to Springbok and ultimately to the Goegap Nature Reserve, but a few stops en route on the R355 west of town yielded European Bee-eater, Namaqua Dove, a pair of Namaqua Sandgrouse, and cracking views of Rufous-eared Warbler as well as Karoo Chat. Another stop produced several Mountain Wheatears, and then a dry riverbed yielded Pririt Batis, Grey-backed Cisticola, White-throated Canary, and Southern Masked Weaver. There also were two sudden stops, both for perched raptors, the first a Lanner Falcon and then a superb Martial Eagle.

We arrived at the gate to Goegap Nature Reserve just to learn that our plans to have lunch there would not be possible, as the restaurant was not operational. Nevertheless, we entered the park and soon found **Capped Wheatear**, **Ant-eating Chat**, **Verreaux's Eagle**, **Little Swift**, and **Familiar Chat**, as well as a pair of **Spike-heeled Larks**. The circular drive produced the hoped-for **Karoo Eremomela** – several of these dapper little birds putting in a good showing – followed by **Large-billed Lark** and **Rock Kestrel**. Gemsbok and springbok were plentiful and even provided some good photo opportunities. Great views were also had of southern rock agama and Karoo girdled lizard.

After a scrumptious lunch in Springbok we returned to our lodge, bumping into **Booted Eagle** on the way. We dropped Sandra and Kay at the lodge, as they opted out of the long afternoon drive to Kleinsee. The rest of us departed soon after, but not before Sarah got us onto a beautifully posed **Grey-winged Francolin**.

It was a rather long drive to Kleinsee, and this meant that we would have very little time to explore. But we made the best of it and headed straight for the mouth of the Buffels River, where we found several **Greater Flamingos** and also two **Lesser Flamingos**. A large contingent of **South African Shelduck** was joined by a pair of **Cape Teals** and a couple of **Cape Shovelers**. Great numbers of **African Oystercatchers**, a lone **Pied Avocet**, several **Hartlaub's Gulls**, and a **Greater Crested Tern** completed the picture. In terms of waders we had to be satisfied with **Ruff** and **Common Greenshank**. Several good birds showed on the way out. Stopping to photograph a **Greater Kestrel** also got us onto **Grey Tit** and **Karoo Lark**, and our last stop produced another pair of **Ludwig's Bustards**. Sadly, however, there were only brief glimpses for some of us of a pair of calling and displaying **Cape Long-billed Larks**.

Day 5, 10th November. Springbok to Pofadder

Only three of us went out for the early morning birding stint. We decided to make the best of the clear, still morning and drove down to a nearby dry streambed to look for Cinnamon-breasted Warbler. Unfortunately there was no sign of the warbler, but we were rewarded with great views of **Damara Canary** foraging in the sand of the riverbed, presumably in search of seed. It was great to see **Chestnut-vented** and **Layard's Warblers** in the same tree, which made for great comparisons. A lone **Fairy Flycatcher** moved busily from bush to bush, and **Karoo Prinia** was as common as always. We concluded the early session with a **Verreaux's Eagle** perched on a massive boulder.

Back at the lodge we sat down to a superb breakfast before driving towards our next destination, the town of Pofadder. We tried at several places just outside Springbok for the Cinnamon-breasted Warbler, but again to no avail. A stop at a stream crossing, where there were still a few puddles of water, produced fleeting glimpses of **Cape Penduline-Tit**, a small group of **Dusky Sunbird**s with relatively good views of the male, and crippling views of **Karoo Long-billed Lark**.

We pushed on, reaching Aardvark Kloof just in time to enjoy our lunch packs in the bit of shade available. This is arguably one of the best places in the country for **Cinnamonbreasted Warbler**, and it sure lived up to its reputation, with several birds calling around us at certain points in time. We continued on, encountering **Booted Eagle**, **Greater Kestrel**, and **Pale Chanting Goshawk** on the way, before finding our first groups of larks. While I was trying to point **Grey-backed Sparrow-Larks** out to everyone, Dan spotted our only **Sclater's Lark** for the trip. A stop at a watering trough got the group better views of the sparrow-lark and also good views of **Lark-like Bunting**. We also spotted at least another two **Ludwig's Bustards** as well as a displaying **Northern Black Korhaan**. Everyone marveled at the sheer size of our first Sociable Weaver nest, a true engineering masterpiece.

We arrived at the lodge fairly early, with everyone opting for a bit of R&R.

Day 6, 11th November. Pofadder to Augrabies Falls National Park

The group decided against driving the 60km to the Red Lark stakeout and rather do a relaxed drive south of town. This turned into a rather productive little drive, and we had hardly started before finding **Karoo Korhaan**, a species high on everyone's want list. First we saw a bird flying, and then there were several birds calling on both sides of the road, where we managed to secure great views of the birds on the right-hand side. Bird activity was pumping this morning, and we found several more groups of **Black-eared Sparrow-Lark**, providing even better views than on the previous day. **Karoo Long-billed Lark** called from all around us, and we also saw **Large-billed**, **Stark's**, and **Karoo Lark**. A **Double-banded Courser** came as an added bonus, thanks to the spotting skills of Frances. Other good birds before breakfast included **Rufous-eared Warbler**, **Namaqua Sandgrouse**, **Chat Flycatcher**, and **Northern Black Korhaan**.

Our drive to Augrabies did not include many birding stops, but the one we did make got us **Fawn-colored Lark** and **Black-chested Prinia**. Craig found a lost wallet next to the road, complete with bank cards and some cash; fortunately there was also a pay slip and phone numbers, so we were able to track down the owner and later dropped it off at the nearest bank for her to collect the next day.

At Augrabies we saw our first **African Red-eyed Bulbuls** and also had good views of **Orange River White-eye**.

Then most of the group decided to drive to a spot near Kakamas for Rosy-faced Lovebird, and I was quietly hoping that it would pay off. We arrived at its first known spot with no sign of the lovebird, but did pick up **Yellow-bellied Eremomela** as consolation. We drove a bit further and found a nice drinking spot, where the group watched **Lark-like Bunting**, **Cape Sparrow**, and **Laughing Dove** drinking, while I played the call for the lovebird. And then I heard it, the unmistakable call of **Rosy-faced Lovebird**. We found a single bird in a tree nearby, and elation all around turned into pure joy when we also found our first **Swallow-tailed Bee-eater** at the same spot.

We returned to camp, where we had an early dinner for the group to be able to join the night drive, which yielded **Spotted Eagle-Owl** and a great surprise in **Greater Painted-snipe**.

Day 7, 12th November. Augrabies Falls National Park to Kgalagadi Transfrontier Park

Before breakfast the morning was spent at will to give everyone a chance to enjoy the falls after which the park is named. I touched base with most of the group at one point or another, as I did my own rounds. Great birds that some or all of us saw included **Alpine** and **African Black Swift, Rock Kestrel, African Reed Warbler, African Darter, Karoo Scrub Robin, Dusky Sunbird, Pale-winged Starling**, and even a **Jacobin Cuckoo**.

We enjoyed a hearty breakfast and packed soon after, before departing for Upington. We stopped at the bridge over the Orange River, where we were treated to superb views of a **Goliath Heron** and also recorded **Little Swift, Rock Kestrel, Grey Heron, African Black Duck,** and **Blacksmith Lapwing** here.

We had to stop in Upington to pick up some supplies, as we would be staying two nights at Mata Mata Camp in the Kgalagadi Transfrontier Park, which is self-catering only. As it worked out our timing was good for lunch straight after shopping, and we ended up in the local Dros Restaurant.

The trip up north to the park produced the much sough-after **Pygmy Falcon**; in fact we saw several of these diminutive little raptors, hardly larger than a sparrow. We were also treated to better views of **Northern Black Korhaan** and stumbled upon another pair of **Double-banded Coursers** near the park gate. After checking in at the Twee Rivieren Camp we went for a walk in the camp grounds, where we found lots of **Scaly-feathered Weavers**, **Familiar Chat**, and the ever-gorgeous **Crimson-breasted Shrike**.

Day 8, 13th November. Twee Rivieren Camp to Mata Mata Camp

We decided on an early morning drive and got going as soon as the camp gates opened. We were hardly on the road when we got our first major bird, a splendid **Verreaux's Eagle-Owl** perched low in a large camelthorn tree. We saw several more **Crimson-breasted Shrikes**, **Sociable Weaver, Black-headed Heron, Brubru, Fawn-colored Lark**, and a few **Common Scimitarbills**. We also found our first **Tawny Eagle** and lots of **Pale Chanting Goshawks**.

Out drive back to camp for breakfast took somewhat longer than anticipated, resulting in our leaving Twee Rivieren only at 9:30. Raptors were plentiful in the park, and we soon had another encounter with **Pygmy Falcon**, and soon after that we were treated to spectacular family interactions between an immature **Secretarybird** and its parents. One of the adults brought the youngster a snake, which it greedily gulped down, while the other adult proceeded to line the nest for the next breeding attempt. Other good raptors included **White-backed Vulture**, **Martial Eagle**, **Black-chested Snake Eagle**, **Greater Kestrel**, and an immature **Lanner Falcon**. We eventually caught up with **Ashy Tit**, a bird we had tried for in

Twee Rivieren Camp without success. Common Ostrich was plentiful, and we recorded a few more Northern Black Korhaans and even a lone Spike-heeled Lark. Kori Bustard was another crowd favorite, and I was actually very surprised that we only encountered a single bird the whole day, in contrast to eight secretarybirds. Another show-stopper came in the form of a mother cheetah with two cubs, feeding on a springbok carcass. We spent some time with these magnificent animals, a moment that every first-time visitor to Africa dreams of. Other good birds en route included Acacia Pied Barbet, Chestnut-vented Warbler, Black-chested Prinia, Cape Starling, Namaqua Dove, Green-winged Pytilia, and Crowned Lapwing.

At Mata Mata Camp the group decided on another night drive, which produced **Southern White-faced Owl, Spotted Eagle-Owl**, and **Spotted Thick-knee**, as well as good mammals like African wildcat.

Day 9, 14th November. Mata Mata Camp

After the previous night's roaring lions just outside camp we anticipated finding them nearby in the morning, but this was not to be. We spent about an hour and a half on the drive, finding only bat-eared fox. We did manage to find several spectacular birds, though, which included several **Secretarybirds**, **Common Ostrich**, **Northern Black Korhaan**, and **Swallow-tailed Bee-eater**.

Back at the camp we watched several groups of **Namaqua Sandgrouse** coming in to drink. Further exploration of the camp revealed a **Western Barn Owl** struggling to find a roost where it would not be disturbed, both **Black-faced and Violet-eared Waxbills**, **Red-headed Finch**, **Yellow-bellied Eremomela**, an amazingly obliging **African Cuckoo**, **Kalahari Scrub Robin**, and **Common Scimitarbill**.

Only Kay and Sarah joined me for a drive, and even in the heat of the day we found **Kori Bustard**, **Martial Eagle**, a pair of **Spotted Thick-knee**, **Tawny Eagle**, **Gabar Goshawk**, **Lesser Grey Shrike**, and **Striped Kingfisher**.

Our late afternoon drive was less productive, as the heat was still quite oppressing, but some good birds came in the form of **Southern Yellow-billed Hornbill, Brown Snake Eagle, Sabota Lark,** and **Groundscraper Thrush.** The magnificent end to the day were four adult cheetahs in the riverbed on the way back to camp.

Day 10, 15th November. Mata Mata Camp (Kgalagadi Transfrontier Park) to Upington

We decided on a really early breakfast and got on the way soon after. En route we found similar birds to the previous day, with the addition of **Red-faced Mousebird**, **Pririt Batis**, and **Spotted Flycatcher**. We arrived at the Montrose waterhole just in time for some sandgrouse action: First good numbers of **Namaqua Sandgrouse** came in with their distinctive calls carrying through the air, and then we observed the arrival of small flocks of **Burchell's Sandgrouse**, quieter in their approach and seeming to spend even less time drinking than Namaqua Sandgrouse, hardly long enough to focus one's binoculars on them. Just slightly further on we came upon a family of spotted hyena, apparently well fed and in a playful mood, with three more, presumably from the same family group, a little further on. We decided to take a slightly longer route out of the park, crossing over the dunes to join the Nossob road. To our surprise the road was closed due to flood damage, but we managed to find a detour, saving us from having to go all the way back to the Mata Mata road.

After exiting the park and having lunch at the Molopo Kalahari Lodge in the "Green Kalahari", we continued to our overnight accommodation at a lodge about 50km outside of Upington. A familiar suite of birds awaited us here, and we welcomed old friends such as **Karoo Scrub Robin, White-throated Swallow, Chestnut-vented Warbler**, and **Greybacked Sparrow-Lark**. We enjoyed the hospitality of our hosts, and the impeccable dinner was most welcome after two days of self-catering at Mata Mata Camp.

Day 11, 16th November. Upington to Kimberley

We woke to a rather chilly Kalahari morning, a feature that would repeat itself over the coming days. We set forth exploring our surroundings but found very few birds willing to brave the wind. Cape and Southern Grey-headed Sparrows were still at their usual abundance despite the weather, and we found Black-winged Stilt, Egyptian Goose, Blacksmith Lapwing, and Hadada Ibis at the farm dam. Fiscal Flycatcher posed nicely on a tree, and a pair of Acacia Pied Barbets looked a quiver tree up and down for potential nesting holes. A Dusky Sunbird showed nicely, and a lone Pygmy Falcon sat close to a Sociable Weaver colony.

A short stop as we crossed the Orange River on our way through Upington produced White-breasted and Reed Cormorants, and we managed great views of African Darter. A single Giant Kingfisher passed overhead, and Levaillant's Cisticola called from the reeds. South-African Cliff Swallows were nesting in their hundreds under the bridge, and while we were there a truck honked its horn and they all took to the air, quite a spectacle!

We had lunch in a small town en route; it actually took us a while to find a spot for lunch as our usual spot was closed because it was a Sunday.

The rest of the day was spent eating up as much mileage as possible towards Kimberley, spotting **Kori Bustard** on the way. We arrived at Marrick Safari in good time and with enough daylight to get all the bags unloaded and everyone into their rooms before dark.

Day 12, 17th November. Kimberley (Marrick Safari)

Our first sortie today was around the homestead, were some mixed Acacia woodland provided good looks at **Brubru**, **Ashy Tit**, and a small family group of **Yellow-bellied Eremomela**. We watched a **Diederik Cuckoo** feeding caterpillars to its partner, probably some form of courtship, and **Black-cheeked Waxbills** moving from tree to tree. Moving toward the pan we almost immediately bumped into displaying **Eastern Clapper Lark**, followed by **Spike-heeled** and a small party of **Pink-billed Larks**. **Ant-eating Chats** were everywhere, and a pair of **Double-banded Coursers** put in a showing as well. **Blue Cranes** were seen in the distance, and several **Northern Black Korhaans** rose into the air in their typical display. Heading back for breakfast we recorded our first **Lesser Kestrel** of the trip.

After breakfast we headed for Kamfers Dam, where we hoped to see masses of Lesser Flamingos. Access was difficult, however, compounded by the fact that recent heavy rains had formed huge pools that blocked the usual entrance from the N12. The upside was that we recorded several good birds in these very pools, including our first **Hottentot Teal** of the trip as well as **Red-billed Teal**, **White-faced Duck**, **Black-winged Stilt**, and **Common Moorhen**. After some driving around we decided to park the van at the casino and walk down to the dam, where we marveled at the sheer number of **Lesser Flamingos** and also a few **Greater Flamingos**. Other good birds here were **Cape Shoveler**, **Yellow-billed Duck**, **Red-knobbed Coot**, and **Pied Avocet**.

We returned to the lodge for lunch and a short rest before some afternoon birding. A walk around the rocky outcrop near the farmstead found us a Smith's red rock rabbit, a **Spotted Eagle-Owl**, and also superb views of **Quailfinch** drinking at a small waterhole.

A night drive that evening proved superb, as we found aardvark, black-footed cat, aardwolf and Cape porcupine. A **Western Barn Owl** and the delightful **Burchell's Courser** made up the birding side of things.

Day 13, 18th November. Last day in Kimberley (Marrick Safaris)

Our final day arrived, and another short stint on the pan got us **Pink-billed Lark**, **Greybacked Sparrow-Lark**, **Rufous-eared Warbler**, and **Lesser Grey Shrike**, a first for some. After some discussion during the previous day as to our birding plans for today it had been decided that we would drive the hundred or so kilometers to Spitskop Dam, a fairly large impoundment north of Kimberley that is well known among birders, but this would be my first visit to the area.

We drove there on a pretty good road and started birding at the high-water bridge across the Harts River, where we found Goliath Heron, Grey Heron, Common Ringed Plover, Curlew Sandpiper, and Pied Kingfisher before heading for the dam proper. The dam was full to the brim from recent rains but still yielded several good birds, such as Little Stint, African Swamphen, Yellow-billed Stork, and then to everyone's delight a showy Black Heron. Both Whiskered and White-winged Terns were plentiful, and several Grey-headed Gulls patrolled the edges.

Unfortunately time caught up with us, as we still had to get Frances to the airport and the others to their guest house, and with Kimberley about an hour and a half's drive away we pushed on. Admittedly we did little justice to the birding potential of Spitskop Dam.

Sadly this was the end of another great trip.

| | BIRD | LIST NAMAQUALAND - KGALAGADI | - KIMBERLEY NOVEMBER 2014 | |
|--------|--------------|---|---|--------|
| Ende | mic bire | ds highlighted Bold. SA = South African Er | $\frac{1}{1}$ ndemic, SnA = Endemic to Southern A | frica, |
| | | NE = Near endemic to Southern Africa | n Region. RAR = Rarity | |
| Status | Endemi c? | Common Name (IOC 4.4) | Scientific Name (IOC 4.4) | Trip |
| | | | STRUTHIONIFORMES | |
| | | Ostriches | Struthionidae | |
| | | Common Ostrich | Struthio camelus | 1 |
| | | | ANSERIFORMES | |
| | | Ducks, Geese and Swans | <u>Anatidae</u> | |
| | | White-faced Whistling Duck | Dendrocygna viduata | 1 |
| | | Spur-winged Goose | Plectropterus gambensis | 1 |
| | | Egyptian Goose | Alopochen aegyptiaca | 1 |
| | SnA | South African Shelduck | Tadorna cana | 1 |
| | NE | Cape Shoveler | Anas smithii | 1 |
| | | Yellow-billed Duck | Anas undulata | 1 |

| | | African Black Duck | Anas sparsa | 1 |
|----|-----|---------------------------|--------------------------|---|
| | | Cape Teal | Anas capensis | 1 |
| | | Hottentot Teal | Anas hottentota | 1 |
| | | Red-billed Teal | Anas erythrorhyncha | 1 |
| | | | GALLIFORMES | |
| | | <u>Guineafowl</u> | <u>Numididae</u> | |
| | | Helmeted Guineafowl | Numida meleagris | 1 |
| | | Pheasants and allies | <u>Phasianidae</u> | |
| | SnA | Cape Spurfowl | Pternistis capensis | 1 |
| | SA | Grey-winged Francolin | Scleroptila afra | 1 |
| | | | SPHENISCIFOMES | |
| | | | Spheniscidae | |
| E | NE | African Penguin | Spheniscus demersus | 1 |
| | | | PODICIPEDIFORMES | |
| | | Grebes | <u>Podicipedidae</u> | |
| | | Little Grebe | Tachybaptus ruficollis | 1 |
| | | | PHOENICOPTERIFORMES | |
| | | <u>Flamingos</u> | Phoenicopteridae | |
| | | Greater Flamingo | Phoenicopterus roseus | 1 |
| NT | | Lesser Flamingo | Phoeniconaias minor | 1 |
| | | | CICONIIFORMES | |
| | | <u>Storks</u> | Ciconiidae | |
| | | Yellow-billed Stork | Mycteria ibis | 1 |
| | | | PELECANIFORMES | |
| | | <u>Ibises, spoonbills</u> | Threskiornithidae | |
| | | African Sacred Ibis | Threskiornis aethiopicus | 1 |
| | | Hadada Ibis | Bostrychia hagedash | 1 |
| | | Glossy Ibis | Plegadis falcinellus | 1 |
| | | African Spoonbill | Platalea alba | 1 |
| | | Herons, Bitterns | <u>Ardeidae</u> | |
| | | Grey Heron | Ardea cinerea | 1 |
| | | Black-headed Heron | Ardea melanocephala | 1 |
| | | Goliath Heron | Ardea goliath | 1 |
| | | Purple Heron | Ardea purpurea | 1 |
| | | Little Egret | Egretta garzetta | 1 |
| | | Black Heron | Egretta ardesiaca | 1 |
| | | Western Cattle Egret | Bubulcus ibis | 1 |
| | | Squacco Heron | Ardeola ralloides | 1 |
| | | <u>Hamerkop</u> | <u>Scopidae</u> | |
| | | Hamerkop | Scopus umbretta | 1 |
| | | <u>Pelicans</u> | <u>Pelecanidae</u> | |
| | | Great White Pelican | Pelecanus onocrotalus | 1 |

| | | | SULIFORMES | |
|----|-----|---------------------------------|----------------------------|---|
| | | Cormorants, Shags | <u>Phalacrocoracidae</u> | |
| E | NE | Cape Cormorant | Phalacrocorax capensis | 1 |
| E | SnA | Bank Cormorant | Phalacrocorax neglectus | 1 |
| | | White-breasted Cormorant | Phalacrocorax lucidus | 1 |
| | | Reed Cormorant | Microcarbo africanus | 1 |
| _ | _ | Anhingas, Darters | <u>Anhingidae</u> | _ |
| | | African Darter | Anhinga rufa | 1 |
| | | | ACCIPITRIFORMES | |
| | | Secretarybird | <u>Sagittariidae</u> | |
| V | | Secretarybird | Sagittarius serpentarius | 1 |
| | | Kites, Hawks and Eagles | <u>Accipitridae</u> | |
| | | Black-winged (-shouldered) Kite | Elanus caeruleus | 1 |
| | | African Harrier-Hawk | Polyboroides typus | 1 |
| E | | White-backed Vulture | Gyps africanus | 1 |
| | | Black-chested Snake Eagle | Circaetus pectoralis | 1 |
| | | Brown Snake Eagle | Circaetus cinereus | 1 |
| V | | Martial Eagle | Polemaetus bellicosus | 1 |
| | | Booted Eagle | Hieraaetus pennatus | 1 |
| | | Tawny Eagle | Aquila rapax | 1 |
| | | Verreaux's Eagle | Aquila verreauxii | 1 |
| | | African Fish Eagle | Haliaeetus vocifer | 1 |
| | | Gabar Goshawk | Micronisus gabar | 1 |
| | NE | Pale Chanting Goshawk | Melierax canorus | 1 |
| | | African Marsh Harrier | Circus ranivorus | 1 |
| V | SnA | Black Harrier | Circus maurus | 1 |
| | | Yellow-billed Kite | Milvus aegyptius | 1 |
| | | Steppe Buzzard | Buteo buteo vulpinus | 1 |
| | SnA | Jackal Buzzard | Buteo rufofuscus | 1 |
| | | | OTIDIFORMES | |
| | | Bustards | <u>Otididae</u> | |
| NT | | Kori Bustard | Ardeotis kori | 1 |
| E | NE | Ludwig's Bustard | Neotis ludwigii | 1 |
| NT | | Denham's Bustard | Neotis denhami | 1 |
| | SnA | Karoo Korhaan | Eupodotis vigorsii | 1 |
| V | SA | Southern Black Korhaan | Afrotis afra | 1 |
| | NE | Northern Black Korhaan | Afrotis afraoides | 1 |
| | | | GRUIFORMES | |
| | | Rails, Crakes and Coots | Rallidae | |
| | | African Swamphen | Porphyrio madagascariensis | 1 |
| | | Common Moorhen | Gallinula chloropus | 1 |
| _ | | Red-knobbed Coot | Fulica cristata | 1 |

| | | Cranes | <u>Gruidae</u> | |
|----|-----|------------------------------|-------------------------------|---|
| V | SnA | Blue Crane | Grus paradisea | 1 |
| | | | CHARADRIIFORMES | |
| | | Stone Curlews, Thick-knees | <u>Burhinidae</u> | |
| | | Spotted Thick-knee | Burhinus capensis | 1 |
| | | <u>Oystercatchers</u> | <u>Haematopodidae</u> | |
| NT | SnA | African Oystercatcher | Haematopus moquini | 1 |
| | | Stilts, Avocets | Recurvirostridae | |
| | | Black-winged Stilt | Himantopus himantopus | 1 |
| | | Pied Avocet | Recurvirostra avosetta | 1 |
| | | Plovers | <u>Charadriidae</u> | |
| | | Common Ringed Plover | Charadrius hiaticula | 1 |
| | | Kittlitz's Plover | Charadrius pecuarius | 1 |
| | | Three-banded Plover | Charadrius tricollaris | 1 |
| | | Crowned Lapwing | Vanellus coronatus | 1 |
| | | Blacksmith Lapwing | Vanellus armatus | 1 |
| | | Grey Plover | Pluvialis squatarola | 1 |
| | | Painted-snipes | Rostratulidae | |
| | | Greater Painted-snipe | Rostratula benghalensis | 1 |
| | | Sandpipers, Snipes | <u>Scolopacidae</u> | |
| | | Whimbrel | Numenius phaeopus | 1 |
| | | Marsh Sandpiper | Tringa stagnatilis | 1 |
| | | Common Greenshank | Tringa nebularia | 1 |
| | | Wood Sandpiper | Tringa glareola | 1 |
| | | Common Sandpiper | Actitis hypoleucos | 1 |
| | | Little Stint | Calidris minuta | 1 |
| | | Curlew Sandpiper | Calidris ferruginea | 1 |
| | | Ruff | Philomachus pugnax | 1 |
| | | Coursers, Pratincoles | <u>Glareolidae</u> | |
| | NE | Burchell's Courser | Cursorius rufus | 1 |
| | | Double-banded Courser | Rhinoptilus africanus | 1 |
| | | Gulls, Terns and Skimmers | <u>Laridae</u> | |
| | | Grey-headed Gull | Chroicocephalus cirrocephalus | 1 |
| | SnA | Hartlaub's Gull | Chroicocephalus hartlaubii | 1 |
| | | Kelp Gull | Larus dominicanus | 1 |
| | | Caspian Tern | Hydroprogne caspia | 1 |
| | | Greater Crested (Swift) Tern | Thalasseus bergii | 1 |
| | | Sandwich Tern | Thalasseus sandvicensis | 1 |
| | | Whiskered Tern | Chlidonias hybrida | 1 |
| | | White-winged Tern | Chlidonias leucopterus | 1 |
| | | | PTEROCLIFORMES | |
| | | Sandgrouse | Pteroclidae | |

| NE | Namaqua Sandgrouse | Pterocles namaqua | |
|-----|--------------------------------|---------------------------|--|
| NE | Burchell's Sandgrouse | Pterocles burchelli | |
| | | COLUMBIFORMES | |
| | Pigeons, Doves | <u>Columbidae</u> | |
| | Rock Dove | Columba livia | |
| | Speckled Pigeon | Columba guinea | |
| | Red-eyed Dove | Streptopelia semitorquata | |
| | Ring-necked (Cape Turtle) Dove | Streptopelia capicola | |
| | Laughing Dove | Spilopelia senegalensis | |
| | Namaqua Dove | Oena capensis | |
| | | CUCULIFORMES | |
| | Cuckoos | <u>Cuculidae</u> | |
| NE | Burchell's Coucal | Centropus burchellii | |
| | Jacobin Cuckoo | Clamator jacobinus | |
| | Diederik Cuckoo | Chrysococcyx caprius | |
| | Klaas's Cuckoo | Chrysococcyx klaas | |
| | African Cuckoo | Cuculus gularis | |
| | | STRIGIFORMES | |
| | Barn Owls | <u>Tytonidae</u> | |
| | Western Barn Owl | Tyto alba | |
| | Owls | <u>Strigidae</u> | |
| | Southern White-faced Owl | Ptilopsis granti | |
| RAR | Cape Eagle-Owl | Bubo capensis | |
| | Spotted Eagle-Owl | Bubo africanus | |
| | Verreaux's Eagle-Owl | Bubo lacteus | |
| | | APODIFORMES | |
| | <u>Swifts</u> | <u>Apodidae</u> | |
| | African Palm Swift | Cypsiurus parvus | |
| | Alpine Swift | Tachymarptis melba | |
| | Common Swift | Apus apus | |
| | African Black Swift | Apus barbatus | |
| | Little Swift | Apus affinis | |
| | White-rumped Swift | Apus caffer | |
| | Horus Swift | Apus horus | |
| | | COLIIFORMES | |
| | Mousebirds | Coliidae | |
| | Speckled Mousebird | Colius striatus | |
| SnA | White-backed Mousebird | Colius colius | |
| | Red-faced Mousebird | Urocolius indicus | |
| | | CORACIIFORMES | |
| | Rollers | Coraciidae | |
| | Lilac-breasted Roller | Coracias caudatus | |

| | | Kingfishers | <u>Alcedinidae</u> | |
|----|-----|---------------------------------|--------------------------|---|
| | | Striped Kingfisher | Halcyon chelicuti | 1 |
| | | Giant Kingfisher | Megaceryle maxima | 1 |
| | | Pied Kingfisher | Ceryle rudis | 1 |
| | | Bee-eaters | <u>Meropidae</u> | |
| | | Swallow-tailed Bee-eater | Merops hirundineus | 1 |
| | | European Bee-eater | Merops apiaster | 1 |
| | | | BUCEROTIFORMES | |
| | | <u>Hoopoes</u> | <u>Upupidae</u> | |
| | | African Hoopoe | Upupa africana | 1 |
| | | Wood Hoopoes | Phoeniculidae | |
| | | Green Wood-Hoopoe | Phoeniculus purpureus | 1 |
| | | Common Scimitarbill | Rhinopomastus cyanomelas | 1 |
| | | <u>Hornbills</u> | <u>Bucerotidae</u> | |
| | | African Grey Hornbill | Tockus nasutus | 1 |
| | NE | Southern Yellow-billed Hornbill | Tockus leucomelas | 1 |
| | | | PICIFORMES | |
| | | African Barbets | <u>Lybiidae</u> | |
| | NE | Acacia Pied Barbet | Tricholaema leucomelas | 1 |
| | | <u>Woodpeckers</u> | <u>Picidae</u> | |
| | | Golden-tailed Woodpecker | Campethera abingoni | Н |
| NT | SA | Knysna Woodpecker | Campethera notata | 1 |
| | | Cardinal Woodpecker | Dendropicos fuscescens | 1 |
| | | | FALCONIFORMES | |
| | | Caracaras, Falcons | <u>Falconidae</u> | |
| | | Pygmy Falcon | Polihierax semitorquatus | 1 |
| | | Greater Kestrel | Falco rupicoloides | 1 |
| | | Lesser Kestrel | Falco naumanni | 1 |
| | | Rock Kestrel | Falco rupicolus | 1 |
| | | Lanner Falcon | Falco biarmicus | 1 |
| | | Peregrine Falcon | Falco peregrinus | 1 |
| | | | PSITTACIFORMES | |
| | | <u>Parrots</u> | <u>Psittacidae</u> | |
| | NE | Rosy-faced Lovebird | Agapornis roseicollis | 1 |
| | | | PASSERIFORMES | |
| | | Wattle-eyes, Batises | <u>Platysteiridae</u> | |
| | NE | Pririt Batis | Batis pririt | 1 |
| | | Bushshrikes | Malaconotidae | |
| | NE | Bokmakierie | Telophorus zeylonus | 1 |
| | SnA | Southern Tchagra | Tchagra tchagra | 1 |
| | SnA | Southern Boubou | Laniarius ferrugineus | 1 |
| | | Brubru | Nilaus afer | 1 |

| | NE | Crimson-breasted Shrike | Laniarius atrococcineus | 1 |
|----|-----|--------------------------|---------------------------|---|
| | | Shrikes | <u>Laniidae</u> | |
| | | Red-backed Shrike | Lanius collurio | 1 |
| | | Lesser Grey Shrike | Lanius minor | 1 |
| | | Southern Fiscal | Lanius collaris | 1 |
| | | Drongos | <u>Dicruridae</u> | |
| | | Fork-tailed Drongo | Dicrurus adsimilis | 1 |
| | | Crows, Jays | <u>Corvidae</u> | |
| | | Cape Crow | Corvus capensis | 1 |
| | | Pied Crow | Corvus albus | 1 |
| | | White-necked Raven | Corvus albicollis | 1 |
| | | Rockjumpers | <u>Chaetopidae</u> | |
| | SA | Cape Rockjumper | Chaetops frenatus | 1 |
| | | Fairy Flycatchers | Stenostiridae | |
| | SnA | Fairy Flycatcher | Stenostira scita | 1 |
| | | Tits, Chickadees | <u>Paridae</u> | |
| | NE | Ashy Tit | Melaniparus cinerascens | 1 |
| | SnA | Grey Tit | Melaniparus afer | 1 |
| | | Penduline Tits | Remizidae | |
| | NE | Cape Penduline-Tit | Anthoscopus minutus | 1 |
| | | <u>Larks</u> | <u>Alaudidae</u> | |
| | SnA | Eastern Clapper Lark | Mirafra fasciolata | 1 |
| | NE | Fawn-colored Lark | Calendulauda africanoides | 1 |
| | NE | Sabota Lark | Calendulauda sabota | 1 |
| | SA | Karoo Lark | Calendulauda albescens | 1 |
| | SA | Agulhas Long-billed Lark | Certhilauda brevirostris | 1 |
| | SnA | Karoo Long-billed Lark | Certhilauda subcoronata | 1 |
| | SA | Cape Long-billed Lark | Certhilauda curvirostris | 1 |
| | NE | Spike-heeled Lark | Chersomanes albofasciata | 1 |
| | | Red-capped Lark | Calandrella cinerea | 1 |
| | NE | Pink-billed Lark | Spizocorys conirostris | 1 |
| NT | NE | Sclater's Lark | Spizocorys sclateri | 1 |
| | NE | Stark's Lark | Spizocorys starki | 1 |
| | NE | Large-billed Lark | Galerida magnirostris | 1 |
| | SnA | Black-eared Sparrowlark | Eremopterix australis | 1 |
| | NE | Grey-backed Sparrowlark | Eremopterix verticalis | 1 |
| | | Bulbuls | Pycnonotidae | |
| · | NE | African Red-eyed Bulbul | Pycnonotus nigricans | 1 |
| | SA | Cape Bulbul | Pycnonotus capensis | 1 |
| | | Swallows, Martins | <u>Hirundinidae</u> | |
| | | Brown-throated Martin | Riparia paludicola | 1 |
| | | Barn Swallow | Hirundo rustica | 1 |

| | White-throated Swallow | Hirundo albigularis | 1 |
|-----|---------------------------------------|-----------------------------|---|
| | Rock Martin | Ptyonoprogne fuligula | 1 |
| NE | Greater Striped Swallow | Cecropis cucullata | 1 |
| | Red-breasted Swallow | Cecropis semirufa | 1 |
| SA | South African Cliff-Swallow | Petrochelidon spilodera | 1 |
| | Crombecs, African Warblers | <u>Macrosphenidae</u> | |
| | Long-billed Crombec | Sylvietta rufescens | 1 |
| | Reed Warblers and allies | <u>Acrocephalidae</u> | |
| | Lesser Swamp-Warbler | Acrocephalus gracilirostris | 1 |
| | African Reed-Warbler | Acrocephalus baeticatus | |
| | Cisticolas and allies | Cisticolidae | |
| | Grey-backed Cisticola | Cisticola subruficapilla | 1 |
| | Levaillant's Cisticola | Cisticola tinniens | 2 |
| | Neddicky | Cisticola fulvicapilla | 1 |
| | Zitting Cisticola | Cisticola juncidis | |
| | Desert Cisticola | Cisticola aridulus | 1 |
| SnA | Karoo Prinia | Prinia maculosa | 2 |
| | Bar-throated Apalis | Apalis thoracica | |
| SnA | Rufous-eared Warbler | Malcorus pectoralis | |
| NE | Black-chested Prinia | Prinia flavicans | |
| SnA | Cinnamon-breasted Warbler | Euryptila subcinnamomea | |
| | Yellow-bellied Eremomela | Eremomela icteropygialis | |
| SnA | Karoo Eremomela | Eremomela gregalis | |
| | Sylviid Babblers | Sylviidae | |
| NE | Chestnut-vented Warbler (Tit-Babbler) | Sylvia subcaerulea | |
| SnA | Layard's Warbler (Tit-Babbler) | Sylvia layardi | |
| | White-eyes | Zosteropidae | |
| SnA | Cape White-eye | Zosterops virens | |
| SnA | Orange River White-eye | Zosterops pallidus | |
| | <u>Sugarbirds</u> | <u>Promeropidae</u> | |
| SA | Cape Sugarbird | Promerops cafer | |
| | Starlings, Rhabdornis | Sturnidae | |
| | Common Starling | Sturnus vulgaris | |
| | Wattled Starling | Creatophora cinerea | |
| NE | Cape Starling | Lamprotornis nitens | |
| SA | Pied Starling | Lamprotornis bicolor | |
| | Red-winged Starling | Onychognathus morio | |
| NE | Pale-winged Starling | Onychognathus nabouroup | |
| | Thrushes | <u>Turdidae</u> | |
| | Groundscraper Thrush | Turdus litsitsirupa | 1 |
| SnA | Karoo Thrush | Turdus smithi | |
| _ | Chats, Old World Flycatchers | <u>Muscicapidae</u> | |

| | Cape Robin-Chat | Cossypha caffra | 1 |
|-----|----------------------------------|---------------------------|---|
| SnA | Karoo Scrub Robin | Cercotrichas coryphoeus | 1 |
| | African Stonechat | Saxicola torquatus | 1 |
| | Capped Wheatear | Oenanthe pileata | 1 |
| SnA | Mountain Wheatear | Myrmecocichla monticola | 1 |
| | Familiar Chat | Oenanthe familiaris | 1 |
| NE | Karoo Chat | Emarginata schlegelii | 1 |
| NE | Tractrac Chat | Emarginata tractrac | 1 |
| SnA | Ant-eating Chat | Myrmecocichla formicivora | 1 |
| NE | Chat Flycatcher | Malaenornis infuscatus | 1 |
| SnA | Marico Flycatcher | Malaenornis mariquensis | 1 |
| SnA | Fiscal Flycatcher | Malaenornis silens | 1 |
| | Spotted Flycatcher | Muscicapa striata | 1 |
| | Sunbirds | <u>Nectariniidae</u> | |
| SA | Orange-breasted Sunbird | Anthobaphes violacea | 1 |
| | Malachite Sunbird | Nectarinia famosa | 1 |
| SnA | Southern Double-collared Sunbird | Cinnyris chalybeus | 1 |
| NE | Dusky Sunbird | Cinnyris fuscus | 1 |
| | Old World Sparrows, Snowfinches | Passeridae | |
| | White-browed Sparrow-Weaver | Plocepasser mahali | 1 |
| SnA | Sociable Weaver | Philetairus socius | 1 |
| | House Sparrow | Passer domesticus | 1 |
| SnA | Cape Sparrow | Passer melanurus | 1 |
| | Southern Grey-headed Sparrow | Passer diffusus | 1 |
| | Weavers, Widowbirds | <u>Ploceidae</u> | |
| NE | Scaly-feathered Weaver (Finch) | Sporopipes squamifrons | 1 |
| SA | Cape Weaver | Ploceus capensis | 1 |
| | Southern Masked Weaver | Ploceus velatus | 1 |
| | Red-billed Quelea | Quelea quelea | 1 |
| | Yellow-crowned Bishop | Euplectes afer | 1 |
| | Southern Red Bishop | Euplectes orix | 1 |
| | Yellow Bishop | Euplectes capensis | 1 |
| | Waxbills, Munias and allies | <u>Estrildidae</u> | |
| | Green-winged Pytilia | Pytilia melba | 1 |
| NE | Red-headed Finch | Amadina erythrocephala | 1 |
| NE | Violet-eared Waxbill | Uraeginthus granatinus | 1 |
| | Common Waxbill | Estrilda astrild | 1 |
| | Black-faced Waxbill | Estrilda erythronotos | 1 |
| | Swee Waxbill | Coccopygia melanotis | 1 |
| | Quailfinch | Ortygospiza atricollis | 1 |
| | Indigobirds, Whydahs | <u>Viduidae</u> | |
| | Pin-tailed Whydah | Vidua macroura | 1 |

| | Wagtails, Pipits | <u>Motacillidae</u> | |
|-----|---|----------------------------|-----|
| | Cape Wagtail | Motacilla capensis | 1 |
| | African Pipit | Anthus cinnamomeus | 1 |
| | <u>Finches</u> | <u>Fringillidae</u> | |
| | Black-throated Canary | Crithagra atrogularis | 1 |
| NE | Yellow Canary | Crithagra flaviventris | 1 |
| | Brimstone Canary | Crithagra sulphurata | 1 |
| NE | Streaky-headed Seedeater | Crithagra gularis | 1 |
| NE | White-throated Canary | Crithagra albogularis | 1 |
| | Cape Canary | Serinus canicollis | 1 |
| SnA | Damara Canary | Serinus alario leucolaemus | 1 |
| | Buntings, New World Sparrows and allies | <u>Emberizidae</u> | |
| NE | Lark-like Bunting | Emberiza impetuani | 1 |
| NE | Cape Bunting | Emberiza capensis | 1 |
| | TOTAL | | 260 |

| NAMAQUALAND - KGALAGADI - KIMBERLEY MAMMAL LIST NOVEMBER 2014 | | | | |
|--|--------------------------|------|--|--|
| IUCN Common Name | Scientific Name | Trip | | |
| | RODENTIA | | | |
| True mice and rats, gerbils, and relatives | <u>Muridae</u> | | | |
| Brants's whistling rat | Parotomys brantsii | 1 | | |
| Four-striped grass mouse | Rhabdomys pumilio | 1 | | |
| Dassie rat | <u>Petromuridae</u> | | | |
| Dassie rat | Petromus typicus | 1 | | |
| Squirrels and relatives | <u>Sciuridae</u> | | | |
| South African ground squirrel | Xerus inauris | 1 | | |
| Old World Porcupines | <u>Hystricidae</u> | | | |
| Porcupine | Hystrix africaeaustralis | 1 | | |
| Spring hares | <u>Pedetidae</u> | | | |
| Spring hare | Pedetes capensis | 1 | | |
| | LAGOMORPHA | | | |
| Hares and rabbits | <u>Leporidae</u> | | | |
| Cape hare | Lepus capensis | 1 | | |
| Scrub hare | Lepus saxatilis | 1 | | |
| Smith's red rock hare | Pronolagus rupestris | 1 | | |
| | HYRACOIDEA | | | |
| <u>Hyraxes</u> | Procaviidae | | | |
| Rock hyrax | Procavia capensis | 1 | | |
| | PERISSODACTYLA | | | |

| Horses and relatives | Equidae | |
|--|-------------------------|----|
| Cape mountain zebra | Equus zebra zebra | 1 |
| Plains zebra | Equus quagga | 1 |
| | ARTIODACTYLA | |
| Giraffes and okapis | <u>Giraffidae</u> | |
| Giraffe | Giraffa camelopardalis | 1 |
| Cattle, antelopes and relatives | Bovidae | |
| Black wildebeest | Connochaetes gnou | 1 |
| Common wildebeest | Connochaetes taurinus | 1 |
| Hartebeest | Alcelaphus buselaphus | 1 |
| Springbok | Antidorcas marsupialis | 1 |
| Klipspringer | Oreotragus oreotragus | 1 |
| Steenbok | Raphicerus campestris | 1 |
| Gemsbok | Oryx gazella | 1 |
| Eland | Taurotragus oryx | 1 |
| | CARNIVORA | |
| Hyaenas and aardwolf | Hyaenidae | |
| Aardwolf | Proteles cristatus | 1 |
| Spotted hyaena | Crocuta crocuta | 1 |
| Cats | <u>Felidae</u> | |
| Cheetah | Acinonyx jubatus | 1 |
| African wildcat | Felis silvestris lybica | 1 |
| Black-footed cat | Felis nigripes | 1 |
| Dogs, wolves and foxes | <u>Canidae</u> | |
| Bat-eared fox | Otocyon megalotis | 1 |
| Black-backed jackal | Canis mesomelas | 1 |
| Mongooses | <u>Herpestidae</u> | |
| Meerkat | Suricata suricatta | 1 |
| Yellow mongoose | Cynictis penicillata | 1 |
| Slender mongoose | Galerella sanguinea | 1 |
| | PRIMATES | |
| Old World monkeys | Cercopithecidae | |
| Chacma baboon | Papio ursinus | 1 |
| Vervet | Chlorocebus pygerythrus | 1 |
| | TUBULIDENTATA | |
| Aardvark | Orycteropodidae | |
| Aardvark | Orycteropus afer | 1 |
| TOTAL | | 34 |